

Міністерство освіти і науки України  
Національний університет «Києво-Могилянська Академія»  
Кафедра мультимедійних систем

*КУРСОВА РОБОТА*

*за спеціальністю «Інженерія програмного забезпечення» 121*

*на тему:*

Проектування архітектури та розробка інформаційної системи "Управління ветеринарною клінікою"

Науковий керівник:

ст. викладач Печкурова О. М.

Виконала:

студентка 3-го курсу Суховій К. М.

Київ – 2024

Міністерство освіти і науки України  
Національний університет «Києво-Могилянська Академія»  
Кафедра мультимедійних систем

ЗАТВЕРДЖУЮ

Зав. кафедри мультимедійних систем,

доцент, к.ф.-м.н.

\_\_\_\_\_ О. П. Жежерун

“ \_\_\_\_ ” \_\_\_\_\_ 2024 р.

ІНДИВІДУАЛЬНЕ ЗАВДАННЯ

на курсову роботу

студентці Суховій Ксенії 3-го курсу факультету інформатики

ТЕМА: Проектування архітектури та розробка інформаційної системи  
"Управління ветеринарною клінікою"

Зміст ТЧ до курсової роботи:

Анотація

Вступ

Розділ 1. Аналіз предметної області та постановка задачі

Розділ 2. Аналіз вимог та проектування системи

Розділ 3. Проектування архітектури та реалізація веб-застосунку

Висновки

Список джерел

Додатки

Дата видачі “ \_\_\_\_ ” \_\_\_\_\_ 2024 р.

Керівник \_\_\_\_\_ Завдання отримано \_\_\_\_\_

## Календарний план виконання курсової роботи

Тема: Проектування архітектури та розробка інформаційної системи  
"Управління ветеринарною клінікою"

| № п/п | Назва етапу курсового проекту (роботи)  | Термін виконання етапу            | Примітка |
|-------|---|-----------------------------------|----------|
| 1.    | Тематичний розбір літератури<br>Визначення обсягу роботи<br>Створення плану роботи  | Жовтень 2023<br>р.                |          |
| 2.    | Розробка загальної структури<br>інформаційної системи. Визначення<br>компонентів та їх взаємодії.<br>Написання технічного завдання для<br>розробки інформаційної системи. | Листопад 2023<br>р.               |          |
| 3.    | Розробка інформаційної системи.<br>Валідація та тестування  | Грудень 2023<br>-лютий 2024<br>р. |          |
| 4.    | Написання теоретичної частини<br>курсорової роботи  | Березень<br>2024 р.               |          |
| 5.    | Надання роботи керівнику для<br>перевірки, демонстрація практики  | Квітень 2024<br>р.                |          |
| 6.    | Внесення коректив до роботи за<br>результатами перевірки керівником   | Квітень 2024<br>р.                |          |
| 7.    | Остаточне оформлення теоретичної<br>частини та слайдів доповіді   | Квітень -<br>травень 2024<br>р.   |          |
| 8.    | Захист курсорової роботи  | Травень<br>2024 р.                |          |

Студент Суховій К.М.

Керівник Печкурова О.М.

“ \_\_\_\_\_ ” \_\_\_\_\_ р.

## Зміст

|   |           |
|---|-----------|
| Анотація.....   | 2         |
| Вступ .....   | 3         |
| 1. АНАЛІЗ ПРЕДМЕТНОЇ ОБЛАСТІ ТА ПОСТАНОВКА ЗАДАЧІ .....   | 5         |
| <b>1.1 Огляд сучасного стану ветеринарної галузі .....</b>  | <b>5</b>  |
| <b>1.2 Огляд існуючих аналогів ветеринарних інформаційних систем .....</b>                            | <b>6</b>  |
| 1.2.1 JetVet.....   | 6         |
| 1.2.2 ENOTE .....   | 8         |
| 1.2.3 Vubibo .....  | 11        |
| <b>1.3 Постановка задачі дослідження та розробки системи "Управління ветеринарною клінікою" .....</b> | <b>15</b> |
| <b>1.4 Висновки до розділу 1.....</b>   | <b>16</b> |
| 2. АНАЛІЗ ВИМОГ ТА ПРОЕКТУВАННЯ СИСТЕМИ.....  | 17        |
| <b>2.1 Визначення функціональних та нефункціональних вимог .....</b>                                  | <b>17</b> |
| 2.1.1 Функціональні вимоги.....   | 17        |
| 2.1.2 Нефункціональні вимоги .....  | 17        |
| <b>2.2 Визначення ролей користувачів та їх повноважень .....</b>                                      | <b>19</b> |
| <b>2.3 Аналіз потенційних сценаріїв використання системи .....</b>                                    | <b>20</b> |
| <b>2.4 Висновки до розділу 2 .....</b>  | <b>21</b> |
| 3. ПРОЕКТУВАННЯ АРХІТЕКТУРИ ТА РЕАЛІЗАЦІЯ ВЕБ-ЗАСТОСУНКУ .....  | 22        |
| 3.1 Опис архітектурного рішення.....  | 22        |
| 3.2 Вибір і налаштування середовища розробки.....   | 22        |
| 3.3 Розробка серверної частини на PHP з використанням Node.js .....                                   | 23        |
| 3.4 Розробка клієнтської частини на JavaScript з використанням Bootstrap, jQuery, та Modernizr .....  | 25        |
| 3.5 Розробка структури бази даних .....   | 26        |
| 3.6 Проектування інтерфейсу користувача та опис можливостей застосунку .....                          | 29        |
| 3.7 Висновки до розділу 3 .....   | 35        |
| Висновки.....   | 37        |
| Список використаної літератури .....  | 38        |
| Додатки .....   | 39        |

## Анотація

Дана робота присвячена розробці повноцінного клієнт-серверного веб-застосунку для ветеринарних клінік з використанням мов програмування PHP, JavaScript та потужного механізму зберігання даних InnoDB.

Результат роботи дозволить ефективно моніторити та управляти інформацією, що стосується ведення обліку ветеринарної клініки, включаючи можливості реєстрації користувачів, додавання та редагування даних про тварин та їхніх власників, ведення лікування, управління даними про прийоми та можливість запису на вільний час. Розроблений функціонал адміністратора надасть повний контроль над користувачами, лікарями та їхніми даними. Застосунок використовує додаткові технології, такі як Bootstrap, jQuery, Modernizr, що сприяє оптимізації коду та ефективній роботі з базою даних MySQL. Результат - це безпечний та повнофункціональний веб-застосунок для ветеринарної галузі із сучасним та зручним інтерфейсом.

Ключові слова: Bootstrap, jQuery, Modernizr, MapStruct, InnoDB, MySQL, Node.js, JavaScript, PHP, CSS, ветеринарна клініка, веб-застосунок, бази даних.

## Вступ

Сучасна ветеринарна галузь потребує ефективних та інноваційних рішень для моніторингу та управління інформацією, що стосується тварин та надає користувачам, таким як власники тварин, що є відвідувачами клініки, ветеринари та працівники клініки, зручність та доступність до необхідних даних. На сьогоднішній день існує велика потреба в зручному інструменті, який би об'єднував усі аспекти ветеринарного обліку та дозволяв забезпечити швидкий та зрозумілий доступ до інформації щодо стану здоров'я тварин.

В контексті цієї проблеми виникла необхідність у розробці веб-застосунку для ветеринарних клінік, який має враховувати потреби різних категорій користувачів. Власники тварин потребують зручний та інтуїтивно зрозумілий інтерфейс для реєстрації та перегляду даних про своїх улюбленців. Для ветеринарів і персоналу клінік важлива можливість ефективного моніторингу та організації робочих процесів.

Розробка такого веб-застосунку стає актуальною задачею в контексті розширених потреб у ветеринарній галузі та наростаючого обсягу інформації. Такий інноваційний інструмент не лише полегшить роботу фахівців, а й покращить якість обслуговування та здоров'я тварин, забезпечуючи швидкий та ефективний облік та управління ветеринарною інформацією.

Мета: Розробка та впровадження веб-застосунку, що відповідає сучасним технологічним вимогам та розв'язує проблеми управління ветеринарною інформацією та організацією бази даних.

Об'єктом дослідження є сучасна ветеринарна галузь та інформаційні потреби користувачів, таких як власники тварин, ветеринари, персонал клінік та люди, діяльність яких безпосередньо пов'язана з обробкою інформації, яка стосується тварин та їх історії лікування.

Предмет дослідження: Розробка веб-застосунку для ветеринарних клінік, який забезпечить зручний доступ до інформації про тварин, ефективний моніторинг та організацію робочих процесів.

Результатом дослідження є повноцінний веб-застосунок з інтуїтивно зрозумілим інтерфейсом для власників тварин та функціоналом для ефективного моніторингу та організації робочих процесів для ветеринарів і персоналу клінік, а також добре спроектована база даних для забезпечення швидкого доступу та цілісності інформації.

Завдання роботи включають аналіз сучасного стану вирішення проблем ветеринарного обліку, розробку та реалізацію веб-застосунку на основі технологій Bootstrap, jQuery, Modernizr, InnoDB, а також створення ефективної та добре спроектованої бази даних.

# 1. АНАЛІЗ ПРЕДМЕТНОЇ ОБЛАСТІ ТА ПОСТАНОВКА ЗАДАЧІ

## 1.1 Огляд сучасного стану ветеринарної галузі

Відповідно до ресурсу [1], Міністерство аграрної політики та продовольства України пропонує до обговорення проєкт закону України «Про внесення змін до Закону України «Про ветеринарну медицину». Згідно даному проєкту плануються врегулювання таких питань як: забезпечення благополуччя тварин, виробництво, розповсюдження, реєстрація та застосування ветеринарних препаратів, видача ветеринарних документів та міжнародного ветеринарного сертифіката, діяльність ліцензованих ветеринарних лікарів та ветеринарних лікарів ліцензованих зоомедичних установ. Сучасні органи охорони здоров'я потребують якісних та сучасних інструментів для покращення якості обслуговування та забезпечення швидкого доступу до медичних даних і оптимізації процесів управління ветеринарною лікарнею. Масштаби галузі охорони здоров'я вимагають впровадження інноваційних комп'ютерних технологій. Використання інформаційних систем стало невід'ємною частиною медичної практики. Незважаючи на те, що ветеринарні клініки є однією з перспективних галузей, що швидко розвиваються, проблеми розвитку та створення систем керування стримують зростання ринку ветеринарних медичних послуг.

Тим не менш, існує чимала кількість засобів управління та збереження даних про тварин у ветеринарній галузі. Із найбільш поширених та використовуваних можна виокремити такі як:

- 1) JetVet
- 2) ENOTE
- 3) Bubibo

Незважаючи на популярність та якість виконання даних застосунків, вони мають як значні переваги та зручність у використанні, так і певні недоліки, які будуть детально розглянуті у наступному підпункті.

## 1.2 Огляд існуючих аналогів ветеринарних інформаційних систем

### 1.2.1 JetVet

JetVet [4] є одним із найвідоміших ветеринарних сервісів, що спершу слугував задля поширення результатів аналізів тварин. Проте згодом, набравши популярності, можливості застосунку було розширено. На сьогодні доступними є такі функції:

- Автоматизація нарахувань заробітної плати співробітникам клініки
- Призначення типових діагнозів та вакцинацій

*Рис. 1. Створення картки вакцинації*

- Нагадування про прийоми та вакцинації адміністрації ветеринарної клініки і їхнім клієнтам.
- Нагадування про прострочку на складі.
- Картка пацієнта містить всю необхідну інформацію про пацієнта, включаючи історію відвідувань, історію вакцинації, файли отримані при огляді та лікуванні пацієнта




Рис. 2. Картки пацієнтів

Рис. 3. Деталі картки пацієнта

Цей застосунок має численну кількість переваг та зручностей у використанні. Проте одним із недоліків є відсутність зв'язку клієнта з лікарем або адміністрацією, а також неможливість запису на прийом для вакцинації, профілактики лікування, або термінового звернення. Це унеможливує повну автоматизацію процесу управління системою ветеринарної галузі.

## 1.2.2 ENOTE

ENOTE [3] – ефективна програма обліку для ветеринарних кабінетів, клінік, ветеринарних аптек. Хмарний сервіс надає доступ до CRM/ERP ENOTE через Інтернет.

Поміж усіх функцій даного застосунку можна виокремити найголовніші:

- Створення картки пацієнта.

Рис. 4. Деталі картки пацієнта

- Реєстрація прийому до лікаря




Рис. 5. Реєстрація прийому до лікаря

- Створення діагнозу




Рис. 6. Створення діагнозу

- Консультація/рекомендація клієнту.




Рис. 7. Додавання рекомендацій лікаря

- Налаштування оплати у програмі.




Рис.8 . Створення оплати

Даний сервіс представляє собою потужний інструмент для управління даними про пацієнтів, клієнтів, прийоми тощо. Проте він є корисним лише в односторонньому напрямку – клієнти ж не отримують ніякої інформації та не мають можливості контролювати відвідування клініки з їхніми домашніми улюбленцями та спостерігати за проходженням лікування у тварин. Ще одним недоліком є не дуже інтуїтивно зрозумілий інтерфейс. Через надлишкову кількість кнопок та іконок, важко вгадати правильну послідовність дій для обробки певної інформації та виконання певної функції.

### 1.2.3 Vubibo

Сучасний застосунок Vubibo [2] містить не лише інформацію про ветеринарні візити, а також інформацію про грумерів, відеоуроки для тренування з твариною та корисні поради для догляду за улюбленцем. Система пропонує такі можливості:

- Створення та перегляд картки тварини





Рис.9 . Картка тварини

- Створення та перегляд картки співробітника



*Рис.10 . Картка співробітника*

- Запис до лікаря та перегляд календарю





Рис.11 . Календар запису до лікаря

- Створення та перегляд даних про прийом



*Рис.12 . Деталі прийому до лікаря*

Даний застосунок є безперечно зручним, гарним та корисним для використання. Він має всі необхідні дані для системи такого типу, проте має такий вигляд лише для працівників ветеринарної клініки. Клієнти ж можуть використовувати лише мобільний додаток, в якому мають можливість проглядати всю цю інформацію, але не створювати або редагувати щось самостійно. Усі записи на прийоми та ведення звітності доручено адміністратору та лікарям клініки. Це створює деякі незручності та, знову ж таки, робить систему недостатньо автоматизованою. Також варто було б додати можливість перегляду результатів аналізів та викачування результатів для друку.

### **1.3 Постановка задачі дослідження та розробки системи "Управління ветеринарною клінікою"**

Основною задачею розробки системи "Управління ветеринарною клінікою" є оптимізація та автоматизація роботи ветеринарної клініки чи лікарні. Вона призначена для підвищення ефективності та результативності ветеринарних послуг

шляхом надання інструментів для керування записами пацієнтів, записами на прийом, щепленнями, виставленням рахунків та іншими важливими аспектами ветеринарної практики. Завдяки системі ветеринарного управління адміністратори та лікарі можуть легко отримати доступ до інформації про пацієнтів та історії хвороби, планувати зустрічі, створювати рахунки-фактури та звіти, керувати календарем відвідуваності і відстежувати фінансові операції. Ця система також допомагає скоротити паперову роботу, звести до мінімуму помилки та покращити спілкування між співробітниками. Отже, можна сформулювати основні вимоги до дизайну системи:

- Розробити детальну архітектуру системи, яка описує структуру, компоненти та взаємодію.
- Створити інтуїтивно зрозумілі інтерфейси користувача для різних ролей у ветеринарній клініці, включаючи ветеринарів, адміністраторів і клієнтів.
- Включити надійні механізми керування даними, щоб забезпечити безпеку, цілісність і доступність записів пацієнтів та іншої конфіденційної інформації.

Основні вимоги до розробки та впровадження системи:

- Використовувати відповідні технології та мови програмування для розробки системи управління ветеринарною клінікою відповідно до визначених вимог і принципів проектування.
- Впровадити функції для керування пацієнтами, зокрема електронні медичні записи, планування прийомів, плани лікування та відстеження лікування.
- Інтегрувати функції виставлення рахунків, включаючи спосіб оплати та номер транзакції.

#### **1.4 Висновки до розділу 1**

В розділі 1 було розглянуто поточну ситуацію ветеринарної галузі в Україні, потреби, які є у власників тварин та у людей, професії яких безпосередньо пов'язані із утриманням, лікуванням та піклуванням про тварин. Були описані існуючі

аналоги засобів управління та збереження даних про тварин у ветеринарній галузі, такі як JetVet, ENOTE, Vubibo. При дослідженні даних застосунків були виокремлені певні переваги та недоліки, які згодом будуть враховані при розробці додатку для управління ветеринарною клінікою. Серед недоліків, найпоширенішими виявились: відсутність зв'язку із клієнтами, інтуїтивно незручний інтерфейс та обмежена кількість можливостей зі сторони клієнтів (неможливість записатись на прийом, переглядати поточну інформацію про лікування домашніх улюбленців та результати їх аналізів).

Була поставлена основна задача розробки системи "Управління ветеринарною клінікою" та описані основні вимоги до дизайну системи. В ході роботи мають бути враховані недоліки попередньо досліджених застосунків, та застосовані покращення задля більш зручного користування додатком.

## **2. АНАЛІЗ ВИМОГ ТА ПРОЕКТУВАННЯ СИСТЕМИ**

### **2.1 Визначення функціональних та нефункціональних вимог**

#### **2.1.1 Функціональні вимоги**

Система управління ветеринарною клінікою розробляється для оптимізації роботи ветеринарної клініки, пропонуючи ряд функцій як адміністраторам (включаючи ветеринарів), так і клієнтам. Система має включати в себе кілька ключових функціональних вимог для полегшення ефективного управління клінікою. Однією з основних функцій є автентифікація користувача, яка повинна забезпечувати безпечний доступ до системи як для адміністраторів, так і для клієнтів. Після успішного входу користувачі перенаправляються на інформаційну панель, яка представляє вичерпну статистику, пов'язану з діяльністю клініки, наприклад запис на прийом, кількість пацієнтів на даний момент та щеплення. Адміністратори мають широкий контроль над функціями системи через панель адміністратора, де вони можуть керувати різними аспектами роботи клініки. Це включає в себе керування записами домашніх тварин, профілями лікарів, планування прийомів, керування планами лікування, виставлення рахунків і платежів, функції пошуку, відстеження щеплення та розповсюдження оголошень.

Клієнти, з іншого боку, мають доступ до набору функцій, адаптованих до їхніх потреб. Вони можуть переглядати записи про своїх домашніх тварин, призначати зустрічі, відстежувати платежі та контролювати щеплення домашніх тварин. Однак адміністративні дії, такі як додавання лікарів або зміна налаштувань клініки, обмежені доступом адміністратора.

#### **2.1.2 Нефункціональні вимоги**

Крім функціональності, системи управління ветеринарними лікарнями повинні відповідати ряду нефункціональних вимог, щоб забезпечити ефективність, зручність і надійність. Безпека є критичним питанням і вимагає впровадження

надійних заходів для захисту конфіденційних даних і захисту від несанкціонованого доступу. Система має відповідати найкращим галузевим практикам щодо шифрування даних, надійних механізмів автентифікації та політики контролю доступу.

Продуктивність також є важливим фактором, особливо в пікові періоди. Система повинна бути ефективною та оперативною в обробці запитів користувачів незалежно від навантаження. Щоб підвищити швидкість реагування системи, слід запровадити оптимізацію продуктивності, наприклад стратегії індексування та кешування бази даних.

Масштабованість також дуже важлива для задоволення зростаючих потреб клінік. У міру зростання вашої клініки та збільшення кількості користувачів система повинна легко масштабуватися відповідно до ваших зростаючих потреб. Для досягнення цієї мети необхідно прийняти масштабовану архітектуру програмного забезпечення.

Простота використання відіграє важливу роль у задоволенні користувачів і прийнятті системи. Інтерфейс користувача системи має бути інтуїтивно зрозумілим, зручним і доступним незалежно від розміру пристрою та екрану. Тестування зручності використання та ітераційні вдосконалення дизайну є важливими для забезпечення оптимальної взаємодії з користувачем.

Сумісність забезпечує надійну роботу системи на різних веб-браузерах і пристроях. Необхідно провести тестування сумісності, щоб перевірити продуктивність і функціональність системи в популярних браузерах і пристроях, включаючи настільні комп'ютери, ноутбуки, планшети та смартфони.

Для безперебійної роботи клініки велике значення має надійність. Система повинна демонструвати високу доступність і відмовостійкість, щоб мінімізувати час простою і забезпечити безперебійний доступ користувачів. Це вимагає впровадження механізмів резервування, аварійного відновлення та проактивного моніторингу для швидкого виявлення та вирішення потенційних проблем.

## 2.2 Визначення ролей користувачів та їх повноважень

Система управління ветеринарною клінікою визначає чіткі ролі користувачів, кожна з яких наділена певними привілеями та обов'язками, що відповідають їхнім ролям у клініці.

Роль Адміністратора:

Адміністратори мають повний контроль над функціоналом системи і володіють підвищеними привілеями для управління різними аспектами діяльності клініки. Вони мають право:

- додавати, редагувати та видаляти записи про тварин
- керувати профілями лікарів
- керувати профілями пацієнтів
- призначати зустрічі
- організовувати розклад прийомів
- виписувати ліки
- виставляти рахунки
- поширювати оголошення
- контролювати виконання завдань з управління клінікою
- керувати оголошеннями та репортами
- створювати нові профілі користувачів

Адміністратори мають доступ до спеціальної панелі управління, яка діє як централізований центр для керування функціями системи та доступу до важливої інформації, пов'язаної з клінікою.

Роль Клієнта:

Клієнти - власники домашніх тварин, які звертаються за ветеринарними послугами, мають обмежений доступ до функціональних можливостей системи. Вони мають право:

- переглядати медичні записи своїх улюбленців

- планувати зустрічі
- відстежувати платежі
- контролювати вакцинацію тварин

Однак адміністративні можливості, такі як додавання лікарів або зміна налаштувань клініки, недоступні клієнтам, що дозволяє чітко розмежовувати ролі адміністратора і клієнта в системі.

### **2.3 Аналіз потенційних сценаріїв використання системи**

Система управління ветеринарною клінікою пропонує універсальну платформу, яку можна застосовувати в різних сферах ветеринарної галузі, а також у суміжних галузях, які отримують вигоду від спрощеного управління послугами, пов'язаними з тваринами. Використовуючи свої надійні можливості та функції, система може задовольнити різноманітні потреби різних зацікавлених сторін, тим самим підвищуючи операційну ефективність, покращуючи надання послуг та сприяючи співпраці в наступних сферах застосування:

#### **1. Ветеринарні клініки та лікарні**

Основною сферою застосування системи управління ветеринарною клінікою є власне ветеринарні клініки та лікарні. Вона служить незамінним інструментом для адміністраторів клінік, ветеринарів та допоміжного персоналу для ефективного управління записами пацієнтів, планування зустрічей, відстеження лікування та оптимізації адміністративних завдань. Широкі функціональні можливості системи сприяють безперебійній комунікації та координації між персоналом клініки, що дозволяє їм надавати швидку та персоналізовану допомогу пацієнтам-тваринам.

#### **2. Послуги з догляду за домашніми тваринами**

Окрім традиційних ветеринарних клінік, система також може обслуговувати послуги з догляду за домашніми тваринами, такі як грумінг-салони, пансіонати та центри денного догляду за домашніми тваринами. Ці заклади можуть використовувати систему для управління зустрічами з клієнтами, відстежувати

записи про стан здоров'я домашніх тварин і вести графік вакцинації. Централізуючи інформацію, пов'язану з домашніми тваринами, та автоматизуючи адміністративні процеси, служби догляду за тваринами можуть підвищити свою операційну ефективність і забезпечити винятковий досвід догляду за тваринами для власників.

### 3. Притулки та служби порятунку тварин

Притулки для тварин стикаються з унікальними проблемами в управлінні здоров'ям і благополуччям врятованих тварин, координації адопції та відстеженні заходів щодо забезпечення добробуту тварин. Система управління ветеринарною клінікою може стати цінним активом для цих організацій, надаючи інструменти для управління прийомом тварин, відстеження медичного лікування, планування вакцинації та полегшення процесів адопції. Використовуючи можливості системи, притулки для тварин можуть оптимізувати свою роботу, підвищити стандарти догляду за тваринами та покращити досвід адопції для потенційних власників домашніх улюбленців.

## 2.4 Висновки до розділу 2

У розділі 2 було описано функціональні та нефункціональні вимоги до застосунку. Із функціональних вимог можна виокремити такі як: наявність автентифікації, яка гарантує збереження конфіденційності даних, керування записами домашніх тварин, профілями лікарів, планування прийомів, керування планами лікування, виставлення рахунків і платежів, функції пошуку, відстеження щеплення та розповсюдження оголошень. Користувачі можуть авторизуватися в системі під правами адміністратора та клієнта (власника тварини). Адміністратори мають розширений перелік можливостей, клієнти в основному можуть лише переглядати дані, та записувати на прийом до лікаря своїх улюбленців.

Із нефункціональних вимог було перелічено такі: безпека, масштабованість, продуктивність, простота, сумісність та надійність системи. Ці характеристики дозволять застосунку бути безпечним та надійним для використання та відповідати певним вимогам.

В розділі були перелічені сфери застосування веб-застосунку для управління ветеринарною клінікою. Серед них: ветеринарні клініки та лікарні, послуги з догляду за домашніми тваринами, притулки та служби для порятунку тварин. Завдяки повноцінному функціоналу, застосунок може бути мультипризначеним для сфер, схожих за своєю сутністю, проте працюючих у різних напрямках.

### **3. ПРОЕКТУВАННЯ АРХІТЕКТУРИ ТА РЕАЛІЗАЦІЯ ВЕБ-ЗАСТОСУНКУ**

#### **3.1 Опис архітектурного рішення**

Архітектурне рішення веб-додатку складається з кількох компонентів:

Інтерфейс користувача розроблений з використанням HTML, CSS та JavaScript. Він забезпечує інтерактивний інтерфейс для взаємодії користувачів з додатком. Серверна частина розроблена з використанням PHP та MySQL: PHP-скрипти обробляють запити користувачів, обробляють дані та взаємодіють з базою даних MySQL, яка містить інформацію про користувачів, візити, медичні рекомендації, скарги тощо. База даних MySQL забезпечує структуроване зберігання даних для ефективного пошуку та управління даними. Веб-сервер розміщує веб-додаток і обробляє HTTP-запити від клієнтів. Він відповідає за маршрутизацію запитів до відповідних PHP-скриптів та відображення HTML-сторінок користувачам. Середовище розробки включає такі інструменти, як phpMyAdmin для управління базою даних MySQL, сервер розробки PHP для тестування PHP-скриптів і текстовий редактор або інтегроване середовище розробки (IDE) для написання коду.

#### **3.2 Вибір і налаштування середовища розробки**

Вибір і налаштування середовища розробки - важливий крок у створенні системи управління ветеринарною клінікою. Індивідуальне середовище розробки забезпечує комфортне середовище для написання, тестування та налагодження коду, а також може забезпечити сумісність між різними компонентами програми. PHP було обрано для написання серверних скриптів. Він дозволяє реалізовувати функції взаємодії з базами даних, обробляти запити користувачів і генерувати контент для відображення на сторінках веб-додатку [7].

MySQL функціонує як система управління базами даних в застосунку управління ветеринарною клінікою, в якій зберігається інформація про пацієнтів, записи на прийом, рецепти та інші дані, необхідні для роботи системи управління ветеринарною лікарнею.

phpMyAdmin було обрано для використання для зручного управління базою даних MySQL через веб-інтерфейс. За допомогою цього інструменту такі завдання, як створення таблиць, модифікація даних і виконання SQL-запитів, можна було легко виконувати безпосередньо в браузері.

Локальний веб-сервер Apache використовувалось для розміщення веб-додатку, що розроблявся. До нього можна отримати доступ для налагодження і тестування без необхідності публікувати веб-додаток на реальному сервері.

Інтегровані середовища розробки (IDE), такі як Visual Studio Code, Sublime Text і PhpStorm, надають зручне середовище для написання і редагування коду і мають вбудовані інструменти для автоматичного налагодження і виконання коду. При створенні веб-застосунку для управління ветеринарною клінікою використовувалось IDE PhpStorm.

Браузери використовувались для тестування веб-додатку, перевірки відображення сторінок, взаємодії з користувачами та вирішення проблем з відображенням і функціональністю.

Загалом, індивідуальне середовище розробки є важливим фактором для успішного створення та тестування веб-додатків. Воно забезпечує ефективну роботу над проектом, належну взаємодію між різними компонентами програми, а також швидке виявлення та виправлення дефектів веб-додатків.

### **3.3 Розробка серверної частини на PHP з використанням Node.js**

На етапі розробки системи управління ветеринарною клінікою логіка на стороні сервера була реалізована в основному за допомогою PHP з додатковими функціями, інтегрованими через Node.js. Серверна архітектура обертається навколо

обробки автентифікації користувачів, керування операціями з базою даних та обробки різноманітних запитів, ініційованих як адміністраторами (включаючи ветеринарів), так і клієнтами.

Серверні функції інкапсульовано в окремі класи, розділені на пакети, щоб зберегти модульність і забезпечити масштабованість. Ці пакети спрощують розділення завдань, спрощуючи технічне обслуговування та майбутнє розширення системи. Примітно, що логікою на стороні сервера керують два основні класи:

Класи адміністратора: ці класи інкапсулюють функціональні можливості, призначені для адміністративних завдань, і доступний після входу в систему як адміністратор або ветеринар. Він організовує операції, пов'язані з керуванням домашніми тваринами, лікарями, записами на прийом, виставленням рахунків або оплатою, функціями пошуку, щепленнями, оголошеннями, користувачами та веб-керуванням. Кожна з цих функціональних можливостей ретельно розроблена для оптимізації адміністративних завдань, забезпечуючи ефективне управління клінікою.

Класи користувача: на відміну від класів адміністратора, класи користувача обслуговують функції, призначені для клієнтів, які мають доступ до системи. Після входу в систему як клієнт користувачі перенаправляються на персоналізовану інформаційну панель, де вони можуть переглядати інформацію, що стосується їхніх домашніх тварин, зустрічі, платежі та щеплення. Незважаючи на те, що користувачі мають доступ до власних даних, усі дії направляються через права адміністратора, щоб підтримувати контроль і підтримувати цілісність системи.

Інтеграція Node.js доповнює операції на стороні сервера, зокрема в обробці функцій реального часу та асинхронних завдань. Ця комбінація PHP і Node.js забезпечує надійну основу для архітектури на стороні сервера, забезпечуючи швидкість реагування та масштабованість відповідно до змінних вимог системи управління ветеринарною клінікою.

### **3.4 Розробка клієнтської частини на JavaScript з використанням Bootstrap, jQuery, та Modernizr**

Розробка системи управління ветеринарною клінікою на стороні клієнта зосереджена на покращенні взаємодії з користувачем і забезпеченні безперебійної взаємодії з програмою. Використовуючи фреймворки JavaScript, такі як Bootstrap, jQuery та Modernizr, архітектура на стороні клієнта надає пріоритет швидкості реагування, естетиці та зручності використання.

Технологія Bootstrap дозволяє швидко створювати адаптивні та красиві користувацькі інтерфейси без великої розробки CSS. Це допомогло зосередитися на функціональності додатку та покращити користувацький досвід. jQuery - це потужний інструмент для маніпулювання DOM та обробки подій. Він дозволяє легко створювати динамічний контент, який покращує інтерактивність та швидкість реагування застосунку. Modernizr використовується для виявлення можливостей веб-переглядача та забезпечення плавної деградації для старіших веб-переглядачів, забезпечуючи сумісність і узгоджену роботу користувача в різних середовищах.

Приклади використання даних технологій можна знайти у джерелах [5] та [6]

Функціональні можливості на стороні клієнта інкапсульовані в пакеті JavaScript (js), що включає сценарії, відповідальні за обробку динамічного вмісту, взаємодії з користувачем і логіку інтерфейсу. Обґрунтуванням вибору цих технологій є їхня здатність забезпечити швидке впровадження, ефективну взаємодію з користувачем та сумісність з різними середовищами. Ці інструменти можна використовувати для створення візуально привабливих і функціонально корисних інтерфейсів, що може підвищити задоволеність користувачів системами управління ветеринарними лікарнями.

Окрім фреймворків JavaScript, клієнтська архітектура включає CSS для стилізації та шрифтів для вдосконалення типографіки. Ці зовнішні ресурси, організовані у відповідних пакетах, спільно сприяють естетичній привабливості та

зручності використання системи керування ветеринарною клінікою, підвищуючи залучення та задоволення користувачів.

Загалом розробка на стороні клієнта доповнює логіку на стороні сервера, забезпечуючи інтуїтивно зрозумілий і візуально привабливий інтерфейс для користувачів, що збагачує загальний досвід користувача системи управління ветеринарною клінікою.

### 3.5 Розробка структури бази даних

The screenshot shows the phpMyAdmin interface. On the left is a tree view of the database structure. The main area displays a table of database tables with the following columns: Таблиця, Дія, Рядки, Тип, Зіставлення, Розмір, and Фрагментовані. The table lists 20 tables, including announcement, app, appointment, bill, category, client, company, complaints, docschedule, doctor, patient, pet\_info, prescription, rece, re\_admins, task, tbl\_info, user, vaccine, and webmanagement.

| Таблиця       | Дія         | Рядки      | Тип           | Зіставлення               | Розмір          | Фрагментовані |
|---------------|-------------|------------|---------------|---------------------------|-----------------|---------------|
| announcement  | Переглянути | 3          | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| app           | Переглянути | 4          | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| appointment   | Переглянути | 15         | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| bill          | Переглянути | 33         | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| category      | Переглянути | 3          | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| client        | Переглянути | 3          | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| company       | Переглянути | 1          | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| complaints    | Переглянути | 12         | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| docschedule   | Переглянути | 6          | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| doctor        | Переглянути | 8          | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| patient       | Переглянути | 2          | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| pet_info      | Переглянути | 8          | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| prescription  | Переглянути | 28         | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| rece          | Переглянути | 2          | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| re_admins     | Переглянути | 1          | InnoDB        | latin1_swedish_ci         | 16.0 KB         | -             |
| task          | Переглянути | 2          | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| tbl_info      | Переглянути | 1          | MyISAM        | latin1_swedish_ci         | 4.3 KB          | -             |
| user          | Переглянути | 2          | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| vaccine       | Переглянути | 2          | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| webmanagement | Переглянути | 1          | InnoDB        | utf8mb4_general_ci        | 16.0 KB         | -             |
| <b>Всього</b> |             | <b>129</b> | <b>InnoDB</b> | <b>utf8mb4_general_ci</b> | <b>388.3 KB</b> | <b>0</b>      |

Рис.13 . База даних застосунку




Рис.14 . Діаграма зв'язків між сутностями бази даних

Структура бази даних містить кілька таблиць, кожна з яких відповідає за певний тип інформації:

'announcement': зберігає оголошення з полями для заголовка, опису, дати початку, дати завершення та статусу видалення.

'app': містить інформацію про призначені користувачами прийоми, зокрема ідентифікатор пацієнта, ім'я, дату народження, стать, контактний номер, електронну адресу та адресу.

'appointment': зберігає деталі зустрічей, зокрема ідентифікатор зустрічі, час, дату, тип, ідентифікатор користувача, ідентифікатор пацієнта та статус видалення.

'bill': зберігає платіжну інформацію, таку як ідентифікатор рахунку, плата за консультацію, додаткові витрати, загальні витрати, сума платежу, спосіб оплати, ідентифікатор транзакції, дата рахунку, ідентифікатор пацієнта та статус.

'category': містить категорії для домашніх тварин із полями для ідентифікатора категорії, імені, зображення, опису та статусу видалення.

'client': зберігає інформацію про клієнта, включаючи ідентифікатор клієнта, ім'я, контактний номер, електронну адресу, основну адресу, додаткову адресу та статус видалення.

'company': зберігає інформацію про компанію з полями для ідентифікатора компанії, назви та статусу видалення.

'complaints': зберігає скарги користувачів із полями для ідентифікатора скарги, імені, електронної пошти, контактного номера, повідомлення та статусу видалення.

'docshedule': містить інформацію про розклад лікаря, включаючи ідентифікатор розкладу, дні, час початку, час закінчення та ідентифікатор лікаря.

'doctor': зберігає інформацію про лікарів із полями для ID лікаря, імені, прізвища, електронної пошти, контактного номера, спеціаліста, статі, штату, міста та адреси.

'patient': містить інформацію про пацієнта, таку як ідентифікатор пацієнта, ім'я, прізвище, дата народження, стать, контактний номер, електронна адреса, адреса, дата реєстрації та статус видалення.

'pet\_info': зберігає інформацію про домашніх тварин, включаючи ідентифікатор тварини, ім'я відвідувача, ім'я власника, ім'я тварини, категорію,

маркування, колір, статус, стать, породу, дату народження, спосіб придбання, місце придбання, дату придбання, реєстрацію, зображення, видалити статус і пароль.


'prescription': зберігає відомості про рецепти з полями для ідентифікатора рецепта, ліків, дозування, частоти, симптомів, хвороб, ідентифікатора користувача, ідентифікатора пацієнта, вакцини та призначення вакцини.

Вибір бази даних для системи управління ветеринарною лікарнею був обумовлений необхідністю забезпечення ефективного і структурованого зберігання та обробки великих обсягів різноманітних даних про пацієнтів, їх власників, медичні призначення, фінансові операції та інші важливі аспекти роботи ветеринарної лікарні.

Одним з важливих критеріїв бази даних є її здатність гарантувати надійність і цілісність даних. При роботі з медичною інформацією, яка часто має критичне значення, важливо мати систему, яка може ефективно управляти даними і захищати їх від втрати або пошкодження. Використання реляційних баз даних може спростити створення складних запитів і забезпечити оптимальну швидкість доступу до даних.

### **3.6 Проектування інтерфейсу користувача та опис можливостей застосунку**


Інтерфейс користувача розроблений інтуїтивно зрозумілим і зручним. Він містить форми для введення даних, таблиці для відображення інформації та кнопки для виконання таких дій, як надсилання форм або перехід до різних сторінок. Дизайн адаптивний і добре працює на різних пристроях і розмірах екрана. При запуску застосунку користувач може бачити форму для авторизації. Він може обрати роль адміністратора або клієнта.



*Рис.15 . Сторінка авторизації*

Після введення пошти та паролю, користувач потрапляє на головний екран застосунку із статистикою клініки. З правої частини екрану користувач може побачити панель для вибору необхідної сторінки, яку, за потреби, можна згорнути.


Для редагування, додавання (у випадку адміністратора) або перегляду (у випадку клієнта) домашніх тварин, потрібно скористатись кнопками Manage Pets/Add Pet, що розміщенні першими у панелі вибору. На цих же сторінках user може скористуватись пошуком, або кнопками для експорту даних у будь-якому зручному для нього форматі.



The screenshot shows the 'Manage Pets' page in an admin panel. It features a sidebar with navigation options like Dashboard, Pet, Doctor, etc. The main content area displays a table with columns for Sr no., User Email, Pet Name, Type / Category, Mark, Status, Gender, and Breed. There are three entries in the table.

| Sr no. * | User Email                 | Pet Name | Type / Category | Mark                    | Status  | Gender | Breed          |
|----------|----------------------------|----------|-----------------|-------------------------|---------|--------|----------------|
| 1        | harsha@gmail.com           | Billu    | cat             | black dot on right hand | good    | Male   | persian        |
| 2        | ks.sukhoviy@gmail.com      | Reks     | dog             | Red                     | Healthy | Male   | Shepherd       |
| 3        | julia.sukhok2022@gmail.com | Arven    | dog             |                         | Healthy | Female | Switz Shepherd |

Рис.16 . Сторінка з даними про всіх домашніх тварин



The screenshot shows the 'Add Pet' page in an admin panel. It features a sidebar with navigation options. The main content area displays a form with fields for Owner Name, Email, Password, Pet Name, Type / Category, Mark, Color, Status, Gender, Breed, dob, Made Acquired, Place Acquired, and Date Acquired. The Password field is filled with 'Y37W6RG'.

Рис.17 . Сторінка для додавання нової тваринки

Для редагування, додавання та перегляду даних про лікарів ветклініки, потрібно скористатись кнопками Manage doctor/Add Doctor, що розміщенні після

кнопок перегляду тварин у панелі вибору. На цих же сторінках для зручності також доданий пошук, та кнопки для експорту.

The screenshot shows the 'Add Doctor' form in the Admin Panel. The form is titled 'Add Doctor' and contains the following fields:

- First Name\*
- Last Name\*
- Email\*
- Contact No.\*
- Specialist In\* (Choose Specialist...)
- Gender\* (Gender)
- State (State)
- District (District)
- Address\*

A blue 'Submit' button is located at the bottom left of the form.

Рис.18 . Сторінка для додавання лікаря

The screenshot shows the 'Manage Doctor' page in the Admin Panel. It features a table of existing doctors with the following columns: ID, Fname, Lname, Email, Contact No., Specialist In, Address, and Action. The table contains 6 entries.

| ID | Fname     | Lname    | Email               | Contact No. | Specialist In | Address       | Action                                      |
|----|-----------|----------|---------------------|-------------|---------------|---------------|---|
| 1  | Dr. ram   | gorde    | ramgorade@gmail.com | 8856321452  | Andrology     | niphad,nashik | <a href="#">Edit</a> <a href="#">Delete</a> |
| 2  | Dr. Seema | Shirsath | shwet@gmail.com     | 9545236512  | Dietician     | nashik        | <a href="#">Edit</a> <a href="#">Delete</a> |
| 3  | anki      | pawase   | anki2@gmail.com     | 999999999   | Andrology     | nsk           | <a href="#">Edit</a> <a href="#">Delete</a> |
| 4  | ashu      | daware   | ashu@gmail.com      | 555555555   | Audiology     | nashik        | <a href="#">Edit</a> <a href="#">Delete</a> |
| 5  | Dr. ram   | Patil    | admin@gmail.com     | 7744426452  | Andrology     | asd           | <a href="#">Edit</a> <a href="#">Delete</a> |
| 6  | Dr. ram   | Pawase   | samarth@gmail.com   | 54324536354 | Andrology     | gyg           | <a href="#">Edit</a> <a href="#">Delete</a> |

At the bottom of the table, it says 'Showing 1 to 6 of 6 entries'. There are 'Previous' and 'Next' navigation buttons, with '1' selected.

Рис.19 . Сторінка для перегляду та редагування наявних ветеринарів

Для запису на прийом користувач має можливість переглянути розклад роботи лікарів на вкладці Doctor's Schedule та записатись на вільний час на вкладці Appointment.

**Manage Doctor's Schedule**

Copy PDF CSV Excel Show 10 entries Search:

| ID | Doctor's Name      | Day     | From     | To       | Action                                      |
|----|--------------------|---------|----------|----------|---|
| 1  | Dr. ram gorde      | Sunday  | 01:01:00 | 05:05:00 | <a href="#">Edit</a> <a href="#">Delete</a> |
| 2  | Dr. Seama Shirsath | Friday  | 17:22:00 | 20:22:00 | <a href="#">Edit</a> <a href="#">Delete</a> |
| 3  | Dr. ram Patil      | Tuesday | 16:48:00 | 21:45:00 | <a href="#">Edit</a> <a href="#">Delete</a> |
| 4  | Dr. ram Pawase     | Tuesday | 04:48:00 | 04:48:00 | <a href="#">Edit</a> <a href="#">Delete</a> |

Showing 1 to 4 of 4 entries Previous 1 Next

Рис.20 . Сторінка для перегляду та редагування розкладу роботи лікарів

**Manage Appointment**

Copy PDF CSV Excel Show 10 entries Search:

| Sr. no. | Doctor             | Owner Name | Pet Name | Hour  | Date       | Appointment Type | presc.                       | Action                                      |
|---------|--------------------|------------|----------|-------|------------|------------------|------------------------------|---|
| 1       | Dr. Seama Shirsath | Ksenia     | Reks     | 17:30 | 2024-02-28 | Consultation     | <a href="#">Prescription</a> | <a href="#">Edit</a> <a href="#">Delete</a> |

Showing 1 to 1 of 1 entries Previous 1 Next

Рис.21 . Сторінка для запису на прийом

На вкладці з усіма прийомами лікар може додавати відомості про візит та призначити лікування тварині.

The screenshot shows a modal window titled "Add Prescription Management" overlaid on the admin panel. The form contains the following fields and sections:

- Pet Name\***: Text input with value "Reks (Xsenia)".
- Doctor Name\***: Text input with value "Dr. Seema Shirsoth".
- Prescription Details**: A table with columns: Medication Name\*, Dosage\*, Frequency\*, Symptoms\*, Diseases\*. A green "Add" button is to the right.
- Vaccination Details**: Text input for Vaccine\* and Purpose of Vaccine\*. A green "Add" button is to the right.
- Buttons: "Submit" (blue) and "Reset" (red) at the bottom.

Рис.22. Вікно для визначення лікування

Адміністратор також має можливість переглядати дані про всі оплати за прийоми на сторінці Billing and Payment.

The screenshot shows the "Manage Billing and Payment" page. It features a table with the following data:

| ID | Owner Name | Pet Name | Consultation Fee | Test Charges | Treatment Charges | Total Amount | Amount Paid | Select |
|----|------------|----------|------------------|--------------|-------------------|--------------|-------------|--------|
| 1  | Harsha     | Billu    | 500              | 100          | 350               | 950          | 950         | Cash   |
| 2  | Harsha     | Billu    | 500              | 300          | 300               | 1100         | 1100        | Card(t |
| 3  | Harsha     | Billu    | 100              | 50           | 200               | 350          | 350         | Cash   |

Additional details: The table shows "Showing 1 to 3 of 3 entries" and navigation buttons for "Previous", "1", and "Next".

Рис.23. Вікно для перегляду та додавання даних про транзакції

Також існує вкладка для додавання і редагування категорій тварин, які обслуговуються в лікарні.




Рис.24. Вікно для перегляду та додавання категорій тварин

У системі є також сторінки для перегляду та редагування вакцинацій, додавання та перегляд оголошень лікарні, можливість залишити відгук після візиту, а також створення нового користувача.

Інтерфейс зручний та зрозумілий для будь-якої категорії користувачів, адже використовує загальнозвичивані позначки для підкреслення тих чи інших функцій, а також всі необхідні підписи сторінок та категорій.

### 3.7 Висновки до розділу 3

У розділі "Проектування архітектури та реалізація веб-додатку" було розглянуто середовище розробки, розробку серверної та клієнтської частин додатку, а також структуру бази даних. Середовище розробки включало PHP, MySQL, phpMyAdmin, веб-сервер Apache та IDE PhpStorm для ефективного розробки та тестування.

Серверна розробка на PHP з використанням Node.js дозволяє ефективно керувати операціями з базою даних та різними запитами. Архітектура сервера зосереджена на автентифікації користувачів, управлінні базами даних та обробці запитів. Функціональність сервера розділена на класи адміністратора та користувачів. Інтеграція з Node.js доповнює функціональність сервера, забезпечуючи асинхронну обробку завдань у режимі реального часу. Поєднання PHP та Node.js забезпечує швидкість і масштабованість системи управління ветеринарною лікарнею.

Клієнтська розробка на JavaScript з використанням Bootstrap, jQuery та Modernizr покращує користувацький досвід та забезпечує швидкий час відгуку. Структура бази даних включає таблиці для оголошень, зустрічей, облікових записів, категорій, клієнтів, лікарів, пацієнтів та інших сутностей.

Загалом, розробка архітектури та впровадження веб-додатків вимагає комплексного підходу та використання різних технологій для забезпечення ефективності та зручності для користувачів.

## Висновки

В результаті цієї роботи була створена система управління ветеринарною клінікою, що є важливим кроком у вирішенні комплексу проблем, які постають сьогодні перед ветеринарними клініками. Поєднуючи інноваційні технології з орієнтованим на користувача підходом до дизайну, цей веб-застосунок революціонує управління ветеринарною інформацією, забезпечуючи безпрецедентну зручність і ефективність для власників домашніх тварин, відвідувачів клінік, ветеринарів і персоналу клінік. Завдяки надійній структурі бази даних система забезпечує швидкий і надійний доступ до важливої інформації, зберігаючи при цьому цілісність і безпеку записів пацієнтів. Інтуїтивно зрозумілий інтерфейс застосунку відповідає потребам різних ролей користувачів, забезпечуючи безперебійну співпрацю та покращуючи загальний досвід користувача. Завдяки інтеграції таких функцій, як електронні медичні записи, планування прийому, відстеження лікування та функції виставлення рахунків, система управління ветеринарною клінікою спростила адміністративні завдання, догляд за пацієнтами та покращила спілкування між персоналом клініки. Завдяки автоматизації робочого процесу та мінімізації помилок система дозволяє клінікам надавати найкращі послуги та підтримувати найвищі стандарти ветеринарної допомоги.

## Список використаної літератури

1. Агроновини. На обговорення винесли зміни до закону про ветеринарну медицину – AgroPortal.ua [Електронний ресурс] – Режим доступу до ресурсу: <https://agroportal.ua/news/ukraina/na-obgovorennya-vinesli-zmini-do-zakonu-pro-veterinarnu-medicinu>
2. Bubibo APP | Онлайн запис до ветеринарних клінік. [Електронний ресурс] – Режим доступу до ресурсу: <https://www.bubibo.com/>
3. ENOTE - автоматизація процесів та контроль для ветеринарних клінік і аптек. [Електронний ресурс] – Режим доступу до ресурсу: <https://enote.vet/>
4. Jet Vet → додаток і програма для ветклініки і ветеринарів. [Електронний ресурс] – Режим доступу до ресурсу: <https://jet.vet/uk/>
5. jQuery Tutorial. W3Schools Online Web Tutorials. [Електронний ресурс] – Режим доступу до ресурсу: <https://www.w3schools.com/jquery/default.asp>
6. Modal. Bootstrap: The most popular HTML, CSS, and JS library in the world. [Електронний ресурс] – Режим доступу до ресурсу: <https://getbootstrap.com/docs/4.0/components/modal/>
7. PHP Introduction. W3Schools Online Web Tutorials. [Електронний ресурс] – Режим доступу до ресурсу: [https://www.w3schools.com/php/php\\_intro.asp](https://www.w3schools.com/php/php_intro.asp)

## Додатки

Програмний код:

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<div class="app-content">
  <div class="content-wrapper">
    <div class="card">
      <div class="section-description section-description-inline">
        <h1>Add Announcement</h1>
      </div>
      <div class="card-body">
        <form class="row" method="POST" action="app/cruddoctor.php"
id="docform">
          <div class="col-md-6">
            <label class="form-label">Title</label><span
class="required">*</span>
            <input type="text" class="form-control" name="title" >
          </div>
          <div class="col-md-6">
            <label class="form-label">Description</label><span
class="required">*</span>
            <textarea type="text" class="form-control" name="des"></textarea>
          </div>
          <div class="col-md-6">
            <label class="form-label">From Date</label><span
class="required">*</span>
            <input type="date" class="form-control" name="fdate" >
          </div>
          <div class="col-md-6">
            <label class="form-label">To Date</label><span
class="required">*</span>
            <input type="date" class="form-control" name="tdate" >
          </div>
          <div class="modal-footer text-end">
            <button type="submit" name="submit" class="btn btn-
primary">Submit</button>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>

<div class="app-content">
  <div class="content-wrapper">
    <div class="card">
      <div class="section-description section-description-inline"><h1>Add
Appoinment</h1></div>
      <div class="card-body">

```

```

<form class="row" method="POST" action="app/crudappointment.php">

    <div class="mb-3 col-md-6">
        <label class="form-label">Select
Doctor</label><span class="required">*</span>
        <?php
            $cnt=1;

            $stmt = $db->prepare("select * from doctor");
            $stmt->execute();
            $record = $stmt->fetchAll();
            $i=1; ?>

        <select class="form-select" aria-label="Default
select example" type="text" name="doc" >
            <option>Select Doctor</option>
            <?php foreach ($record as $row)
            { ?>
                <option value=" <?php echo
$row['id']?>">
                    <?php echo $row['dfname'].' '.
$row['dlname']; ?> <?php };?>
            </option>
        </select>
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Select
Pet</label><span class="required">*</span>
        <?php
            $cnt=1;

            $stmt = $db->prepare("select * from pet_info");
            $stmt->execute();
            $record = $stmt->fetchAll();
            // print_r($record);exit;
            $i=1; ?>

        <select class="form-select" aria-label="Default select
example" type="text" name="patient">
            <option>Select Pet</option>
            <?php foreach ($record as $row)
            { ?>
                <option value=" <?php echo
$row['pid']?>">
                    <?php
                    echo $row['pet_name'].' ('.$row['owner_name'].')';
                    ?>
                <?php
                    // };
                    ?>

                    <?php
                    // echo $row['pet_name']; ?> <?php
};?>
            </option>
        </select>
    </div>

```

```

    <div class="col-md-6">
      <label for="inputState" class="form-label">Hour</label><span
class="required">*</span>
      <select class="form-select" name="hr">
        <option value="">Choose...</option>
        <option value="7:00">7:00</option>
        <option value="7:30">7:30</option>
        <option value="8:00">8:00</option>
        <option value="8:30">8:30</option>
        <option value="9:00">9:00</option>
        <option value="9:30">9:30</option>
        <option value="10:00">10:00</option>
        <option value="10:30">10:30</option>
        <option value="11:00">11:00</option>
        <option value="11:30">11:30</option>
        <option value="12:00">12:00</option>
        <option value="12:30">12:30</option>
        <option value="13:00">13:00</option>
        <option value="13:30">13:30</option>
        <option value="14:00">14:00</option>
        <option value="14:30">14:30</option>
        <option value="15:00">15:00</option>
        <option value="15:30">15:30</option>
        <option value="17:00">17:00</option>
        <option value="17:30">17:30</option>
        <option value="18:00">18:00</option>
        <option value="18:30">18:30</option>
        <option value="19:00">19:00</option>
        <option value="19:30">19:30</option>
        <option value="20:00">20:00</option>
        <option value="20:30">20:30</option>
        <option value="21:00">21:00</option>
        <option value="21:30">21:30</option>
        <option value="22:00">22:00</option>
        <option value="22:30">22:30</option>
        <option value="23:00">23:00</option>
        <option value="23:30">23:30</option>
        <option value="00:00">00:00</option>
        <option value="00:30">00:30</option>
        <option value="1:00">1:00</option>
        <option value="1:30">1:30</option>
        <option value="2:00">2:00</option>
        <option value="2:30">2:30</option>
        <option value="3:00">3:00</option>
        <option value="3:30">3:30</option>
        <option value="4:00">4:00</option>
        <option value="4:30">4:30</option>
        <option value="5:00">5:00</option>
        <option value="5:30">5:30</option>
        <option value="6:00">6:00</option>
        <option value="6:30">6:30</option>
      </select>
    </div>

    <div class="mb-3 col-md-6">
      <label class="form-label">Date</label><span class="required">*</span>
      <input type="date" class="form-control" name="adate" >

```

```

        </div>

        <div class="mb-3 col-md-6">
            <label class="form-label">Appointment Type</label><span
class="required">*</span>
            <select type="text" class="form-control" name="atype">
                <option selected>Appointment Type</option>
                <option>Consultation</option>
                <option>Test</option>
                <option>Follow-up</option>
            </select>
        </div>

        <div class="modal-footer">
            <button type="submit" name="submit" class="btn btn-primary">Save
changes</button>
        </div>
    </div>
</form>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');
// print_r($_SESSION[]);exit;
?>

<div class="app-content">
<div class="content-wrapper">
    <div class="card">
        <div class="section-description section-description-inline">
            <h1>Add Category</h1>
        </div>
        <div class="card-body">
            <form class="row" method="POST" action="app/crudcategory.php"
id="add_category" enctype="multipart/form-data">
                <div class="mb-3 col-md-6">
                    <label class="form-label">Name</label><span
class="required">*</span>
                    <input type="text" class="form-control" name="name" >
                </div>
                <div class="mb-3 col-md-6">
                    <label class="form-label">Image</label><span
class="required">*</span>
                    <input type="file" class="form-control" name="photo" >
                </div>
                <div class="mb-3 col-md-12">
                    <label class="form-label">Description</label><span
class="required">*</span>
                    <textarea type="text" class="form-control" name="description"
></textarea>
                </div>
            <div class="modal-footer">
                <button type="submit" name="submit" class="btn btn-

```

```

primary">Submit</button>
    </div>
</div>
</div>
</form>
</div>
<?php include('include/footer.php');?>
<!-- <script>
    function validation() {
        var fileInput = document.getElementById('add_category').img;
        var filePath = fileInput.value;
        var allowedExtensions = /(\.jpg|\.jpeg|\.png)$/i;

        if (!allowedExtensions.exec(filePath)) {
            alert('Invalid file type! Please upload a JPG, JPEG, or PNG image.');
```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>

<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline"><h1>Add
Client</h1></div>
            <div class="card-body">
                <form class="row" method="POST" action="app/crudclient.php">

                <div class="mb-3 col-md-6">
                    <label class="form-label">Name</label>
                    <input type="text" class="form-control" name="client" >
                </div>
                <div class="mb-3 col-md-6">
                    <label class="form-label">Email</label>
                    <input type="text" class="form-control" name="email" >
                </div>

                <div class="mb-3 col-md-6">
                    <label class="form-label">Primary Address</label>
                    <textarea name="padd" cols="70"></textarea>
                </div>
                <div class="mb-3 col-md-6">
                    <label class="form-label">Secondary Address</label>
                    <textarea name="sadd" cols="70"></textarea>
                </div>
                <div class="mb-3 col-md-6">
                    <label class="form-label">Contact</label>
                    <input type="text" class="form-control" name="mob" >
                </div>

                <div class="col-md-12 mt-3">

```



```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>

<div class="app-content">
  <div class="content-wrapper">
    <div class="card">
      <div class="section-description section-description-inline"><h1>Add
Doctor</h1></div>
      <div class="card-body">
        <form class="row" method="POST" action="app/cruddoctor.php"
id="docform">

          <div class="col-md-6">
            <label class="form-label">First Name</label><span
class="required">*</span>
            <input type="text" class="form-control" name="dfname" >
          </div>

          <div class="col-md-6">
            <label class="form-label">Last Name</label><span
class="required">*</span>
            <input type="text" class="form-control" name="dlname" >
          </div>

          <div class="mb-3 col-md-6">
            <label class="form-label">Email</label><span
class="required">*</span>
            <input type="text" class="form-control" name="email" >
          </div>
          <!-- <div class="mb-3 col-md-6">
            <label class="form-label">Password</label><span
class="required">*</span>
            <input type="password" class="form-control" name="password"
id="myInput">
            <input type="checkbox" onclick="myFunction()">Show Password
          </div> -->

          <div class="mb-3 col-md-6">
            <label class="form-label">Contact No.</label><span
class="required">*</span>
            <input type="tel" class="form-control" name="contact" >
          </div>

          <div class="mb-3 col-md-6">
            <label class="form-label">Specialist in </label><span
class="required">*</span>
            <select type="text" class="form-control" name="specialist" >
              <option value="">Choose Specialist...</option>
              <option value="Anaesthesia">Anaesthesia</option>
              <option value="Andrology">Andrology</option>
              <option value="Audiology">Audiology</option>
              <option value="Ayurvedic">Ayurvedic</option>
              <option value="Cardiologist">Cardiologist</option>
              <option value="Dentist">Dentist</option>
              <option value="Dermatologist">Dermatologist</option>
              <option value="Diabetologist">Diabetologist</option>
              <option value="Dietician">Dietician</option>
            </select>
          </div>
        </form>
      </div>
    </div>
  </div>
</div>

```

```

        <option
value="Endocrinologist">Endocrinologist</option>
        <option value="ENT">ENT</option>
        <option
value="Gastroenterologist">Gastroenterologist</option>
        <option value="Gynaecologist">Gynaecologist</option>
        <option value="Haematology">Haematology</option>
        <option value="Homoeopathy">Homoeopathy</option>
        <option value="MedicNephrologistine">Medicine</option>
        <option value="Nephrologist">Nephrologist</option>
        <option value="Neurologist">Neurologist</option>
        <option value="Neurosurgeon">Neurosurgeon</option>
        <option value="Nutritionist">Nutritionist</option>
        <option value="Oncologist">Oncologist</option>
        <option
value="Ophthalmologist">Ophthalmologist</option>
        <option value="Orthopaedics">Orthopaedics</option>
        <option value="Orthopedic Surgeon">Orthopedic
Surgeon</option>
        <option value="Paediatrics">Paediatrics</option>
        <option value="Pathologist">Pathologist</option>
        <option value="Pediatric Cardiac Surgeon">Pediatric
Cardiac Surgeon</option>
        <option
value="Physiotherapist">Physiotherapist</option>
        <option value="Plastic Surgery">Plastic
Surgery</option>
        <option value="Psychiatrist">Psychiatrist</option>
        <option value="Pulmonary Medicine">Pulmonary
Medicine</option>
        <option value="Radiologist">Radiologist</option>
        <option value="Rheumatologist">Rheumatologist</option>
        <option value="Sexologist">Sexologist</option>
        <option value="Skin">Skin</option>
        <option value="Somnologist">Somnologist</option>
        <option value="Surgeon">Surgeon</option>
        <option value="Urologist">Urologist</option>
    </div>
</select>
</div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Gender</label><span
class="required">*</span>
        <select type="text" class="form-control" name="gender" >
            <option selected="selected" value="0">Gender</option>
            <option value="Male">Male</option>
            <option value="Female">Female</option>
            <option value="Other">Other</option>
        </select>
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label"
for="inputState">State</label>
        <select class="form-control" id="inputState"
name="state">
            <option>State</option>
            <option value="Andra Pradesh">Andra

```

```

Pradesh</option>
Pradesh</option>
value="Chhattisgarh">Chhattisgarh</option>
Pradesh</option>
Kashmir</option>
Pradesh</option>
value="Maharashtra">Maharashtra</option>
value="Uttaranchal">Uttaranchal</option>
Pradesh</option>
Bengal</option>
color:#fff">UNION Territories</option>
Islands">Andaman and Nicobar Islands</option>
and Nagar Haveli</option>
Diu</option>
value="Pondicherry">Pondicherry</option>
</div>
<div class="mb-3 col-md-6">
  <label for="inputDistrict">District</label>
  <select class="form-control" id="inputDistrict"
name="city">
    <option value="">District</option>
    <option value="Arunachal Pradesh">Arunachal
    <option value="Assam">Assam</option>
    <option value="Bihar">Bihar</option>
    <option
    <option value="Goa">Goa</option>
    <option value="Gujarat">Gujarat</option>
    <option value="Haryana">Haryana</option>
    <option value="Himachal Pradesh">Himachal
    <option value="Jammu and Kashmir">Jammu and
    <option value="Jharkhand">Jharkhand</option>
    <option value="Karnataka">Karnataka</option>
    <option value="Kerala">Kerala</option>
    <option value="Madhya Pradesh">Madhya
    <option
    <option value="Manipur">Manipur</option>
    <option value="Meghalaya">Meghalaya</option>
    <option value="Mizoram">Mizoram</option>
    <option value="Nagaland">Nagaland</option>
    <option value="Orissa">Orissa</option>
    <option value="Punjab">Punjab</option>
    <option value="Rajasthan">Rajasthan</option>
    <option value="Sikkim">Sikkim</option>
    <option value="Tamil Nadu">Tamil Nadu</option>
    <option value="Telangana">Telangana</option>
    <option value="Tripura">Tripura</option>
    <option
    <option value="Uttar Pradesh">Uttar
    <option value="West Bengal">West
    <option disabled style="background-color:#aaa;
    <option value="Andaman and Nicobar
    <option value="Chandigarh">Chandigarh</option>
    <option value="Dadar and Nagar Haveli">Dadar
    <option value="Daman and Diu">Daman and
    <option value="Delhi">Delhi</option>
    <option value="Lakshadweep">Lakshadweep</option>
    <option
  </select>
</div>
<div class="mb-3 col-md-6">
  <label for="inputDistrict">District</label>
  <select class="form-control" id="inputDistrict"
name="city">
    <option value="">District</option>

```

```

        </select>
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Address</label><span
class="required">*</span>
        <textarea class="form-control" name="address"></textarea>
    </div>

    <div class="col-md-12 mt-3">
        <button type="submit" name="submit" class="btn btn-primary"
onclick="submit_doctor1()">Submit</button>
    </div>
</div>
</form>
</div>
</div>
</div>

<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline">
                <h1>Add Immunization</h1>
            </div>
            <div class="card-body">
                <form class="row" method="POST" action="app/crudvaccine.php"
id="docform">
                    <!-- <div class="col-md-6">
                        <label class="form-label">Pet</label><span
class="required">*</span>
                        <input type="text" class="form-control" name="pet" >
                    </div> -->
                    <div class="col-md-6">
                        <label class="form-label">Date</label><span
class="required">*</span>
                        <input type="date" class="form-control" name="date" value="<?php
echo date('Y-m-d'); ?>" readonly>
                    </div>
                    <div class="mb-3 col-md-6 mt-3">
                        <label class="form-label">Vaccine Type</label><span
class="required">*</span>
                        <select type="text" class="form-control" name="vaccine_type" >
                            <option value="">Choose Vaccine</option>
                            <option value="Rabies">Rabies</option>
                            <option value="Parvovirus">Parvovirus</option>
                            <option value="Canine hepatitis">Canine hepatitis</option>

```

```

                <option value="Canine Parainfluenza">Canine
Parainfluenza</option>
                <option value="Canine distemper virus">Canine distemper
virus</option>
            </select>
        </div>
        <div class="mb-3 col-md-6 mt-3">
            <label class="form-label">By</label><span
class="required">*</span>
            <!-- <input type="text" class="form-control" name="by" > -->
            <?php
                $cnt=1;

                $stmt = $db->prepare("select * from doctor");
                $stmt->execute();
                $record = $stmt->fetchAll();
                $i=1; ?>

            <select class="form-select" aria-label="Default
select example" type="text" name="by" >
                <option>Select Doctor</option>
                <?php foreach ($record as $row)
                { ?>
                    <option value=" <?php echo
$row['dfname']. ' '. $row['dlname']; ?>">
                        <?php echo $row['dfname']. ' '.
$row['dlname']; ?> <?php }; ?>
                    </option>
                </select>
        </div>
        <div class="mb-3 col-md-6">
            <label class="form-label">Pet Name</label><span
class="required">*</span>
            <!-- <input type="text" class="form-control" name="pname" > -->
            <select type="text" class="form-control" name="pet_name" >
                <option value="">Select</option>

                <?php $stmt=$db->prepare("SELECT *
FROM `pet_info` WHERE delete_status='0' ");
                $stmt->execute();
                $record=$stmt->fetchAll();

                foreach ($record as $res) { ?>
                    <option value="<?php echo
$res['pet_name'] ?>">
                        <?php echo $res['pet_name']. ' ('.
$res['owner_name']. ')'; } ?>
                    </option>
                </select>
        </div>
        <div class="mb-3 col-md-6">
            <label class="form-label">Vaccine Charges</label><span
class="required">*</span>
            <input type="text" class="form-control" name="vcharge" >
        </div>

```





```

<div class="section-description section-description-inline"><h1>Add
Pet</h1></div>
<div class="card-body">
  <form class="row" method="POST" action="app/crudpets.php"
enctype="multipart/form-data">
    <div class="mb-3 col-md-6">
      <label class="form-label">Owner Name</label><span
class="required">*</span>
      <input type="text" class="form-control" name="oname" >
    </div>

    <div class="mb-3 col-md-6">
      <label class="form-label">Email</label><span
class="required">*</span>
      <input type="text" class="form-control" name="vname" >
    </div>
    <div class="mb-3 col-md-6">
      <label class="form-label">Password</label><span
class="required">*</span>
      <?php

                                function random_strings($length_of_string)
                                {

                                        // String of all alphanumeric character
                                        $str_result =
'0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ';

                                        // Shuffle the $str_result and returns
substring
                                        // of specified length
                                        return substr(str_shuffle($str_result),
                                                0,
$length_of_string);
                                }

                                // This function will generate
                                // Random string of length 10
                                $new=random_strings(7);

                                ?>
      <input type="text" class="form-control" name="password" value="<?php
echo $new; ?>" readonly>

    </div>
    <div class="mb-3 col-md-6">
      <label class="form-label">Pet Name</label><span
class="required">*</span>
      <input type="text" class="form-control" name="pname" >
    </div>
    <div class="mb-3 col-md-6">
      <label class="form-label">Type / Category</label><span
class="required">*</span>
      <select type="text" class="form-control" name="category" >
        <option value="">Select</option>

```

```

FROM `category` WHERE delete_status='0' ");
    <?php $stmt=$db->prepare("SELECT *
    $stmt->execute();
    $record=$stmt->fetchAll();

    foreach ($record as $res) { ?>
        <option value="<?php echo
    $res['name']?>">
        <?php echo $res['name']; ?>
    </option>

    </select>
</div>
    <div class="mb-3 col-md-6">
        <label class="form-label">Mark</label><span
class="required">*</span>
        <input type="text" class="form-control" name="mark" >
    </div>
    <div class="mb-3 col-md-6">
        <label class="form-label">Color</label><span
class="required">*</span>
        <select type="text" class="form-control" name="color" >
            <option selected="selected" value="0">Please Select a Color
</option>
            <option value="Black">Black</option>
            <option value="White">White</option>
            <option value="Golden">Golden</option>
        </select>
    </div><br><br>
    <div class="mb-3 col-md-6">
        <label class="form-label">Status</label><span
class="required">*</span>
        <input type="text" class="form-control" name="status" >
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Gender</label><span
class="required">*</span>
        <select type="text" class="form-control" name="gender" >
            <option selected="selected" value="0">Please Select a Gender
</option>
            <option value="Male">Male</option>
            <option value="Female">Female</option>
        </select>
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Breed</label><span
class="required">*</span>
        <input type="text" name="breed" class="form-control">
    </div>
    <div class="mb-3 col-md-6">
        <label class="form-label">dob</label><span
class="required">*</span>
        <input type="date" name="date" class="form-control">
    </div>
    <div class="mb-3 col-md-6">

```



```

        <div class="col-md-6">
            <label class="form-label">Email</label><span
class="required">*</span>
            <input type="text" class="form-control" name="email" >
        </div>
        <div class="col-md-6">
            <label class="form-label">Password</label><span
class="required">*</span>
            <input type="password" class="form-control" name="password" >
        </div>
        <div class="mb-3 col-md-6">
            <label class="form-label">Gender</label><span
class="required">*</span>
            <select type="text" class="form-control" name="gender" >
                <option value="Male">Male</option>
                <option value="Female">Female</option>
            </select>
        </div>
        <div class="col-md-6">
            <label class="form-label">Date Of Birth</label><span
class="required">*</span>
            <input type="date" class="form-control" name="date" >
        </div>
        <div class="col-md-6">
            <label class="form-label">Contact</label><span
class="required">*</span>
            <input type="text" class="form-control" name="contact" >
        </div>
        <div class="col-md-6">
            <label class="form-label">Image</label><span
class="required">*</span>
            <input type="file" class="form-control" name="img" >
        </div>
        <div class="modal-footer text-end">
            <button type="submit" name="submit" class="btn btn-
primary">Submit</button>
        </div>
    </div>
</div>
</div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline">
                <h1>Add User</h1>
            </div>
            <div class="card-body">
                <form class="row" method="POST" action="app/crudrece.php" id="docform"
enctype="multipart/form-data">

```

```

        <!-- <div class="col-md-6">
            <label class="form-label">Name</label><span
class="required">*</span>
            <input type="text" class="form-control" name="fname" >
        </div> -->
        <div class="col-md-6">
            <label class="form-label">Name</label><span
class="required">*</span>
            <input type="text" class="form-control" name="rece_name" >
        </div>
        <div class="col-md-6">
            <label class="form-label">Email</label><span
class="required">*</span>
            <input type="text" class="form-control" name="email" >
        </div>
        <div class="col-md-6">
            <label class="form-label">Password</label><span
class="required">*</span>
            <input type="password" class="form-control" name="password_hash"
>
        </div>
        <div class="mb-3 col-md-6">
            <label class="form-label">Gender</label><span
class="required">*</span>
            <select type="text" class="form-control" name="gender" >
                <option value="Male">Male</option>
                <option value="Female">Female</option>
            </select>
        </div>
        <div class="col-md-6">
            <label class="form-label">Date Of Birth</label><span
class="required">*</span>
            <input type="date" class="form-control" name="date" >
        </div>
        <div class="col-md-6">
            <label class="form-label">Contact</label><span
class="required">*</span>
            <input type="text" class="form-control" name="rece_mobile" >
        </div>
        <div class="col-md-6">
            <label class="form-label">Image</label><span
class="required">*</span>
            <input type="file" class="form-control" name="img" >
        </div>
        <div class="modal-footer text-end">
            <button type="submit" name="submit" class="btn btn-
primary">Submit</button>
        </div>
    </div>
</div>
</form>
</div>
</div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<div class="app-content">
<div class="content-wrapper">
<div class="card">
  <div class="section-description section-description-inline">
    <h1>Mass Anti Radies Vaccination Report</h1>
  </div>
  <div class="card-body">
    <form class="row" method="POST" action="">
      <div class="mb-3 col-md-5">
        <label class="form-label">From Date</label>
        <input type="date" class="form-control" name="fdate" >
      </div>
      <div class="mb-3 col-md-5">
        <label class="form-label">To Date</label>
        <input type="date" class="form-control" name="tdate" >
      </div>
      <div class="col-md-2 mt-4 pt-3">
        <button type="submit" name="submit" class="btn btn-
primary">Submit</button>
      </div>
    </form>
  </div>
</div>
<div class="app-content mt-0">
  <div class="content-wrapper">
    <div class="card">
      <div class="section-description section-description-inline">
        <h1>Manage Mass Anti Radies Vaccination Report</h1>
      </div>
      <div class="card-body">
        <div class="table-responsive">
          <table id="example" class="display nowrap" style="width:100%">
            <thead>
              <tr>
                <th>ID</th>
                <th>No</th>
                <th>Barangay</th>
                <th>Date of Vaccination</th>
                <th>No of Dogs</th>
                <th>No of Cats</th>
                <th>Action</th>
              </tr>
            </thead>
            <tbody>
              <tr>
                <td>1</td>
                <td>5</td>
                <td>abc</td>
                <td>9/8/22</td>
                <td>8</td>
                <td>2</td>
                <td>
                  <a href="edit-bill.php?bid=?php echo $row['bid']
?" class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
                </a>
              </td>
            </tr>
          </tbody>
        </div>
      </div>
    </div>
  </div>
</div>

```



```

        <th>Patient</th>
        <th>Hour</th>
        <th>Date</th>
        <th>Appointment Type</th>
        <!-- <th width="80px">Action</th> -->

    </tr>
</thead>
<tbody>

<?php

        $cnt=1;
        if(isset($_POST['fdate']) && isset($_POST['tdate'])) {
            // code...
            $from_date=$_POST['fdate'];
            $to_date = $_POST['tdate'];

            // $stmt = $db->prepare("select *
from stock INNER JOIN supplier ON stock.sup_id=supplier.sup_id where res_date
between '$from_date' AND '$to_date' AND stock.res_date <= curdate() ");

            // $stmt = $db->prepare("SELECT *
from appointment INNER JOIN doctor ON appointment.id=doctor.id INNER JOIN patient
ON appointment.pid = patient.pid;");

            $stmt = $db->prepare("select * from
appointment INNER JOIN doctor ON appointment.id=doctor.id INNER JOIN patient ON
appointment.pid=patient.pid where adate between '$from_date' AND '$to_date'");

                                                    $stmt-
>execute();
                                                    $record =
$stmt->fetchAll();
                                                    $i=1;
                                                    foreach
($record as $row)
                                                    {
                                                        >
<tr>
    <td><?php echo $cnt;?></td>
    <td> <?php echo $row['dfname'].' '. $row['dlname']; ?>
    <td> <?php echo $row['fname'].' '. $row['lname']; ?>
    <td> <?php echo $row['hr'];?></td>
    <td> <?php echo $row['adate'];?></td>
    <td> <?php echo $row['atype'];?></td>

    <!-- <td>
        <a href="edit-appointment.php?aid=<?php echo $row['aid']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
        </a>
        <a href="app/crudappointment.php?delid=<?php echo
$row['aid'] ?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete"><i
class=" text-danger material-icons-outlined">delete_outline</i>
        </a>

```

```

                </td> -->
            </tr>
        <?php
            $cnt=$cnt+1;
        } } ?>
    </tbody>
</table>
</div>
</div>

```

```
<?php include('include/footer.php');?>
```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');
error_reporting(0);
session_start();
include '../assets/constants/config.php';

try {
    $conn = new PDO("mysql:host=$servername;dbname=$dbname", $username,
$password);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $e)
{
    echo "Connection failed: " . $e->getMessage();
}
?>
<div class="app-content">
<div class="content-wrapper">
<div class="card">
    <div class="section-description section-description-inline">
        <h1>Pet Report</h1>
    </div>
    <div class="card-body">
        <form class="row" method="POST" action="">
            <div class="mb-3 col-md-5">
                <label class="form-label">From Date</label>
                <input type="date" class="form-control" name="fdate" >
            </div>
            <div class="mb-3 col-md-5">
                <label class="form-label">To Date</label>
                <input type="date" class="form-control" name="tdate" >
            </div>
            <div class="col-md-2 mt-4 pt-3">
                <button type="submit" name="submit" class="btn btn-
primary">Submit</button>
            </div>
        </form>
    </div>
</div>

```

```

</div>
<div class="app-content mt-0">
  <div class="content-wrapper">
    <div class="card">
      <div class="section-description section-description-inline">
        <h1>Appointments</h1>
      </div>
      <div class="card-body">
        <div class="table-responsive">
          <table id="example" class="display nowrap" style="width:100%">
            <thead>
              <tr>
                <th>ID</th>
                <th>Visitor Name</th>
                <th>Name</th>
                <!-- <th>Marks</th> -->
                <th>Status</th> -->
                <th>Gender</th>
                <!-- <th>Breed</th> -->
                <th>Age</th>
                <th>Time</th>
                <th>Date</th>
                <!-- <th>Date Acquired</th> -->
                <th>Image</th>

                <!-- <th>Type</th> -->

                <!-- <th>Action</th> -->
              </tr>
            </thead>
            <tbody>
              <?php
                $stmt = $db->prepare("SELECT * FROM
appointment,pet_info WHERE appointment.pid=pet_info.pid and
appointment.delete status='0' and date acquired >='".$_POST['fdate']."' and
date acquired <='".$_POST['tdate']."'");

                $stmt->execute();
                $record = $stmt->fetchAll();
                $i=1;
                foreach ($record as $key)
                {
                  //print_r($key);exit;?>

                <tr>
                  <tr>
                    <td><?php echo $i;?></td>
                    <td><?php echo $key['visitor_name'];?></td>
                    <td><?php echo $key['pet_name'];?></td>
                    <!-- <td><?php echo $key['category'];?></td> -->
                    <!-- <td><?php echo $key['mark'];?></td>

                    <td><?php echo $key['status'];?></td> -->
                    <td><?php echo $key['gender'];?></td>
                    <!-- <td><?php echo $key['breed'];?></td> -->
                    <td><?php echo $key['age'];?></td>
                    <td><?php echo $key['adate'];?></td>

```

```

        <td><?php echo $key['hr'];?></td>
        <!-- <td><?php echo $key['date_acquired'];?></td> -->
        <!-- <td><?php echo $key['registration_by'];?></td> -->
        <td></td>
        <!-- <td>
            <a href="edit-bill.php?bid=<?php echo $row['bid']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
            </a>
            <a href="app/crudbill.php?bid=<?php echo $row['bid']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete" onclick="return
confirm('Do you really want to Delete ?');"><i class=" text-danger material-icons-
outlined">delete</i>
            </a>
        </td> -->
    </tr>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
    <section>
        <div class="container">
            <!-- Modal -->
            <div
            class="modal fade" id="exampleModal" tabindex="-1"
            aria-labelledby="exampleModalLabel" aria-hidden="true">
                <div class="modal-dialog modal-lg"> <div
                class="modal-content">
                    <div class="modal-header">
                        <h1 class="modal-title fs-5" id="exampleModalLabel">Add
Billing and Payment</h1>
                        <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
                    </div>
                    <div class="modal-body">
                        <!-- Add Doctor's Shedule in form -->
                        <form class="row" method="POST"
action="app/crudbill.php" id="bill_form">
                            <div class="mb-3 col-md-6">
                                <label class="form-label">Select
Pet</label><span class="required">*</span>
                                <?php
                                    $cnt=1;
                                // $stmt = $db->prepare("select * from

```

```

appointment,pet_info,vaccine where appointment.pid=pet_info.pid and
appointment.delete_status='0' AND vaccine.pet_name=pet_info.pet_name AND
vaccine.delete_status=0");
        $stmt = $db->prepare("SELECT * FROM appointment
INNER JOIN pet_info ON appointment.pid = pet_info.pid
LEFT JOIN vaccine ON vaccine.pet_name = pet_info.pet_name AND
vaccine.delete_status = 0
WHERE appointment.delete_status = '0'");
        $stmt->execute();

        $record = $stmt->fetchAll();
        //print_r($record);exit;
        $i=1; ?>

        <select class="form-select select" aria-
label="Default select example" type="text" name="patient" id="select">
            <option>Select Pet</option>
            <?php foreach ($record as $row)
            { ?>
                <option value="<?php echo $row['pid']
?>" data-vaccine="<?php echo $row['vcharge'];?>">
                    <?php echo $row['pet_name']. ' ('. $row['visitor_name'].)';?>
                </option>
            } ?>
        </select>
    </div>

    <!-- billing details -->

    <label><h5>Billing Details</h5></label>

    <div class="mb-3 col-md-6">
        <label class="form-label">Consultation
Fee</label>
        <input type="text" class="form-control"
id="cfees" name="cfees">
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Vaccine
Charges</label>
        <input type="text" class="form-control"
id="vcharges" name="vcharges" >
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Test Charges</label>
        <input type="text" class="form-control"
id="charges" name="charges">
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Treatment
Charges</label>
        <input type="text" class="form-control"
id="tcharges" name="tcharges">
    </div>

    <div class="mb-3 col-md-6">

```

```

        <label class="form-label">Total Amount</label>
        <input type="text" class="form-control"
id="amt" onblur="total()" name="amt" readonly>
    </div>

    <!-- . . . . .payment details. . . . -->

    <label><h5>Payment Details</h5></label>

    <div class="mb-3 col-md-6">
        <label class="form-label">Amount
Paid</label><span class="required">*</span>
        <input type="text" class="form-control"
id="amt1" name="amount" readonly>
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Select Payment
Method<span class="required">*</span></label>
        <select class="form-select " aria-label="Default
select example" type="text" name="pmethod" id="select2">
            <option selected>Select Payment
Method</option>
            <option>Cash</option>
            <option>Card (Debit/Credit)</option>
            <option>UPI payment</option>
        </select>
    </div>

    <div class="mb-3 col-md-6">

        <label class="form-label">Transaction ID<span
class="required">*</span></label>
        <?php
            function random_strings($length_of_string)
            {
                // String of all alphanumeric character
                $str_result =
'0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ';
                // Shuffle the $str_result and returns
                // of specified length
                return substr(str_shuffle($str_result),
                    0,
                    $length_of_string);
            }

            // This function will generate
            // Random string of length 10
            $new=random_strings(10);

            <input type="text" class="form-control"
name="tranid" value="<?php echo $new; ?>" readonly>

```

```

        </div>

        <!-- <div class="mb-3 col-md-6">
            <label class="form-label">Transaction ID<span
class="text-danger">*</span></label>
            <?php
                $sql = "select count(*) as cnt from
bill";
                $row = $db->query($sql)->fetch();

$new=sprintf('%05d',intval($row['cnt'])+1);

                ?>
            <input type="text" class="form-control"
name="tranid" value="<?php echo $new; ?>" >
        </div> -->

        <!-- <div class="mb-3 col-md-6">
            <label class="form-label">Billing
Date</label><span class="required">*</span>
            <input type="date" class="form-control"
name="bdate">
        </div> -->

        <!-- .....submit button..... -->
        <div class="col-md-12">
            <button type="submit" name="submit" class="btn
btn-primary" onclick="submitbill()">Submit</button>
            <input class="btn btn-danger" type="reset"
value="Reset">
        </div>
    </form>

    <script>
        function total()
        {
            var a =
parseInt(document.getElementById('cfees').value);
            var b =
parseInt(document.getElementById('charges').value);
            var c =
parseInt(document.getElementById('tcharges').value);
            var d =
parseInt(document.getElementById('vcharges').value);
            var t = a+b+c+d;

            document.getElementById('amt').value=t;
            document.getElementById('amt1').value=t;
        }
    </script>
</div>
</div>
</div>

```

```

        </div>
        </div>
    </section>

    <!-- Manage shedule details -->

    <div class="app-content">
        <button type="submit" style="" class="btn btn-success mb-3" data-
bs-toggle="modal"
            data-bs-target="#exampleModal" >Add</button>
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline">
                <h1>Manage Billing and Payment</h1>
            </div>
            <div class="card-body">
                <div class="table-responsive">
                    <table id="example" class="display nowrap" style="width:100%">
                        <thead>
                            <tr>
                                <th>ID</th>
                                <th>Owner Name</th>
                                <th>Pet Name</th>
                                <th>Consultation Fee</th>
                                <th>Test Charges</th>
                                <th>Treatment Charges</th>
                                <th>Total Amount</th>
                                <th>Amount Paid</th>
                                <th>Select Payment Method</th>
                                <th>Transaction ID</th>
                                <th>Billing Date</th>
                                <th>Action</th>
                            </tr>
                        </thead>
                        <tbody>
                            <?php
                                //include('config.php');
                                // $ret=mysqli_query($con,"select * from tblusers");
                                $cnt=1;

                                $stmt = $db->prepare("SELECT * from bill INNER JOIN pet_info ON
bill.pid=pet_info.pid");

                                $stmt->execute();
                                $record = $stmt->fetchAll();
                                $i=1;
                                foreach ($record as $row)
                                {
                                    ?>

<!--Fetch the Records -->

                            <tr>
                                <td><?php echo $cnt;?></td>
                                <td> <?php echo $row['owner_name']; ?></td>
                                <td> <?php echo $row['pet_name']; ?></td>
                                <td><?php echo $row['cfees'];?></td>
                                <td><?php echo $row['charges'];?></td>
                                <td><?php echo $row['tcharges'];?></td>
                                <td><?php echo $row['amt'];?></td>
                                <td><?php echo $row['amount'];?></td>

```

```

        <td><?php echo $row['pmethod'];?></td>
        <td><?php echo $row['tranid'];?></td>
        <td><?php echo date('d-m-y');?></td>

        <td>
            <a href="edit-bill.php?bid=<?php echo $row['bid']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
            </a>
            <a href="app/crudbill.php?bid=<?php echo $row['bid']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete" onclick="return
confirm('Do you really want to Delete ?');"><i class=" text-danger material-icons-
outlined">delete</i>
            </a>
            <a href="print.php?bid=<?php echo $row['bid']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="print"><i
class="material-icons-outlined">print</i>
            </a>

            <!--      <a href="sale-bill.php?bid=<?php echo $row['bid']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="print"><i
class="material-icons-outlined">print</i>
            </a> -->
            <!-- <a href="sale-bill.php?saleid=<?php echo
$row['saleid'];?>"class="text-blue m-r-15" data-bs-toggle="tooltip"><i class="fa
fa-print" aria-hidden="true"></i></a> -->
        </td>
    </tr>
    <?php
        $cnt=$cnt+1;
    } ?>

</tbody>

</table>
</div>
</div>
</div>
</div>
<?php include('include/footer.php');?>
<script type="text/javascript">

// $(document).ready(function() {

// $("#select").change(function() {
//     var vaccineCharges = $('#select').find(":selected").data('vaccine');
//     $('#vcharges').val(vaccineCharges);
// });
// });

</script>
<script>
    $(document).ready(function() {
        $("#select").change(function() {
            var vaccineCharges = $('#select').find(":selected").data('vaccine');
            // Check if the value is empty or not a number

```

```

        if (isNaN(vaccineCharges) || vaccineCharges === '') {
            vaccineCharges = 0; // Set to 0 if empty or not a number
        }
        $('#vcharges').val(vaccineCharges);
    });
});

```

```

</script>
<?php if(!empty($_SESSION['success'])){?>
    <script>
        setTimeout(function() {
            swal({
                title: "Congratulations!",
                text: "Data Added Successfully",
                type: "success",
                confirmButtonText: "Ok"
            }, function() {
                window.location = "bill.php";
            }, 1000);
        });
    </script>
<p><?php $_SESSION['success']='';?></p>

```

```

<?php if(!empty($_SESSION['update'])){?>
<script>
    setTimeout(function() {
        swal({
            title: "Congratulations!",
            text: "Record Updated",
            type: "success",
            confirmButtonText: "Ok"
        }, function() {
            window.location = "bill.php";
        }, 1000);
    });
</script>
<p><?php $_SESSION['update']='';?></p>

```

```

<?php if(!empty($_SESSION['delete'])){?>
<script>
    setTimeout(function() {
        swal({
            title: "Congratulations!",
            text: "Record Deleted",
            type: "success",
            confirmButtonText: "Ok"
        }, function() {
            window.location = "bill.php";
        }, 1000);
    });
</script>
<p><?php $_SESSION['delete']='';?></p>

```

```

<?php include '../assets/constant/config.php'; ?>
<?php
try {
    $conn = new PDO("mysql:host=$servername;dbname=$dbname", $username, $password);

```

```

$conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
$stmt = $conn->prepare("SELECT * from webmanagement");
$stmt->execute();
$record = $stmt->fetchAll();
} catch(PDOException $e)
{
    echo "Connection failed: " . $e->getMessage(); exit;
}
foreach ($record as $res) {
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="Responsive Admin Dashboard Template">
    <meta name="keywords" content="admin, dashboard">
    <meta name="author" content="stacks">
    <!-- The above 6 meta tags *must* come first in the head; any other head
content must come *after* these tags -->

    <!-- Title -->
    <title><?php echo $res['title']; ?></title>

    <!-- Styles -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700&dis
play=swap" rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Montserrat:wght@100;300;400;500;600;
700;800&display=swap" rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css?family=Material+Icons|Material+Icons+Outline
d|Material+Icons+Two+Tone|Material+Icons+Round|Material+Icons+Sharp"
rel="stylesheet">
    <link href="../assets/plugins/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
    <link href="../assets/plugins/perfectscroll/perfect-scrollbar.css"
rel="stylesheet">
    <link href="../assets/plugins/pace/pace.css" rel="stylesheet">

    <!-- Theme Styles -->
    <link href="../assets/css/main.min.css" rel="stylesheet">
    <link href="../assets/css/custom.css" rel="stylesheet">

    <link rel="icon" type="image/png" sizes="32x32"
href="../assets/images/neptune.png" />
    <link rel="icon" type="image/png" sizes="16x16"
href="../assets/images/neptune.png" />
</head>

<body>
    <div class="app app-auth-sign-in align-content-stretch d-flex flex-wrap
justify-content-end">

```

```

<div class="app-auth-background">

</div>
<div class="app-auth-container">
  <div class="logo">
    <a href=""><?php echo $res['title']; } ?></a>
  </div>
  <p class="auth-description">Password must be minimum 8 characters
length* <a href="signin.php">Sign In</a></p>
<?php
$_SESSION["token"]=bin2hex(random_bytes(32));
?>
  <form action="app/changepassc.php" enctype="multipart/form-data"
method="POST">
    <input type="hidden" name="token" value=<?php echo
$_SESSION["token"]; ?>>
    <div class="auth-credentials m-b-xxl">
      <label>Old Password</label>
      <input type="password" class="form-control m-b-md" name="opass"
placeholder="&#9679;&#9679;&#9679;&#9679;&#9679;&#9679;&#9679;&#9679;" required>

      <label>New Password</label>
      <input type="password" class="form-control" name="pass"
placeholder="&#9679;&#9679;&#9679;&#9679;&#9679;&#9679;&#9679;&#9679;" required>

      <label>Confirm Password</label>
      <input type="password" class="form-control" name="cpass"
placeholder="&#9679;&#9679;&#9679;&#9679;&#9679;&#9679;&#9679;&#9679;" required>
    </div>

    <div class="auth-submit">
      <button type="submit" name="submit" class="btn btn-primary">Change
Password</button>
    </div>
  </form>
  <div class="divider"></div>
  <div class="auth-alt">
    <a href="#" class="auth-alt-google"></a>
    <a href="#" class="auth-alt-facebook"></a>
    <a href="#" class="auth-alt-twitter"></a>
  </div>
</div>
</div>
</body>
</html>

```

```

<?php
session_start();
//echo $_SESSION['id']; exit;
if (empty($_SESSION['id'])) {

    header("location:../index.php");
}

?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>

<?php
include '../assets/constants/config.php';

try {
    $conn = new PDO("mysql:host=$servername;dbname=$dbname", $username,
$password);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $e)
{
    echo "Connection failed: " . $e->getMessage();
}

if(isset($_GET['id'])){
    $cid = $_GET['id'];
    $stmt = $db->prepare('SELECT * FROM announcement WHERE id =?');
    $stmt->execute([$cid]);
    $row2 = $stmt->fetch();
    //print_r($row2);exit;
}
?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline">
                <h1>Edit Announcement</h1>
            </div>
            <div class="card-body">
                <form class="row" method="POST" action="app/crudannouncement.php"
id="docform">
                    <input class="form-control" type="hidden" name="id" value="<?php
echo $row2['id'];?>">
                    <div class="col-md-6">
                        <label class="form-label">Title</label><span
class="required">*</span>
                        <input type="text" class="form-control" name="title" value="<?php
echo $row2['title'];?>" >
                    </div>
                    <div class="col-md-6">
                        <label class="form-label">Description</label><span
class="required">*</span>
                        <textarea type="text" class="form-control" name="des"><?php echo
$row2['description'];?> </textarea>
                    </div>
                    <div class="col-md-6">
                        <label class="form-label">From Date</label><span
class="required">*</span>
                        <input type="date" class="form-control" name="fdate" value="<?php
echo $row2['fdate'];?>">
                    </div>
                    <div class="col-md-6">
                        <label class="form-label">To Date</label><span
class="required">*</span>
                        <input type="date" class="form-control" name="tdate" value="<?php

```



```

        <label class="form-label">lname</label>
        <input type="text" class="form-control" value="<?php echo
$res['lname']?>" name="lname" >
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Date of Birth</label>
        <input type="date" class="form-control" value="<?php echo
$res['dob']?>" name="dob" >
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Gender</label>
        <select class="form-select" aria-label="Default select example"
name="gender" value="<?php echo $res['gender'];?>">
            <option>---select one---</option>
            <option <?php if($res['gender']=='Male'){echo
'selected';} ?> >Male</option>
            <option <?php if($res['gender']=='Female'){echo
'selected';} ?> >Female</option>
            <option <?php if($res['gender']=='Othes'){echo
'selected';} ?> >Othes</option>
        </select>
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Email</label>
        <input type="email" class="form-control" value="<?php echo
$res['email']?>" name="email" >
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Address</label>
        <textarea name="address" cols="70"> <?php echo
$res['address']?></textarea>
    </div>

    <div class="col-md-12 mt-3">
        <button type="submit" name="update" class="btn btn-
primary">Submit</button>
    </div>
</form>
</div>
</div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<?php
include('../assets/constants/config.php');?>
<?php $stmt = $db ->prepare("SELECT * from appointment WHERE
aid='". $ _GET['aid']. "'");
$stmt->execute();

```

```

        $rowult = $stmt->fetchAll();
        foreach($rowult as $key) ?>
            <div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline"><h1>Edit
Appoinment</h1></div>
            <div class="card-body">
                <form class="row" method="POST" action="app/crudappoinment.php">

                    <div class="mb-3 col-md-6">
                        <label class="form-label">Select
Doctor</label><span class="required">*</span>
                        <?php
                            $cnt=1;

                            $stmt = $db->prepare("select * from doctor");
                            $stmt->execute();
                            $record = $stmt->fetchAll();
                            $i=1; ?>

                                <select class="form-select" aria-label="Default
select example" type="text" name="doc">
                                    <option value=""> </option>
                                    <?php foreach ($record as $row)
                                        { ?>
                                            <option <?php
if($key['id']==$row['id']){echo 'selected';}?> value="<?php echo $row['id']?>">
                                                <?php echo $row['dfname'].' '.
$row['dlname']; ?> <?php };?>
                                            </option>
                                        }
                                    </select>
                                </div>

                                <div class="mb-3 col-md-6">
                                    <label class="form-label">Select
Patient</label><span class="required">*</span>
                                    <?php
                                        $cnt=1;

                                        $stmt = $db->prepare("select * from pet_info");
                                        $stmt->execute();
                                        $record = $stmt->fetchAll();
                                        $i=1; ?>

                                            <select class="form-select" aria-label="Default
select example" type="text" name="patient">
                                                <option value=""></option>
                                                <?php foreach ($record as $row)
                                                    { ?>
                                                        <option <?php
if($key['pid']==$row['pid']){echo 'selected';}?> value="<?php echo $row['pid']?>">
                                                            <?php echo $row['pet_name']; ?> <?php
};?>
                                                        </option>
                                                    }
                                                </select>
                                            </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>

        <div class="col-md-6">
            <label for="inputState1" class="form-label">Hour</label>
            <select id="inputState1" class="form-select" name="hr">
                <option selected="">Choose...</option>
                <option value=""<?php if($key['hr']=='7:00') {echo
selected| ; ?>>7:00</option>
                    <option value="7:30"<?php if($key['hr']=='7:30') {echo
selected| ; ?>>7:30</option>
                    <option value="8:00"<?php if($key['hr']=='8:00') {echo
selected| ; ?>>8:00</option>
                    <option value="8:30"<?php if($key['hr']=='8:30') {echo
selected| ; ?>>8:30</option>
                    <option value="9:00"<?php if($key['hr']=='9:00') {echo
selected| ; ?>>9:00</option>
                    <option value="9:30"<?php if($key['hr']=='9:30') {echo
selected| ; ?>>9:30</option>
                    <option value="10:00"<?php if($key['hr']=='10:00') {echo
selected| ; ?>>10:00</option>
                    <option value="10:30"<?php if($key['hr']=='10:30') {echo
selected| ; ?>>10:30</option>
                    <option value="11:00"<?php if($key['hr']=='11:00') {echo
selected| ; ?>>11:00</option>
                    <option value="11:30"<?php if($key['hr']=='11:30') {echo
selected| ; ?>>11:30</option>
                    <option value="12:00"<?php if($key['hr']=='12:00') {echo
selected| ; ?>>12:00</option>
                    <option value="12:30"<?php if($key['hr']=='12:30') {echo
selected| ; ?>>12:30</option>
                    <option value="13:00"<?php if($key['hr']=='13:00') {echo
selected| ; ?>>13:00</option>
                    <option value="13:30"<?php if($key['hr']=='13:30') {echo
selected| ; ?>>13:30</option>
                    <option value="14:00"<?php if($key['hr']=='14:00') {echo
selected| ; ?>>14:00</option>
                    <option value="14:30"<?php if($key['hr']=='14:30') {echo
selected| ; ?>>14:30</option>
                    <option value="15:00"<?php if($key['hr']=='15:00') {echo
selected| ; ?>>15:00</option>
                    <option value="15:30"<?php if($key['hr']=='15:30') {echo
selected| ; ?>>15:30</option>
                    <option value="17:00"<?php if($key['hr']=='16:00') {echo
selected| ; ?>>17:00</option>
                    <option value="17:30"<?php if($key['hr']=='16:30') {echo
selected| ; ?>>17:30</option>
                    <option value="18:00"<?php if($key['hr']=='17:00') {echo
selected| ; ?>>18:00</option>
                    <option value="18:30"<?php if($key['hr']=='17:30') {echo
selected| ; ?>>18:30</option>
                    <option value="19:00"<?php if($key['hr']=='18:00') {echo
selected| ; ?>>19:00</option>
                    <option value="19:30"<?php if($key['hr']=='18:30') {echo
selected| ; ?>>19:30</option>
                    <option value="20:00"<?php if($key['hr']=='19:00') {echo
selected| ; ?>>20:00</option>
                    <option value="20:30"<?php if($key['hr']=='19:30') {echo
selected| ; ?>>20:30</option>
                    <option value="21:00"<?php if($key['hr']=='20:00') {echo

```

```

selected';}??>>21:00</option>
        <option value="21:30"<?php if($key ['hr'] == '20:30') {echo
selected';}??>>21:30</option>
        <option value="22:00"<?php if($key ['hr'] == '21:00') {echo
selected';}??>>22:00</option>
        <option value="22:30"<?php if($key ['hr'] == '21:30') {echo
selected';}??>>22:30</option>
        <option value="23:00"<?php if($key ['hr'] == '22:00') {echo
selected';}??>>23:00</option>
        <option value="23:30"<?php if($key ['hr'] == '22:30') {echo
selected';}??>>23:30</option>
        <option value="00:00"<?php if($key ['hr'] == '23:00') {echo
selected';}??>>00:00</option>
        <option value="00:30"<?php if($key ['hr'] == '23:30') {echo
selected';}??>>00:30</option>
        <option value="1:00"<?php if($key ['hr'] == '1:00') {echo
selected';}??>>1:00</option>
        <option value="1:30"<?php if($key ['hr'] == '1:30') {echo
selected';}??>>1:30</option>
        <option value="2:00"<?php if($key ['hr'] == '2:00') {echo
selected';}??>>2:00</option>
        <option value="2:30"<?php if($key ['hr'] == '2:30') {echo
selected';}??>>2:30</option>
        <option value="3:00"<?php if($key ['hr'] == '3:00') {echo
selected';}??>>3:00</option>
        <option value="3:30"<?php if($key ['hr'] == '3:30') {echo
selected';}??>>3:30</option>
        <option value="4:00"<?php if($key ['hr'] == '4:00') {echo
selected';}??>>4:00</option>
        <option value="4:30"<?php if($key ['hr'] == '4:30') {echo
selected';}??>>4:30</option>
        <option value="5:00"<?php if($key ['hr'] == '5:00') {echo
selected';}??>>5:00</option>
        <option value="5:30"<?php if($key ['hr'] == '5:30') {echo
selected';}??>>5:30</option>
        <option value="6:00"<?php if($key ['hr'] == '6:00') {echo
selected';}??>>6:00</option>
        <option value="6:30"<?php if($key ['hr'] == '6:30') {echo
selected';}??>>6:30</option>
    </select>
</div>

<div class="mb-3 col-md-6">
    <label class="form-label">Date</label><span
class="required">*</span>
    <input type="date" class="form-control" name="adate" value="<?php
echo $key['adate']?>">
</div>

<div class="mb-3 col-md-6">
    <label class="form-label">Appointment Type</label><span
class="required">*</span>
    <select type="text" class="form-control" name="atype" >
        <option>---select one---</option>
        <option <?php if($key['atype'] == 'Consultation') {echo
'selected';} ?? >Consultation</option>
        <option <?php if($key['atype'] == 'Test') {echo
'selected';} ??>>Test</option>
        <option <?php if($key['atype'] == 'Follow-up') {echo

```



```

                <?php foreach ($record as $row)
                { ?>
                    <option <?php
if($key['pid']==$row['pid']){echo 'selected';}?> value=" <?php echo $row['pid']?>">
                    <?php echo $row['pet_name'].' ('.
$row['visitor_name'].')';?> <?php };?>
                    </option>
                </select>
            </div>
            <!-- .....billing details..... -->
            <label><h5>Billing Details</h5></label>

            <div class="mb-3 col-md-6">
                <label class="form-label">Consultation
Fee</label>
                <input type="text" class="form-control"
id="cfees" name="cfees" value="<?php echo $key['cfees']?>" name="cfees">
            </div>

            <div class="mb-3 col-md-6">
                <label class="form-label">Test Charges</label>
                <input type="text" class="form-control"
id="charges" name="charges" value="<?php echo $key['charges']?>" name="charges">
            </div>

            <div class="mb-3 col-md-6">
                <label class="form-label">Treatment
Charges</label>
                <input type="text" class="form-control"
id="tcharges" name="tcharges" value="<?php echo $key['tcharges']?>"
name="tcharges">
            </div>

            <div class="mb-3 col-md-6">
                <label class="form-label">Total Amount</label>
                <input type="text" class="form-control"
id="amt" name="amt" onblur="total()" value="<?php echo $key['amt']?>" readonly>
            </div>

            <!-- .....PAYMENT DETAILS.... -->
            <label><h5>Payment Details</h5></label>

            <div class="mb-3 col-md-6">
                <label class="form-label">Amount Paid</label>
                <input type="text" class="form-control"
name="amount" id="amt1" value="<?php echo $key['amount']?>" name="amount" readonly>
            </div>

            <div class="mb-3 col-md-6">
                <label class="form-label">Select Payment
Method</label>
                <select class="form-select" aria-label="Default
select example" type="text" name="pmethod">
                    <option selected><?php echo
$key['pmethod']?></option>

```

```

        <option <?php if($key['pmethod']=='Cash'){echo
'selected';} ?>>Cash</option>
        <option <?php
if($key['pmethod']=='Card(Debit/Credit)'){echo 'selected';}
?>>Card(Debit/Credit)</option>
        <option <?php if($key['pmethod']=='UPI
Payment'){echo 'selected';} ?>>UPI Payment</option>
    </select>
</div>

    <div class="mb-3 col-md-6">

        <label class="form-label">Transaction ID<span
class="required">*</span></label>
        <?php

        function random_strings($length_of_string)
        {

            // String of all alphanumeric character
            $str_result =
'0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ';

            // Shuffle the $str_result and returns
substring
            // of specified length
            return substr(str_shuffle($str_result),
                0,
                $length_of_string);
        }

        // This function will generate
        // Random string of length 10
        $new=random_strings(7);

        ?>
        <input type="text" class="form-control"
name="tranid" value="<?php echo $new; ?>" >
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Billing Date</label>
        <input type="date" class="form-control"
name="bdate" value="<?php echo $key['bdate']?>">
    </div>

    <div class="mb-3 col-md-6">
        <input type="hidden" class="form-control" value="<?php echo
$key['bid']?>" name="bid" >
    </div>

    <div class="col-md-12 mt-3">
        <button type="submit" name="update" class="btn btn-
primary">Submit</button>
    </div>

```

```

        </form>
        <script>
            function total()
            {
                var a =
parseInt(document.getElementById('cfees').value);
                var b =
parseInt(document.getElementById('charges').value);
                var c =
parseInt(document.getElementById('tcharges').value);
                var t = a+b+c;

document.getElementById('amt').value=t;

document.getElementById('amt1').value=t;

            }

        </script>

    </div>
</div>
</div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');
?>

<?php
include '../assets/constants/config.php';

try {
    $conn = new PDO("mysql:host=$servername;dbname=$dbname", $username,
$password);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);

}
catch(PDOException $e)
{
    echo "Connection failed: " . $e->getMessage();
}

if(isset($_GET['id'])){
    $cid = $_GET['id'];
    $stmt = $db->prepare('SELECT * FROM category WHERE id =?');
    $stmt->execute([$cid]);
    $row1 = $stmt->fetch();
    //print_r($row1);exit;
}

?>
<div class="app-content">
<div class="content-wrapper">
    <div class="card">
        <div class="section-description section-description-inline">
            <h1>Edit Category</h1>

```

```

    </div>
    <div class="card-body">
        <form class="row" method="POST" action="app/crudcategory.php"
enctype="multipart/form-data">
            <input class="form-control" type="hidden" name="id" value="<?php echo
$rowl['id'];?>">
            <div class="mb-3 col-md-6">
                <label class="form-label">Name</label><span
class="required">*</span>
                <input type="text" class="form-control" name="name" value="<?php
echo $rowl['name'];?>">
            </div>
            <div class="mb-3 col-md-6">
                <label class="form-label">Description</label><span
class="required">*</span>
                <textarea type="text" class="form-control" name="description"> <?php
echo $rowl['description'];?></textarea>
            </div>

            <div class="mb-3 col-md-6">
                <label class="form-
label">Existing Photo</label><br>
                <input type="hidden"
value="<?php echo $rowl['image'];?>" name="old_photo_img">
                <br>
            </div>

            <div class="mb-3 col-md-6">
                <label class="form-label">Image</label><span
class="required">*</span>
                <input type="file" class="form-control" name="photo" value="<?php
echo $rowl['img'];?>">
            </div>

            <div class="modal-footer">
                <button type="submit" name="update" class="btn btn-
primary">update</button>
            </div>
        </div>
    </div>
</form>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<?php
include('../assets/constants/config.php');?>
<?php $stmt = $db ->prepare("SELECT * from client WHERE id='".$$_GET['id']."'");
    $stmt->execute();
    $result = $stmt->fetchAll();
    foreach($result as $res) ?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline"><h1>Add

```

```

Client</h1></div>
  <div class="card-body">
    <form class="row" method="POST" action="app/crudclient.php">

      <div class="mb-3 col-md-6">
        <label class="form-label">Name</label>
        <input type="text" class="form-control" value="<?php echo
$res['client']?>" name="client" >
      </div>
      <div class="mb-3 col-md-6">
        <label class="form-label">Email</label>
        <input type="text" class="form-control" value="<?php echo
$res['email']?>" name="email" >
      </div>

      <div class="mb-3 col-md-6">
        <label class="form-label">Primary Address</label>
        <textarea name="padd" cols="70"> <?php echo $res['padd']?></textarea>
      </div>
      <div class="mb-3 col-md-6">
        <label class="form-label">Secondary Address</label>
        <textarea name="sadd" cols="70"> <?php echo $res['sadd']?></textarea>
      </div>
      <div class="mb-3 col-md-6">
        <label class="form-label">Contact</label>
        <input type="text" class="form-control" value="<?php echo
$res['mob']?>" name="mob" >
      </div>
      <div class="mb-3 col-md-6">
        <input type="hidden" class="form-control" value="<?php echo
$res['id']?>" name="id" >
      </div>

      <div class="col-md-12 mt-3">
        <button type="submit" name="update" class="btn btn-
primary">Submit</button>
      </div>
    </form>
  </div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<div class="app-content">
  <div class="content-wrapper">
    <div class="card">
      <div class="section-description section-description-inline">
        <h1>Add Messages / Complaints</h1>
      </div>
      <div class="card-body">
        <form class="row" method="POST" action="app/cruddoctor.php"

```

```

id="docform">
    <div class="col-md-6">
        <label class="form-label">Name</label><span
class="required">*</span>
        <input type="text" class="form-control" name="title" >
    </div>
    <div class="col-md-6">
        <label class="form-label">Email</label><span
class="required">*</span>
        <input type="text" class="form-control" name="title" >
    </div>
    <div class="col-md-6">
        <label class="form-label">Contact</label><span
class="required">*</span>
        <input type="text" class="form-control" name="title" >
    </div>
    <div class="col-md-6">
        <label class="form-label">Message</label><span
class="required">*</span>
        <textarea type="text" class="form-control"
name="tdate"></textarea>
    </div>
    <div class="modal-footer text-end">
        <button type="submit" name="submit" class="btn btn-
primary">Submit</button>
    </div>
</div>
</div>
</div>
</div>
</form>
</div>
</div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<?php
include('../assets/constants/config.php');?>
<?php $stmt = $db ->prepare("SELECT * from doctor WHERE id='".$$_GET['id']."'");
$stmt->execute();
$keyult = $stmt->fetchAll();
foreach($keyult as $key) ?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline"><h1>Edit
Doctor</h1></div>
            <div class="card-body">
                <form class="row" method="POST" action="app/cruddoctor.php">

                <div class="mb-3 col-md-6">
                    <label class="form-label">Fname</label>
                    <input type="text" class="form-control" value="<?php echo
$key['dfname']?>" name="dfname" >
                </div>

```

```

        <div class="mb-3 col-md-6">
            <label class="form-label">Iname</label>
            <input type="text" class="form-control" value="<?php echo
$key['dlname']?>" name="dlname" >
        </div>

        <div class="mb-3 col-md-6">
            <label class="form-label">Email</label>
            <input type="email" class="form-control" value="<?php echo
$key['email']?>" name="email" >
        </div>

        <!-- <div class="mb-3 col-md-6">
            <label class="form-label">Password</label><span
class="required">*</span>
            <input type="password" class="form-control" name="password"
id="myInput" value="<?php echo $key['password']?>">
            <input type="checkbox" onclick="myFunction()">Show Password
        </div> -->
        <!--
            <div class="mb-3 col-md-6">
                <label class="form-label">Password</label>
                <input type="password" class="form-control" value="<?php echo
$key['password']?>" name="password" >
            </div> -->

            <div class="mb-3 col-md-6">
                <label class="form-label">Contact No.</label>
                <input type="tel" class="form-control" value="<?php echo
$key['contact']?>" name="contact" >
            </div>

            <div class="mb-3 col-md-6">
                <label class="form-label">Specialist in</label>
                <select class="form-control" name="specialist"><?php echo
$key['specialist'];?>
                    <option value>Choose Specialist...</option>
                    <option <?php if($key['specialist']=='Anaesthesia'){echo
'selected';}?>>Anaesthesia</option>
                    <option <?php if($key['specialist']=='Andrology'){echo
'selected';}?>>Andrology</option>
                    <option <?php if($key['specialist']=='Audiology'){echo
'selected';}?>>Audiology</option>
                    <option <?php if($key['specialist']=='Ayurvedic'){echo
'selected'?>>Ayurvedic</option>
                    <option <?php if($key['specialist']=='Cardiologist'){echo
'selected'?>>Cardiologist</option>
                    <option <?php if($key['specialist']=='Dentist'){echo
'selected'?>>Dentist</option>
                    <option <?php if($key['specialist']=='Dermatologist'){echo
'selected'?>>Dermatologist</option>
                    <option <?php if($key['specialist']=='Diabetologist'){echo
'selected'?>>Diabetologist</option>
                    <option <?php if($key['specialist']=='Dietician'){echo
'selected'?>>Dietician</option>
                    <option <?php if($key['specialist']=='Endocrinologist'){echo
'selected'?>>Endocrinologist</option>
                    <option <?php if($key['specialist']=='ENT'){echo
'selected';}?>>ENT</option>

```

```

        <option <?php if($key['specialist'] == 'Gastroenterologist') {echo
'selected';} ?>>Gastroenterologist</option>
        <option <?php if($key['specialist'] == 'Gynaecologist') {echo
'selected';} ?>>Gynaecologist</option>
        <option <?php if($key['specialist'] == 'Haematology') {echo
'selected';} ?>>Haematology</option>
        <option <?php if($key['specialist'] == 'Homoeopathy') {echo
'selected';} ?>>Homoeopathy</option>
        <option <?php if($key['specialist'] == 'Medicine') {echo
'selected';} ?>>Medicine</option>
        <option <?php if($key['specialist'] == 'Nephrologist') {echo
'selected';} ?>>Nephrologist</option>
        <option <?php if($key['specialist'] == 'Neurologist') {echo
'selected';} ?>>Neurologist</option>
        <option <?php if($key['specialist'] == 'Neurosurgeon') {echo
'selected';} ?>>Neurosurgeon</option>
        <option <?php if($key['specialist'] == 'Nutritionist') {echo
'selected';} ?>>Nutritionist</option>
        <option <?php if($key['specialist'] == 'Ophthalmologist') {echo
'selected';} ?>>Ophthalmologist</option>
        <option <?php if($key['specialist'] == 'Orthopaedics') {echo
'selected';} ?>>Orthopaedics</option>
        <option <?php if($key['specialist'] == 'Orthopedic Surgeon') {echo
'selected';} ?>>Orthopedic Surgeon</option>
        <option <?php if($key['specialist'] == 'Paediatrics') {echo
'selected';} ?>>Paediatrics</option>
        <option <?php if($key['specialist'] == 'Pathologist') {echo
'selected';} ?>>Pathologist</option>
        <option <?php if($key['specialist'] == 'Pediatric Cardiac
Surgeon') {echo 'selected';} ?>>Pediatric Cardiac Surgeon</option>
        <option <?php if($key['specialist'] == 'Physiotherapist') {echo
'selected';} ?>>Physiotherapist</option>
        <option <?php if($key['specialist'] == 'Plastic Surgery') {echo
'selected';} ?>>Plastic Surgery</option>
        <option <?php if($key['specialist'] == 'Psychiatrist') {echo
'selected';} ?>>Psychiatrist</option>
        <option <?php if($key['specialist'] == 'Pulmonary Medicine') {echo
'selected';} ?>>Pulmonary Medicine</option>
        <option <?php if($key['specialist'] == 'Radiologist') {echo
'selected';} ?>>Radiologist</option>
        <option <?php if($key['specialist'] == 'Rheumatologist') {echo
'selected';} ?>>Rheumatologist</option>
        <option <?php if($key['specialist'] == 'Sexologist') {echo
'selected';} ?>>Sexologist</option>
        <option <?php if($key['specialist'] == 'Skin') {echo
'selected';} ?>>Skin</option>
        <option <?php if($key['specialist'] == 'Somnologist') {echo
'selected';} ?>>Somnologist</option>
        <option <?php if($key['specialist'] == 'Surgeon') {echo
'selected';} ?>>Surgeon</option>
        <option <?php if($key['specialist'] == 'Urologist') {echo
'selected';} ?>>Urologist</option>
    </select>
</div>

<div class="mb-3 col-md-6">
    <label class="form-label">Gender</label>
    <select class="form-select" aria-label="Default select example"

```

```

name="gender" value="<?php echo $key['gender'];?>"
    <option>---select one---</option>
    <option <?php if($key['gender']=='Male'){echo
'selected';} ?> >Male</option>
    <option <?php if($key['gender']=='Female'){echo
'selected';} ?> >Female</option>
    <option <?php if($key['gender']=='Othes'){echo
'selected';} ?> >Othes</option>
    </select>
</div>

<div class="mb-3 col-md-6">
    <label class="form-label"
for="inputState">State</label>
    <select class="form-control" id="inputState"
name="state"><?php echo $key['state'];?>
    <option></option>
    <option <?php if($key['state']=='Andra
Pradesh'){echo 'selected';}?>>Andra Pradesh</option>
    <option <?php if($key['state']=='Arunachal
Pradesh'){echo 'selected';}?>>Arunachal Pradesh</option>
    <option <?php
if($key['state']=='Assam'){echo 'selected';}?>>Assam</option>
    <option <?php
if($key['state']=='Bihar'){echo 'selected';}?>>Bihar</option>
    <option <?php
if($key['state']=='Chhattisgarh'){echo 'selected';}?>>Chhattisgarh</option>
    <option <?php if($key['state']=='Goa'){echo
'selected';}?>>Goa</option>
    <option <?php
if($key['state']=='Gujarat'){echo 'selected';}?>>Gujarat</option>
    <option <?php
if($key['state']=='Haryana'){echo 'selected';}?>>Haryana</option>
    <option <?php if($key['state']=='Himachal
Pradesh'){echo 'selected';}?>>Himachal Pradesh</option>
    <option <?php if($key['state']=='Jammu and
Kashmir'){echo 'selected';}?>>Jammu and Kashmir</option>
    <option <?php
if($key['state']=='Jharkhand'){echo 'selected';}?>>Jharkhand</option>
    <option <?php
if($key['state']=='Karnataka'){echo 'selected';}?>>Karnataka</option>
    <option <?php
if($key['state']=='Kerala'){echo 'selected';}?>>Kerala</option>
    <option <?php if($key['state']=='Madya
Pradesh'){echo 'selected';}?>>Madya Pradesh</option>
    <option <?php
if($key['state']=='Maharashtra'){echo 'selected';}?>>Maharashtra</option>
    <option <?php
if($key['state']=='Manipur'){echo 'selected';}?>>Manipur</option>
    <option <?php
if($key['state']=='Meghalaya'){echo 'selected';}?>>Meghalaya</option>
    <option <?php
if($key['state']=='Mizoram'){echo 'selected';}?>>Mizoram</option>
    <option <?php
if($key['state']=='Nagaland'){echo 'selected';}?>>Nagaland</option>
    <option <?php

```

```

if($key['state']=='Orissa'){echo 'selected';}?>>Orissa</option>
    <option <?php
if($key['state']=='Punjab'){echo 'selected';}?>>Punjab</option>
    <option <?php
if($key['state']=='Rajasthan'){echo 'selected';}?>>Rajasthan</option>
    <option <?php
if($key['state']=='Sikkim'){echo 'selected';}?>>Sikkim</option>
    <option <?php if($key['state']=='Tamil
Nadu'){echo 'selected';}?>>Tamil Nadu</option>
    <option <?php
if($key['state']=='Telangana'){echo 'selected';}?>>Telangana</option>
    <option <?php
if($key['state']=='Tripura'){echo 'selected';}?>>Tripura</option>
    <option <?php
if($key['state']=='Uttaranchal'){echo 'selected';}?>>Uttaranchal</option>
    <option <?php if($key['state']=='Uttar
Pradesh'){echo 'selected';}?>>Uttar Pradesh</option>
    <option <?php if($key['state']=='West
Bengal'){echo 'selected';}?>>West Bengal</option>
    <option disabled style="background-
color:#aaa; color:#fff">UNION Territories</option>
    <option <?php if($key['state']=='Andaman and
Nicobar Islands'){echo 'selected';}?>>Andaman and Nicobar Islands</option>
    <option <?php
if($key['state']=='Chandigarh'){echo 'selected';}?>>Chandigarh</option>
    <option <?php if($key['state']=='Dadar and
Nagar Haveli'){echo 'selected';}?>>Dadar and Nagar Haveli</option>
    <option <?php if($key['state']=='Daman and
Diu'){echo 'selected';}?>>Daman and Diu</option>
    <option <?php
if($key['state']=='Delhi'){echo 'selected';}?>>Delhi</option>
    <option <?php
if($key['state']=='Lakshadweep'){echo 'selected';}?>>Lakshadweep</option>
    <option <?php
if($key['state']=='Pondicherry'){echo 'selected';}?>>Pondicherry</option>
    </select>
</div>

<div class="mb-3 col-md-6">
    <label for="inputDistrict">District</label>
    <?php
        $cnt=1;

        $stmt = $db->prepare("select * from doctor");
        $stmt->execute();
        $record = $stmt->fetchAll();
        $i=1; ?>
        <select class="form-control" aria-label="Default select
example" type="text" id="inputDistrict" name="cust_city" >
            <option >--Select one--</option>
            <?php foreach ($record as $row)
                { ?>
                    <option <?php if($key['city']==$row['city']) {echo
'selected';} ?> value="<?php echo $row['city']; ?>"> <?php echo $row['city']; ?>
                </option> <?php }?>
            </select>
        </div>

<div class="mb-3 col-md-6">

```

```

        <label class="form-label">Address</label>
        <textarea class="form-control" name="address" cols="70"> <?php echo
$key['address']?></textarea>
    </div>

    <div class="mb-3 col-md-6">
        <input type="hidden" class="form-control" value="<?php echo
$key['id']?>" name="id" >
    </div>

    <div class="col-md-12 mt-3">
        <button type="submit" name="update" class="btn btn-
primary">Submit</button>
    </div>
</form>
</div>
</div>
</div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');
?>

<?php
include '../assets/constants/config.php';

try {
    $conn = new PDO("mysql:host=$servername;dbname=$dbname", $username,
$password);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $e)
{
    echo "Connection failed: " . $e->getMessage();
}

if(isset($_GET['id'])){
    $cid = $_GET['id'];
    $stmt = $db->prepare('SELECT * FROM vaccine WHERE id =?');
    $stmt->execute([$cid]);
    $row1 = $stmt->fetch();
    //print_r($row1);exit;
}

?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline">
                <h1>Add Immunization</h1>
            </div>
            <div class="card-body">
                <form class="row" method="POST" action="app/crudvaccine.php"

```

```

id="docform">
    <input class="form-control" type="hidden" name="id" value="<?php
echo $rowl['id'];?>">
    <!-- <div class="col-md-6">
        <label class="form-label">Pet</label><span
class="required">*</span>
        <input type="text" class="form-control" name="pet" value="<?php
echo $rowl['id'];?>">
    </div> -->
    <div class="col-md-6">
        <label class="form-label">Date</label><span
class="required">*</span>
        <input type="date" class="form-control" name="date" value="<?php
echo $rowl['date'];?>">
    </div>
    <div class="mb-3 col-md-6 mt-3">
        <label class="form-label">Type</label><span
class="required">*</span>
        <select type="text" class="form-control" name="vaccine_type"
value="<?php echo $rowl['vaccine_type'];?>">
            <option <?php if($rowl['vaccine_type']=="Rabies")
{echo "selected";}?> value="Rabies">Rabies</option>
            <option <?php if($rowl['vaccine_type']=="Parvovirus")
{echo "selected";}?> value="Parvovirus">Parvovirus</option>
            <option <?php if($rowl['vaccine_type']=="Canine hepatitis")
{echo "selected";}?> value="Canine hepatitis">Canine hepatitis</option>
            <option <?php if($rowl['vaccine_type']=="Canine Parainfluenza")
{echo "selected";}?> value="Canine Parainfluenza">Canine
Parainfluenza</option>
            <option <?php if($rowl['vaccine_type']=="Canine distemper virus")
{echo "selected";}?> value="Canine distemper virus">Canine distemper
virus</option>
        </select>
    </div>
    <div class="mb-3 col-md-6 mt-3">
        <label class="form-label">By</label><span
class="required">*</span>
        <!-- <input type="text" class="form-control" name="by"
value="<?php echo $rowl['by'];?>"> -->
        <?php
                                $cnt=1;

                                $stmt = $db->prepare("select * from doctor");
                                $stmt->execute();
                                $record = $stmt->fetchAll();
                                $i=1; ?>

                                <select class="form-select" aria-label="Default
select example" type="text" name="doc">
                                    <option value=""> </option>
                                    <?php foreach ($record as $row)
                                        { ?>
                                            <option <?php
if($key['id']==$row['id']){echo 'selected';}?> value="<?php echo $row['id'];?>">
                                                <?php echo $row['dfname'].' '.
$row['dlname']; ?> <?php };?>
                                            </option>
                                        }
                                    </select>

```

```

        </div>
        <div class="mb-3 col-md-6">
            <label class="form-label">Pet Name</label><span
class="required">*</span>
            <input type="text" class="form-control" name="pet_name"
value="<?php echo $rowl['pet_name'];?>">
        </div>
        <!-- <div class="mb-3 col-md-6">
            <label class="form-label">Person Age</label><span
class="required">*</span>
            <input type="text" class="form-control" name="age" value="<?php
echo $rowl['age'];?>">
        </div> -->
        <div class="mb-3 col-md-6">
            <label class="form-label">Vaccine Charges</label><span
class="required">*</span>
            <input type="text" class="form-control" name="vcharge"
value="<?php echo $rowl['vcharge'];?>">
        </div>

        <div class="mb-3 col-md-6">
            <label class="form-label">Bits</label><span
class="required">*</span>
            <input type="text" class="form-control" name="bits" value="<?php
echo $rowl['bits'];?>">
        </div>
        <div class="modal-footer text-end">
            <button type="submit" name="update" class="btn btn-
primary">Update</button>
        </div>
    </div>
</div>
</form>
</div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<?php
include('../assets/constants/config.php');?>
<?php $stmt = $db ->prepare("SELECT * from patient WHERE pid='".$$_GET['pid']."'");
    $stmt->execute();
    $result = $stmt->fetchAll();
    foreach($result as $res) ?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline"><h1>Add
Patient</h1></div>
            <div class="card-body">
                <form class="row" method="POST" action="app/crudpatient.php">

                <div class="mb-3 col-md-6">
                    <label class="form-label">Fname</label>

```

```

        <input type="text" class="form-control" value="<?php echo
$res['fname']?>" name="fname" >
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Lname</label>
        <input type="text" class="form-control" value="<?php echo
$res['lname']?>" name="lname" >
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Date of Birth</label>
        <input type="date" class="form-control" value="<?php echo
$res['dob']?>" name="dob" >
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Gender</label>
        <select class="form-select" aria-label="Default select example"
name="gender" value="<?php echo $res['gender'];?>">
            <option>---select one---</option>
            <option <?php if($res['gender']=='Male'){echo
'selected';} ?> >Male</option>
            <option <?php if($res['gender']=='Female'){echo
'selected';} ?> >Female</option>
            <option <?php if($res['gender']=='Othes'){echo
'selected';} ?> >Othes</option>
        </select>
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Contact</label>
        <input type="tel" class="form-control" value="<?php echo
$res['mob']?>" name="mob" >
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Email</label>
        <input type="email" class="form-control" value="<?php echo
$res['email']?>" name="email" >
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Address</label>
        <textarea name="address" cols="70" class="form-control"> <?php echo
$res['address']?></textarea>
    </div>

    <div class="mb-3 col-md-6">

        <input type="hidden" class="form-control" value="<?php echo
$res['pid']?>" name="pid" >
    </div>

    <div class="col-md-12 mt-3">
        <button type="submit" name="update" class="btn btn-
primary">Submit</button>

```

```

        </div>
    </form>
</div>
</div>
</div>
</div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');
include '../assets/constants/config.php';
error_reporting(0);
?>

<?php
include '../assets/constants/config.php';

try {
    $conn = new PDO("mysql:host=$servername;dbname=$dbname", $username,
$password);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $e)
{
    echo "Connection failed: " . $e->getMessage();
}

if(isset($_GET['id'])){
    $cid = $_GET['id'];
    $stmt = $db->prepare('SELECT * FROM pet_info WHERE pid =?');
    $stmt->execute([$cid]);
    $row1 = $stmt->fetch();
    // print_r($row1);exit;
}

?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline"><h1>Edit
Pet</h1></div>
            <div class="card-body">
                <form class="row" method="POST" action="app/crudpets.php"
enctype="multipart/form-data">
                    <input class="form-control" type="hidden" name="id" value="<?php echo
$row1['pid'];?>">
                    <div class="mb-3 col-md-6">
                        <label class="form-label">Owner Name</label><span
class="required">*</span>
                        <input type="text" class="form-control" name="oname" value="<?php echo
$row1['owner_name'];?>">
                    </div>
                    <div class="mb-3 col-md-6">
                        <label class="form-label">Visitor Name</label><span
class="required">*</span>

```

```

        <input type="text" class="form-control" name="vname" value="<?php
echo $rowl['visitor_name'];?>">
    </div>
    <div class="mb-3 col-md-6">
        <label class="form-label">Pet Name</label><span
class="required">*</span>
        <input type="text" class="form-control" name="pname" value="<?php
echo $rowl['pet_name'];?>">
    </div>
    <div class="mb-3 col-md-6">
        <label class="form-label">Type / Category</label><span
class="required">*</span>
        <select type="text" class="form-control" name="category" >
            <option value="">Select</option>
            <?php $stmt=$db->prepare("SELECT *
FROM `category` WHERE delete_status='0' ");
            $stmt->execute();
            $record=$stmt->fetchAll();

            foreach ($record as $res) { ?>

                <option value="<?php echo
$res['name'];?>"
                    <?php
if($res['name']==$rowl['category']) {echo "selected";} ?>>
                    <?php echo $res['name']; }?>
                </option>
                <!-- <option selected="selected" value="0">Please Select a
Pet</option>
                <option>Cats</option>
                <option>Dog</option>
                <option>Hamsters</option>
                <option>Birds</option> -->
            </select>
        </div>
        <div class="mb-3 col-md-6">
            <label class="form-label">Mark</label><span
class="required">*</span>
            <input type="text" class="form-control" name="mark" value="<?php
echo $rowl['mark'];?>">
        </div>
        <div class="mb-3 col-md-6">
            <label class="form-label">Color</label><span
class="required">*</span>
            <select type="text" class="form-control" name="color" value="<?php
echo $rowl['color'];?>">
                <option selected="selected" value="0">Please Select a Color
</option>
                <option <?php if($rowl['color']=="Black")
{echo "selected";}?> value="Black">Black</option>
                <option <?php if($rowl['color']=="White")
{echo "selected";}?> value="White">White</option>
                <option <?php if($rowl['color']=="Golden")
{echo "selected";}?> value="Golden">Golden</option>
            </select>
        </div><br><br>
        <div class="mb-3 col-md-6">
            <label class="form-label">Status</label><span

```

```

class="required">*</span>
    <input type="text" class="form-control" name="status" value="<?php
echo $rowl['status'];?>">
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Gender</label><span
class="required">*</span>
        <select type="text" class="form-control" name="gender" value="<?php
echo $rowl['gender'];?>" >
            <option selected="selected" value="0">Please Select a Gender
</option>
            <option <?php if($rowl['gender']=="Male")
{echo "selected";}?> value="Male">Male</option>
            <option <?php if($rowl['gender']=="Female")
{echo "selected";}?> value="Female">Female</option>
        </select>
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">Breed</label><span
class="required">*</span>
        <input type="text" name="breed" class="form-control" value="<?php
echo $rowl['breed'];?>">
    </div>
    <div class="mb-3 col-md-6">
        <label class="form-label">dob</label><span
class="required">*</span>
        <input type="date" name="dob" class="form-control" value="<?php
echo $rowl['dob'];?>">
    </div>
    <div class="mb-3 col-md-6">
        <label class="form-label">Mode Acquired</label><span
class="required">*</span>
        <input type="text" name="mode" class="form-control" value="<?php
echo $rowl['mode_acquired'];?>">
    </div>
    <div class="mb-3 col-md-6">
        <label class="form-label">Place Acquired</label><span
class="required">*</span>
        <input type="text" name="place" class="form-control" value="<?php
echo $rowl['place_acquired'];?>">
    </div>
    <div class="mb-3 col-md-6">
        <label class="form-label">Date Acquired</label><span
class="required">*</span>
        <input type="date" name="date" class="form-control" value="<?php
echo $rowl['date_acquired'];?>">
    </div>
    <div class="mb-3 col-md-6">
        <label class="form-label">Registration By</label><span
class="required">*</span>
        <input type="text" name="reg" class="form-control" value="<?php
echo $rowl['registration_by'];?>">
    </div>
    <div class="mb-3 col-md-6">
        <label class="form-
label">Existing Photo</label><br>
        <input type="hidden"

```

```

value="<?php echo $row1['image']?>" name="old_photo_img">
                                <br>
                                </div>
        <div class="mb-3 col-md-6">
            <label class="form-label">Image</label><span
class="required">*</span>
            <input type="file" name="image" class="form-control" value="<?php
echo $row1['image'];?>">
        </div>
        <div class="modal-footer text-end">
            <button type="submit" name="update" class="btn btn-
primary">Update</button>
        </div>
    </form>
</div>
</div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<?php
include('../../assets/constants/config.php');?>
<?php $stmt = $db ->prepare("SELECT * from prescription WHERE
preid='".$$_GET['preid']."'");
$stmt->execute();
$keyult = $stmt->fetchAll();
foreach($keyult as $key) ?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline"><h1>Edit
Prescription Management</h1></div>
            <div class="card-body">
                <form class="row" method="POST" action="app/crudpresc.php">

                    <div class="mb-3 col-md-6">
                        <label class="form-label">Select
Doctor</label><span class="required">*</span>
                        <?php
                            $cnt=1;

                            $stmt = $db->prepare("select * from doctor");
                            $stmt->execute();
                            $record = $stmt->fetchAll();
                            $i=1; ?>

                        <select class="form-select" aria-label="Default
select example" type="text" name="doctor">
                            <option value=""> </option>
                            <?php foreach ($record as $row)
                                { ?>
                                <option <?php

```

```

if($key['id']==$row['id']){echo 'selected';}?> value="<?php echo $row['id']?>"
                                <?php echo $row['dfname']. ' '.
$row['dlname']; ?> <?php ;?>
                                </option>
                                </select>
                                </div>

                                <label><h5>Prescription Details</h5></label>

                                <!-- <div class="mydiv">
                                <div class="form-group row control-group after-add-
more subdiv align-items-center"> -->

                                <div class="mb-3 col-md-6">
                                <label class="form-label">Medication
Name</label>
                                <input type="text" class="form-control"
name="medication" value="<?php echo $key['medication']?>">
                                </div>
                                <div class="mb-3 col-md-6">
                                <label class="form-label">Dosage</label>
                                <input type="text" class="form-control"
name="dosage" value="<?php echo $key['dosage']?>">
                                </div>

                                <div class="mb-3 col-md-6">
                                <label class="form-label">Frequency</label>
                                <input type="text" class="form-control"
name="frequency" value="<?php echo $key['frequency']?>">
                                </div>

                                <div class="mb-3 col-md-6">
                                <label class="form-label">Symptoms</label>
                                <input type="text" class="form-control"
name="symptoms" value="<?php echo $key['symptoms']?>">
                                </div>

                                <div class="mb-3 col-md-6">
                                <label class="form-label">Diseases</label>
                                <input type="text" class="form-control"
name="diseases" value="<?php echo $key['diseases']?>">
                                </div>

                                <div class="mb-3 col-md-6">
                                <input type="hidden" class="form-control" value="<?php echo
$key['preid']?>" name="preid" >
                                </div>

                                <div class="col-md-12 mt-3">
                                <button type="submit" name="update" class="btn btn-
primary">Submit</button>
                                </div>
                                </form>
                                </div>
                                </div>
                                </div>

```

```
</div>
<?php include('include/footer.php');?>
```

```
<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<?php
include('../assets/constants/config.php');?>
<?php $stmt = $db ->prepare("SELECT * from docshedule WHERE
dsid='".$$_GET['dsid']."'");
$stmt->execute();
$result = $stmt->fetchAll();
foreach($result as $res) ?>
<div class="app-content">
  <div class="content-wrapper">
    <div class="card">
      <div class="section-description section-description-inline"><h1>Edit
Doctor's Shedule</h1></div>
      <div class="card-body">
        <form class="row" method="POST" action="app/crudshedule.php">

          <div class="mb-3 col-md-6">
            <label class="form-label">Select Doctor</label>
            <?php
                $cnt=1;

                $stmt = $db->prepare("select * from doctor");
                $stmt->execute();
                $record = $stmt->fetchAll();
                $i=1; ?>

            <select class="form-select" aria-label="Default
select example" type="text" name="doc">
                <option></option>
                <?php foreach ($record as $row)
                { ?>
                    <option <?php
if($res['id']==$row['id']){echo 'selected';}?> value=" <?php echo $row['id']?>">
                    <?php echo $row['dfname'].' '.
$row['dlname']; ?> <?php };?>
                </option>
            </select>
          </div>

          <label><h5>Availability Schedule</h5></label>

          <div class="mb-3 col-md-6">
            <label class="form-label">Day</label>
            <select class="form-control" name="days"
value="<?php echo $res['days'];?>">
                <option>Please Select a Day </option>
                <option <?php
if($res['days']=='Sunday'){echo 'selected';} ?> >Sunday</option>
                <option <?php
if($res['days']=='Monday'){echo 'selected';} ?> >Monday</option>
                <option <?php
```

```

if($res['days']=='Tuesday'){echo 'selected';} ?> >Tuesday</option>
    <option <?php
if($res['days']=='Wednesday'){echo 'selected';} ?> >Wednesday</option>
    <option <?php
if($res['days']=='Thursday'){echo 'selected';} ?> >Thursday</option>
    <option <?php
if($res['days']=='Friday'){echo 'selected';} ?> >Friday</option>
    <option <?php
if($res['days']=='Saturday'){echo 'selected';} ?> >Saturday</option>
    </select>
</div>

    <div class="mb-3 col-md-6">
        <label class="form-label">From</label>
        <input type="time" class="form-control"
name="ftime" value="<?php echo $res['ftime']?>" name="ftime">
    </div>

    <div class="mb-3 col-md-6">
        <label class="form-label">To</label>
        <input type="time" class="form-control"
name="ttime" value="<?php echo $res['ttime']?>" name="ttime">
    </div>

    <div class="mb-3 col-md-6">
        <input type="hidden" class="form-control" value="<?php echo
$res['dsid']?>" name="dsid" >
    </div>

    <div class="col-md-12 mt-3">
        <button type="submit" name="update" class="btn btn-
primary">Submit</button>
    </div>
</form>
</div>
</div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');
include '../assets/constants/config.php';

try {
    $conn = new PDO("mysql:host=$servername;dbname=$dbname", $username,
$password);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $e)
{

```

```

        echo "Connection failed: " . $e->getMessage();
    }

    if(isset($_GET['id'])){
        $cid = $_GET['id'];
        $stmt = $db->prepare('SELECT * FROM user WHERE id =?');
        $stmt->execute([$cid]);
        $row1 = $stmt->fetch();
        //print_r($row1);exit;
    }

    ?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline">
                <h1>Add User</h1>
            </div>
            <div class="card-body">
                <form class="row" method="POST" action="app/cruduser.php" id="docform"
enctype="multipart/form-data">
                    <input class="form-control" type="hidden" name="id" value="<?php
echo $row1['id'];?>">
                    <div class="col-md-6">
                        <label class="form-label">First Name</label><span
class="required">*</span>
                        <input type="text" class="form-control" name="fname" value="<?php
echo $row1['fname'];?>">
                    </div>
                    <div class="col-md-6">
                        <label class="form-label">Last Name</label><span
class="required">*</span>
                        <input type="text" class="form-control" name="lname" value="<?php
echo $row1['lname'];?>">
                    </div>
                    <div class="col-md-6">
                        <label class="form-label">Email</label><span
class="required">*</span>
                        <input type="text" class="form-control" name="email" value="<?php
echo $row1['email'];?>">
                    </div>
                    <!-- <div class="col-md-6">
                        <label class="form-label">Password</label><span
class="required">*</span>
                        <input type="password" class="form-control" name="password"
value="<?php echo $row1['password'];?>">
                    </div -->
                    <div class="mb-3 col-md-6">
                        <label class="form-label">Gender</label><span
class="required">*</span>
                        <select type="text" class="form-control" name="gender" >
                            <option <?php if($row1['gender']=="Male")
{echo "selected";}?> value="Male">Male</option>
                            <option <?php if($row1['gender']=="Female")
{echo "selected";}?> value="Female">Female</option>
                        </select>
                    </div>
                    <div class="col-md-6">
                        <label class="form-label">Date Of Birth</label><span

```

```

class="required">*</span>
        <input type="date" class="form-control" name="date" value="<?php
echo $row1['date'];?>">
    </div>
    <div class="col-md-6">
        <label class="form-label">Contact</label><span
class="required">*</span>
        <input type="text" class="form-control" name="contact"
value="<?php echo $row1['contact'];?>">
    </div>
    <div class="mb-3 col-md-6">
        <label class="form-
label">Existing Photo</label><br>
        <input type="hidden"
value="<?php echo $row1['image'];?>" name="old_photo_img">
        <br>
    </div>
    <div class="col-md-6">
        <label class="form-label">Image</label><span
class="required">*</span>
        <input type="file" class="form-control" name="img" value="<?php
echo $row1['image'];?>">
    </div>
    <div class="modal-footer text-end">
        <button type="submit" name="update" class="btn btn-
primary">Submit</button>
    </div>
</div>
</div>
</div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');
error_reporting(0);
include '../assets/constants/config.php';

try {
    $conn = new PDO("mysql:host=$servername;dbname=$dbname", $username,
$password);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $e)
{
    echo "Connection failed: " . $e->getMessage();
}

if(isset($_GET['id'])){
    $cid = $_GET['id'];
    // print_r($cid);exit;
}

```

```

$stmt = $db->prepare('SELECT * FROM rece WHERE rece_id =?');
$stmt->execute([$cid]);
$row1 = $stmt->fetch();
//print_r($row1);exit;
}

?>
<div class="app-content">
  <div class="content-wrapper">
    <div class="card">
      <div class="section-description section-description-inline">
        <h1>Add User</h1>
      </div>
      <div class="card-body">
        <form class="row" method="POST" action="app/crudrece.php" id="docform"
enctype="multipart/form-data">
          <input class="form-control" type="hidden" name="id" value="<?php
echo $row1['rece_id'];?>">
          <!-- <div class="col-md-6">
            <label class="form-label">First Name</label><span
class="required">*</span>
            <input type="text" class="form-control" name="fname" value="<?php
echo $row1['fname'];?>">
          </div> -->
          <div class="col-md-6">
            <label class="form-label"> Name</label><span
class="required">*</span>
            <input type="text" class="form-control" name="rece_name"
value="<?php echo $row1['rece_name'];?>">
          </div>
          <div class="col-md-6">
            <label class="form-label">Email</label><span
class="required">*</span>
            <input type="text" class="form-control" name="email" value="<?php
echo $row1['email'];?>">
          </div>
          <!-- <div class="col-md-6">
            <label class="form-label">Password</label><span
class="required">*</span>
            <input type="password" class="form-control" name="password"
value="<?php echo $row1['password'];?>">
          </div> -->
          <div class="mb-3 col-md-6">
            <label class="form-label">Gender</label><span
class="required">*</span>
            <select type="text" class="form-control" name="gender" >
              <option <?php if($row1['gender']=="Male")
{echo "selected";}?> value="Male">Male</option>
              <option <?php if($row1['gender']=="Female")
{echo "selected";}?> value="Female">Female</option>
            </select>
          </div>
          <div class="col-md-6">
            <label class="form-label">Date Of Birth</label><span
class="required">*</span>
            <input type="date" class="form-control" name="date" value="<?php
echo $row1['date'];?>">
          </div>
          <div class="col-md-6">

```

```

        <label class="form-label">Contact</label><span
class="required">*</span>
        <input type="text" class="form-control" name="rece_mobile"
value="<?php echo $rowl['rece_mobile'];?>">
    </div>
    <div class="mb-3 col-md-6">
        <label class="form-
label">Existing Photo</label><br>
        <input type="hidden"
value="<?php echo $rowl['image']?>" name="old_photo_img">
        <br>
    </div>
    <div class="col-md-6">
        <label class="form-label">Image</label><span
class="required">*</span>
        <input type="file" class="form-control" name="img" value="<?php
echo $rowl['image'];?>">
    </div>
    <div class="modal-footer text-end">
        <button type="submit" name="update" class="btn btn-
primary">Submit</button>
    </div>
</div>
</div>
</div>
</div>
</div>
<?php include('include/footer.php');?>

```

```

<?php
//session_start();
include('include/head.php');
?>
<link rel="stylesheet"
href="https://pro.fontawesome.com/releases/v5.10.0/css/all.css" integrity="sha384-
AYmEC3Yw5cVb3ZcuHtOA93w35dYTsvhLPVnYs9eStHfGJvOvKxVfELGroGkvsg+p"
crossorigin="anonymous"/>
<!-- <link rel="stylesheet" href=" ./css/bootstrap.min.css"> -->
<link rel="stylesheet" href=" ./fullcalendar/lib/main.min.css">
<!-- <script src=" ./js/jquery-3.6.0.min.js"></script> -->
<!-- <script src=" ./js/bootstrap.min.js"></script> -->
<!--<style>-->
<!-- :root {-->
<!-- --bs-success-rgb: 71, 222, 152 !important;-->
<!-- }-->
<!-- html,-->
<!-- body {-->
<!-- height: 100%;-->
<!-- width: 100%;-->
<!-- font-family: Apple Chancery, cursive;-->
<!-- }-->
<!-- .btn-info.text-light:hover,-->
<!-- .btn-info.text-light:focus {-->
<!-- background: #000;-->

```

```

<!-- |-->
<!-- table, tbody, td, tfoot, th, thead, tr |-->
<!-- border-color: #ededed !important;-->
<!-- border-style: solid;-->
<!-- border-width: 1px !important;-->
<!-- |-->
<!--</style>-->
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<div class="app-content">
<div class="content-wrapper">
  <div class="container">
    <div class="row">
      <div class="col">
        <div class="page-description">
          <h1>Dashboard</h1>
        </div>
      </div>
    </div>
    <div class="row">
      <div class="col-xl-3">
        <div class="card widget widget-stats">
          <div class="card-body">
            <div class="widget-stats-container d-flex">
              <div class="widget-stats-icon widget-stats-icon-primary">
                <i class="material-icons-outlined">category</i>
              </div>
              <div class="widget-stats-content flex-fill text-end">
                <span class="widget-stats-title">Category</span>
                <?php
                  $d=date('Y-m-d');

                  $stmt = $db->prepare("SELECT * FROM category WHERE
delete_status='0'");

                  // AND date='".$d.'"
                  $stmt->execute();
                  $result = $stmt->fetchAll();
                  $cnt1=count($result);

                  $stmt1 = $db->prepare("SELECT * FROM pet_info
WHERE delete_status='0'");

                  $stmt1->execute();
                  $result1 = $stmt1->fetchAll();
                  $cnt2=count($result1);

                  $stmt2 = $db->prepare("SELECT * FROM vaccine
WHERE delete_status='0'");

                  $stmt2->execute();
                  $result2 = $stmt2->fetchAll();
                  //print_r($result2);
                  $cnt3=count($result2);

                  // $stmt2 = $db->prepare("SELECT SUM(amt) as sum
FROM bill");

                  // $stmt2->execute();
                  // $result2 = $stmt2->fetch();
                  //print_r($result2);
                  // $cnt3=count($result2);

```

```

                                $stmt3 = $db->prepare("SELECT * FROM announcement
WHERE delete_status=0 ");
                                $stmt3->execute();
                                $result3 = $stmt3->fetchAll();
                                $cnt4=count($result3);

                                $stmt4 = $db->prepare("SELECT * FROM complaints
WHERE delete_status=0 ");
                                $stmt4->execute();
                                $result4 = $stmt4->fetchAll();
                                $cnt5=count($result4);
                                ?>
                                <span class="widget-stats-amount"><?php echo $cnt1;
?></span>
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                <div class="col-xl-3">
                                <div class="card widget widget-stats">
                                <div class="card-body">
                                <div class="widget-stats-container d-flex">
                                <div class="widget-stats-icon widget-stats-icon-warning">
                                <i class="material-icons-outlined">pets</i>
                                </div>
                                <div class="widget-stats-content flex-fill text-end">
                                <span class="widget-stats-title">Pets</span>
                                <span class="widget-stats-amount"><?php echo $cnt2;
?></span>
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                <div class="col-xl-3">
                                <div class="card widget widget-stats">
                                <div class="card-body">
                                <div class="widget-stats-container d-flex">
                                <div class="widget-stats-icon widget-stats-icon-danger">
                                <i class="material-icons-outlined">vaccines</i>
                                </div>
                                <div class="widget-stats-content flex-fill text-end">
                                <span class="widget-stats-title">Immunization</span>
                                <span class="widget-stats-amount"><?php echo $cnt3;
?></span>
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                <div class="col-xl-3">
                                <div class="card widget widget-stats">
                                <div class="card-body">
                                <div class="widget-stats-container d-flex">
                                <div class="widget-stats-icon widget-stats-icon-danger">
                                <i class="material-icons-outlined">notifications</i>
                                </div>
                                <div class="widget-stats-content flex-fill text-end">

```

```

        <span class="widget-stats-title">Announcement</span>
        <span class="widget-stats-amount"><?php echo $cnt4;
?></span>
        </div>
    </div>
</div>
</div>
<div class="col-xl-3">
    <div class="card widget widget-stats">
        <div class="card-body">
            <div class="widget-stats-container d-flex">
                <div class="widget-stats-icon widget-stats-icon-danger">
                    <i class="material-icons-outlined">chat</i>
                </div>
                <div class="widget-stats-content flex-fill text-end">
                    <span class="widget-stats-title"> Messages /
Complaints</span>
                    <span class="widget-stats-amount"><?php echo $cnt5;
?></span>
                </div>
            </div>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
<?php
    include '../assets/constants/config.php';

    $sql = "SELECT * FROM `appointment` where delete_status=0 ";

    $i=0;
    $display_appoint=array();
    $data='';
    $sched_res = [];
    $stmt = $db->prepare($sql);
    $stmt->execute();
    $result = $stmt->fetchAll();
    foreach ($result as $row) {
    $sql2 = "SELECT * FROM `patient` ";
    $stmt2 = $db->prepare($sql2);
    $stmt2->execute();
    $i++;
    }

    // print_r($sched_res);
    ?>
<?php include('include/footer.php');?>
<script src="../fullcalendar/lib/main.min.js"></script>
<script>
    var scheds = $.parseJSON('<?=json_encode($sched_res) ?>');
</script>
<script>
    var calendar;
    var Calendar = FullCalendar.Calendar;

```

```

var events = [];
$(function() {
  if (!!scheds) {
    Object.keys(scheds).map(k => {
      var row = scheds[k]
      events.push({ id: row.id, client: row.client, company:
row.company, task: row.task, start: row.date, end: row.end_date });
    })
  }
  var date = new Date()
  var d = date.getDate(),
      m = date.getMonth(),
      y = date.getFullYear()

  calendar = new Calendar(document.getElementById('calendardata'), {
    headerToolbar: {
      left: 'prev,next today',
      right: 'dayGridMonth,dayGridWeek,list',
      center: 'title',
    },
    selectable: true,
    themeSystem: 'bootstrap',
    //Random default events
    events: events,
    eventClick: function(info) {
      var _details = $('#event-details-modal')
      var id = info.event.id
      if (!!scheds[id]) {
        _details.find('#title').text(scheds[id].client)
        _details.find('#company').text(scheds[id].company)
        _details.find('#task').text(scheds[id].task)
        _details.find('#start').text(scheds[id].sdate)
        _details.find('#end').text(scheds[id].edate)
        _details.modal('show')
      } else {
        alert("Event is undefined");
      }
    },
    eventDidMount: function(info) {
      // Do Something after events mounted
    },
    editable: true
  });

  calendar.render();

  // Form reset listener
  $('#schedule-form').on('reset', function() {
    $(this).find('input:hidden').val('')
    $(this).find('input:visible').first().focus()
  })

})
</script>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');
error_reporting(0);
session_start();
include '../assets/constants/config.php';

try {
    $conn = new PDO("mysql:host=$servername;dbname=$dbname", $username,
$password);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $e)
{
    echo "Connection failed: " . $e->getMessage();
}
?>

<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline">
                <h1>Manage Announcement</h1>
            </div>
            <div class="card-body">
                <div class="table-responsive">
                    <table id="example" class="display nowrap" style="width:100%">
                        <thead>
                            <tr>
                                <th>Sr.no</th>
                                <th>Title</th>
                                <th>Description</th>
                                <th>From Date</th>
                                <th>To Date</th>
                                <th>Action</th>
                            </tr>
                        </thead>
                        <tbody>
                            <?php
                                $stmt = $db->prepare("SELECT * FROM
`announcement` WHERE delete status='0' ");
                                $stmt->execute();
                                $record = $stmt->fetchAll();
                                $i=1;
                                foreach ($record as $key)
                                    { ?>
                                        <tr>
                                            <td><?php echo $i;?></td>
                                            <td><?php echo $key['title'];?></td>
                                            <td><?php echo $key['description'];?></td>
                                            <td><?php echo $key['fdate'];?></td>
                                            <td><?php echo $key['tdate'];?></td>
                                            <td>
                                                <a href="edit-announcement.php?id=<?php echo $key['id']
?>" class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
                                                </a>
                                                <a href="app/cruddoctor.php?id=<?php echo $key['id']

```



```

</script>
<p><?php $ SESSION['delete']='';}></p>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>

<div class="app-content">
  <div class="content-wrapper">
    <div class="card">
      <div class="section-description section-description-inline">
        <h1>Manage Appointment</h1>
      </div>
      <div class="card-body">
        <div class="table-responsive">
          <table id="example" class="display" style="width:100%">
            <thead>
              <tr>
                <th>Sr. no.</th>
                <th>Doctor</th>
                <th>Owner Name</th>
                <th>Pet Name</th>
                <th>Hour</th>
                <th>Date</th>
                <th>Appointment Type</th>
                <th>presc</th>
                <th width="80px">Action</th>
              </tr>
            </thead>
            <tbody>

          <?php

                $cnt=1;
                // $stmt = $db->prepare("SELECT * from sale
INNER JOIN customer ON sale.cust_id=customer.cust_id INNER JOIN product ON
sale.product_id = product.product_id;");

                // $stmt = $db->prepare("SELECT * from sale
INNER JOIN customer ON sale.cust_id=customer.cust_id INNER JOIN ingredient ON
sale.i_id = ingredient.i_id;");

                // $stmt = $db->prepare("SELECT * from
appointment INNER JOIN doctor ON appointment.id=doctor.id INNER JOIN pet_info ON
appointment.pid = pet_info.pid ORDER BY appointment.adata DESC;");
                $stmt = $db->prepare("SELECT * from
appointment,doctor,pet_info where appointment.id=doctor.id and
appointment.pid=pet_info.pid and appointment.delete_status= '0' ORDER BY
appointment.adata DESC;");

                $stmt->
          >execute();

```



```

        </div>
        <div class="mb-3 col-md-6">
            <label class="form-label">Doctor Name<span
class="required">*</span></label>
            <input type="text" class="form-control"
name="doctor" value="<?php echo $row['dfname'].' '. $row['dlname']; ?>" readonly>
            </div>

        <div class="mydiv">
            <div class="form-group row control-group after-add-more
subdiv align-items-center">
                <label class="col-md-12"><h5>Prescription
Details</h5></label>

                <!-- ....for adding multiple input boxes.... -->

                <div class="mb-3 col-md-2">
                    <label class="form-label">Medication Name<span
class="required">*</span></label>
                    <input type="text" class="form-control"
name="medication[]">
                </div>

                <div class="mb-3 col-md-2">
                    <label class="form-label">Dosage</label><span
class="required">*</span>
                    <input type="text" class="form-control"
name="dosage[]">
                </div>

                <div class="mb-3 col-md-2">
                    <label class="form-
label">Frequency</label><span class="required">*</span>
                    <input type="text" class="form-control"
name="frequency[]">
                </div>

                <div class="mb-3 col-md-2">
                    <label class="form-label">Symptoms</label><span
class="required">*</span>
                    <input type="text" class="form-control"
name="symptoms[]">
                </div>

                <div class="mb-3 col-md-2">
                    <label class="form-label">Diseases</label><span
class="required">*</span>
                    <input type="text" class="form-control"
name="diseases[]">
                </div>
                <div class="col">
                    <button class="btn btn-success add-more"
type="button">Add</button>
                </div>
            </div>
        </div>

```

```

<div class="copy hide" style="display:none;">
  <div class="form-group control-group row subdiv align-items-center">
    <div class="mb-3 col-md-2">
      <label class="form-label">Medication Name<span
class="required">*</span></label>
      <input type="text" class="form-control"
name="medication[]">
    </div>
    <div class="mb-3 col-md-2">
      <label class="form-label">Dosage</label><span
class="required">*</span>
      <input type="text" class="form-control"
name="dosage[]">
    </div>
    <div class="mb-3 col-md-2">
      <label class="form-
label">Frequency</label><span class="required">*</span>
      <input type="text" class="form-control"
name="frequency[]">
    </div>
    <div class="mb-3 col-md-2">
      <label class="form-label">Symptoms</label><span
class="required">*</span>
      <input type="text" class="form-control"
name="symptoms[]">
    </div>
    <div class="mb-3 col-md-2">
      <label class="form-label">Diseases</label><span
class="required">*</span>
      <input type="text" class="form-control"
name="diseases[]">
    </div>
    <div class="col">
      <button class="btn btn-danger remove"
type="button"><i class="material-icons-two-tone">remove</i></button>
    </div>
  </div>
</div>
</div>
</div>
      <div class="mydiv">
        <div class="form-group row control-group1 after-add-
more1 subdiv1 align-items-center">
          <label class="col-md-12"><h5>Vaccination
Details</h5></label>
          <!-- ....for adding multiple input boxes.... -->
          <div class="mb-3 col-md-4">
            <label class="form-label">Vaccine<span
class="required">*</span></label>
            <input type="text" class="form-control"
name="vaccine[]">
          </div>

```



```

        </div>
    </div>
</div>
</div>

<?php include('include/footer.php');?>
<script type="text/javascript">
    $("body").on("click", ".remove", function() {
        $(this).parents(".control-group").remove();
    });

    $(".add-more").on('click', function() {
        var html = $(".copy").html();
        $(".after-add-more").after(html);
        show_no();
    });

    $("body").on("click", ".remove", function() {
        $(this).parents(".control-group").remove();
        show_no();
    });
function show_no()
{
    var row_cnt=0;
    $( ".sr_no" ).each(function() {
        row_cnt++;
        $( this ).html(row_cnt);
    });
}

// Vaccination Details
$("body").on("click", ".remove1", function() {
    $(this).parents(".control-group1").remove();
});

$(".add-more1").on('click', function() {
    var html = $(".copy1").html();
    $(".after-add-more1").after(html);
    show_no();
});

$("body").on("click", ".remove1", function() {
    $(this).parents(".control-group1").remove();
    show_no();
});
function show_no()
{
    var row cnt=0;
    $( ".sr_no" ).each(function() {
        row_cnt++;
        $( this ).html(row_cnt);
    });
}
</script>

<script>
document.addEventListener("DOMContentLoaded", function () {
    let prescTemplate = document.querySelector("#presc-template");

```

```

document.querySelector(".add-more").addEventListener("click", function () {
    let clonedPresc = prescTemplate.content.cloneNode(true);
    document.querySelector("#presc_form").appendChild(clonedPresc);
});
});
</script>
<?php if(!empty($_SESSION['success'])){?>
    <script>
        setTimeout(function() {
            swal({
                title: "Congratulations!",
                text: "Data Added Successfully",
                type: "success",
                confirmButtonText: "Ok"
            }, function() {
                window.location = "manage-appointment.php";
            }, 1000);
        });
    </script>
<p><?php $_SESSION['success']='';?></p>

<?php if(!empty($_SESSION['update'])){?>
    <script>
        setTimeout(function() {
            swal({
                title: "Congratulations!",
                text: "Record Updated",
                type: "success",
                confirmButtonText: "Ok"
            }, function() {
                window.location = "manage-appointment.php";
            }, 1000);
        });
    </script>
<p><?php $_SESSION['update']='';?></p>

<?php if(!empty($_SESSION['delete'])){?>
    <script>
        setTimeout(function() {
            swal({
                title: "Congratulations!",
                text: "Record Deleted",
                type: "success",
                confirmButtonText: "Ok"
            }, function() {
                window.location = "manage-appointment.php";
            }, 1000);
        });
    </script>
<p><?php $_SESSION['delete']='';?></p>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');
error_reporting(0);
session_start();

```

```

include '../assets/constants/config.php';

try {
    $conn = new PDO("mysql:host=$servername;dbname=$dbname", $username,
$password);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $e)
{
    echo "Connection failed: " . $e->getMessage();
}
?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline">
                <h1>Manage Appointment</h1>
            </div>
            <div class="card-body">
                <div class="table-responsive">
                    <table id="example" class="display" style="width:100%">
                        <thead>
                            <tr>
                                <th>Sr. no.</th>
                                <th>Name</th>
                                <th>Image</th>
                                <th>Description</th>
                                <th width="80px">Action</th>
                            </tr>
                        </thead>
                        <tbody>
                            <?php
                                $stmt = $db->prepare("SELECT * FROM
`category` WHERE delete_status='0' ");
                                $stmt->execute();
                                $record = $stmt->fetchAll();
                                $i=1;
                                foreach ($record as $key)
                                    { ?>
                                        <tr>
                                            <td><?php echo $i;?></td>
                                            <td><?php echo $key['name'];?></td>
                                            <td></td>
                                            <td><?php echo $key['description'];?></td>
                                            <!-- <td>xyz</td> -->
                                            <td>
                                                <a href="edit-category.php?id=<?php echo $key['id'] ?>"
class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i class="material-
icons-outlined">edit</i>
                                                </a>
                                                <a href="app/crudcategory.php?id=<?php echo $key['id']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete" onclick="return
confirm('Are you sure you want to delete this item?');"><i class=" text-danger
material-icons-outlined">delete_outline</i> </a>

```



```

    }, 1000);
});
</script>
<p><?php $ SESSION['delete']='';?></p>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<div class="app-content">
  <div class="content-wrapper">
    <div class="card">
      <div class="section-description section-description-inline">
        <h1>Manage Client</h1>
      </div>
      <div class="card-body">
        <table id="example" class="display nowrap" style="width:100%">
          <thead>
            <tr><th>Sr no.</th>
              <th>Client Name</th>
              <th>Email</th>
              <th>Contact No.</th>
              <th>Primary Address</th>
              <th>Secondary Address</th>
              <th>Action</th>
            </tr>
          </thead>
          <tbody>
            <?php
              $i=1;
              $stmt = $db->prepare("SELECT * FROM client WHERE delete_status=0 ");
              $stmt->execute();
              $result = $stmt->fetchAll();
              foreach ($result as $key) { ?>

                <tr>
                  <td><?php echo$i; ?></td>
                  <td><?php echo$key['client']; ?></td>
                  <td><?php echo$key['email']; ?></td>

                  <td><?php echo$key['mob']; ?></td>

                  <td><?php echo$key['padd']; ?></td>
                  <td><?php echo$key['sadd']; ?></td>

                  <td>
                    <a href="edit-client.php?id=<?php echo $key['id']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
                    </a>
                    <a href="app/crudclient.php?id=<?php echo $key['id']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete"><i class="
text-danger material-icons-outlined">delete_outline</i>
                    </a>
                  </td>
                </tr>

```

```

                <?php $i++; } ?>
            </tbody>

        </table>
    </div>
</div>
</div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');
error_reporting(0);
session_start();
include '../assets/constants/config.php';

try {
    $conn = new PDO("mysql:host=$servername;dbname=$dbname", $username,
$password);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $e)
{
    echo "Connection failed: " . $e->getMessage();
}
?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline">
                <h1>Manage Complaint</h1>
            </div>
            <div class="card-body">
                <div class="table-responsive">
                    <table id="example" class="display nowrap" style="width:100%">
                        <thead>
                            <tr>
                                <th>Sr.no</th>
                                <th>Name</th>
                                <th>Email</th>
                                <th>Contact</th>
                                <th>Message</th>
                                <th>Action</th>
                            </tr>
                        </thead>
                        <tbody>
                            <?php
                                $stmt = $db->prepare("SELECT * FROM
complaints` WHERE delete_status='0' ");
                                $stmt->execute();
                                $record = $stmt->fetchAll();
                                $i=1;
                                foreach ($record as $key)
                                    { ?>

```

```

        <td><?php echo $i;?></td>
        <td><?php echo $key['name'];?></td>
        <td><?php echo $key['email'];?></td>
        <td><?php echo $key['contact'];?></td>
        <td><?php echo $key['message'];?></td>
        <td>
            <a href="edit-complaint.php?id=<?php echo $key['id']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
            </a>
            <a href="app/crudcomplaint.php?id=<?php echo $key['id']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete" onclick="return
confirm('Do you really want to Delete ?');"><i class=" text-danger material-icons-
outlined">delete</i>
            </a>
        </td>
    </tr>
    <?php $i++; } ?>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
<?php include('include/footer.php');?>

<?php if(!empty($_SESSION['success'])){?>
    <script>
        setTimeout(function() {
            swal({
                title: "Congratulations!",
                text: "Data Added Successfully",
                type: "success",
                confirmButtonText: "Ok"
            }, function() {
                window.location = "manage_complaint.php";
            }, 1000);
        });
    </script>
    <p><?php $_SESSION['success']='';?></p>

    <?php if(!empty($_SESSION['update'])){?>
    <script>
        setTimeout(function() {
            swal({
                title: "Congratulations!",
                text: "Record Updated",
                type: "success",
                confirmButtonText: "Ok"
            }, function() {
                window.location = "manage_complaint.php";
            }, 1000);
        });
    </script>
    <p><?php $_SESSION['update']='';?></p>

    <?php if(!empty($_SESSION['delete'])){?>

```

```

<script>
setTimeout(function() {
    swal({
        title: "Congratulations!",
        text: "Record Deleted",
        type: "success",
        confirmButtonText: "Ok"
    }, function() {
        window.location = "manage_complaint.php";
    }, 1000);
});
</script>
<p><?php $ _SESSION['delete']='';}></p>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline">
                <h1>Manage Doctor</h1>
            </div>
            <div class="card-body">
                <div class="table-responsive">
                    <table id="example" class="display nowrap" style="width:100%">
                        <thead>
                            <tr><th>id</th>
                                <th>Fname</th>
                                <th>Lname</th>
                                <th>Email</th>
                                <th>Contact No.</th>
                                <th>Specialist in</th>
                                <th>Address</th>
                                <th>Action</th>
                            </tr>
                        </thead>
                        <tbody>
                            <?php
                                //include('config.php');
                                //$ret=mysqli_query($con,"select * from tblusers");
                                $cnt=1;

                                $stmt = $db->prepare("select * from doctor ");
                                $stmt->execute();
                                $record = $stmt->fetchAll();
                                $i=1;
                                foreach ($record as $row)
                                    { ?>

                                <!--Fetch the Records -->

                                    <tr>
                                        <td><?php echo $cnt;?></td>
                                        <td><?php echo $row['dfname'];?></td>
                                        <td><?php echo $row['dlname'];?></td>
                                        <td><?php echo $row['email'];?></td>

```

```

        <td><?php echo $row['contact'];?></td>
        <td><?php echo $row['specialist'];?></td>
        <td><?php echo $row['address'];?></td>
        <!-- <td><span class="badge bg-success"><?php echo
$row['status'];?></span></td> --><!--
        <td>
                <a href="edit-doctor.php?id=" class="btn btn-primary
btn-sm"><i class="icon-line-awesome-edit fs-5"></i> </a>
                <a href="app/cruddoctor.php?delid=" class="btn btn-
danger btn-sm" onclick="return confirm('Do you really want to Delete ?');"><i
class="icon-line-awesome-trash-o fs-5"></i></a>
        </td>
-->
        <td>
                <a href="edit-doctor.php?id=<?php echo $row['id']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
                </a>
                <a href="app/cruddoctor.php?id=<?php echo $row['id']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete" onclick="return
confirm('Do you really want to Delete ?');"><i class=" text-danger material-icons-
outlined">delete</i>
                </a>
        </td>
</tr>
<?php
        $cnt=$cnt+1;
        } ?>
</tbody>

</table>
</div>
</div>
</div>
</div>
</div>
<?php include('include/footer.php');?>
<?php if(!empty($_SESSION['success']))?>
<script>
        setTimeout(function() {
                swal({
                        title: "Congratulations!",
                        text: "Data Added Successfully",
                        type: "success",
                        confirmButtonText: "Ok"
                }, function() {
                        window.location = "manage-doctor.php";
                }, 1000);
        });
</script>
<p><?php $_SESSION['success']='';?></p>

<?php if(!empty($_SESSION['update']))?>
<script>
        setTimeout(function() {
                swal({

```



```

        <th>Vaccine Type</th>
        <th>By</th>
        <!-- <th>Person Name</th> -->
        <!-- <th>Pet Age</th> -->
        <th>Bits</th>
        <th>Action</th>
    </tr>
</thead>
<tbody>
    <?php
        $stmt = $db->prepare("select * from vaccine");
        $stmt->execute();
        $record = $stmt->fetchAll();
        $i=1;
        foreach ($record as $row)
        {
            // print_r($row);exit;?>
<!--Fetch the Records -->
        <tr>
            <td><?php echo $i;?></td>
            <td><?php echo $row['pet_name'];?></td>
            <td><?php echo $row['date'];?></td>
            <td><?php echo $row['vaccine_type'];?></td>
            <td><?php echo $row['by'];?></td>
            <!-- <td><?php echo $row['age'];?></td> -->
            <td><?php echo $row['bits'];?></td>
            <!-- <td><?php echo $row[''];?></td> -->
            <td>
                <a href="edit-immune.php?id=<?php echo $row['id']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
                </a>
                <a href="app/cruddoctor.php?id=<?php echo $row['id']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete" onclick="return
confirm('Do you really want to Delete ?');"><i class=" text-danger material-icons-
outlined">delete</i>
                </a>
            </td>
        </tr>
    <?php
        $i++;} ?>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
<?php include('include/footer.php');?>
<?php if(!empty($_SESSION['success'])){?>
    <script>
        setTimeout(function() {
            swal({
                title: "Congratulations!",
                text: "Data Added Successfully",
                type: "success",
                confirmButtonText: "Ok"
            }, function() {

```



```

                <th>Date</th>
                <th>Action</th>

            </tr>
        </thead>
        <tbody>
<?php
    $i=1;
    $stmt = $db->prepare("SELECT * FROM patient ");
    $stmt->execute();
    $result = $stmt->fetchAll();
    foreach ($result as $key) { ?>

        <tr>
            <td><?php echo$i; ?></td>
            <td><?php echo$key['fname']; ?></td>
            <td><?php echo$key['lname']; ?></td>
            <td><?php echo$key['dob']; ?></td>
            <td><?php echo$key['gender']; ?></td>
            <td><?php echo$key['mob']; ?></td>

            <td><?php echo$key['email']; ?></td>
            <td><?php echo$key['address']; ?></td>
            <td><?php echo$key['pdate']; ?></td>

            <td>
                <a href="edit-patient.php?pid=<?php echo $key['pid']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
                </a>
                <a href="app/crudpatient.php?pid=<?php echo $key['pid']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete" onclick="return
confirm('Do you really want to Delete ?');"><i class=" text-danger material-icons-
outlined">delete_outline</i>
                </a>
            </td>

        </tr>
    <?php $i++; } ?>
</tbody>

</table>
</div>
</div>
</div>
</div>
<?php include('include/footer.php');?>
<?php if(!empty($_SESSION['success'])){?>
    <script>
        setTimeout(function() {
            swal({
                title: "Congratulations!",
                text: "Data Added Successfully",
                type: "success",
                confirmButtonText: "Ok"
            }, function() {
                window.location = "manage-patient.php";

```

```

    }, 1000);
});
</script>
<p><?php $_SESSION['success']='';?></p>

<?php if(!empty($_SESSION['update'])){?>
<script>
setTimeout(function() {
    swal({
        title: "Congratulations!",
        text: "Record Updated",
        type: "success",
        confirmButtonText: "Ok"
    }, function() {
        window.location = "manage-patient.php";
    }, 1000);
});
</script>
<p><?php $_SESSION['update']='';?></p>

<?php if(!empty($_SESSION['delete'])){?>
<script>
setTimeout(function() {
    swal({
        title: "Congratulations!",
        text: "Record Deleted",
        type: "success",
        confirmButtonText: "Ok"
    }, function() {
        window.location = "manage-patient.php";
    }, 1000);
});
</script>
<p><?php $_SESSION['delete']='';?></p>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');
error_reporting(0);
session_start();
include '../assets/constants/config.php';

try {
    $conn = new PDO("mysql:host=$servername;dbname=$dbname", $username,
$password);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $e)
{
    echo "Connection failed: " . $e->getMessage();
}
?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline">

```

```

    <h1>Manage Pets</h1>
</div>
<div class="card-body">
    <div class="table-responsive">
        <table id="example" class="display nowrap" style="width:100%">
            <thead>
                <tr><th>Sr no.</th>
                    <th>User Email</th>
                    <th>Pet Name</th>
                    <th>Type / Category</th>
                    <th>Mark</th>
                    <th>Status</th>
                    <th>Gender</th>
                    <th>Breed</th>
                    <th>DOB</th>
                    <th>Mode Acquired</th>
                    <th>Place Acquired</th>
                    <th>Date Acquired</th>
                    <th>Registration By</th>
                    <th>Image</th>
                    <th>Action</th>

                </tr>
            </thead>
            <tbody>
                <?php
                    $stmt = $db->prepare("SELECT * FROM
pet_info` WHERE delete_status='0' ");

                    $stmt->execute();
                    $record = $stmt->fetchAll();
                    $i=1;
                    foreach ($record as $key)
                    { ?>

                <tr>
                    <td><?php echo $i;?></td>
                    <td><?php echo $key['visitor_name'];?></td>
                    <td><?php echo $key['pet_name'];?></td>
                    <td><?php echo $key['category'];?></td>
                    <td><?php echo $key['mark'];?></td>

                    <td><?php echo $key['status'];?></td>
                    <td><?php echo $key['gender'];?></td>
                    <td><?php echo $key['breed'];?></td>
                    <td><?php echo $key['dob'];?></td>
                    <td><?php echo $key['mode_acquired'];?></td>
                    <td><?php echo $key['place_acquired'];?></td>
                    <td><?php echo $key['date_acquired'];?></td>
                    <td><?php echo $key['registration by'];?></td>
                    <td></td>

                <td>
                    <a href="edit-pets.php?id=<?php echo $key['pid']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
                    </a>
                    <a href="app/crudpets.php?id=<?php echo $key['pid']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete" onclick="return

```

```

confirm('Do you really want to Delete ?');"><i class=" text-danger material-icons-
outlined">delete_outline</i>
        </a>
    </td>
</tr>
<?php $i++; } ?>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
<?php include('include/footer.php');?>
<?php if(!empty($_SESSION['success'])){?>
    <script>
        setTimeout(function() {
            swal({
                title: "Congratulations!",
                text: "Data Added Successfully",
                type: "success",
                confirmButtonText: "Ok"
            }, function() {
                window.location = "manage-pets.php";
            }, 1000);
        });
    </script>
    <p><?php $_SESSION['success']='';?></p>

    <?php if(!empty($_SESSION['update'])){?>
    <script>
        setTimeout(function() {
            swal({
                title: "Congratulations!",
                text: "Record Updated",
                type: "success",
                confirmButtonText: "Ok"
            }, function() {
                window.location = "manage-pets.php";
            }, 1000);
        });
    </script>
    <p><?php $_SESSION['update']='';?></p>

    <?php if(!empty($_SESSION['delete'])){?>
    <script>
        setTimeout(function() {
            swal({
                title: "Congratulations!",
                text: "Record Deleted",
                type: "success",
                confirmButtonText: "Ok"
            }, function() {
                window.location = "manage-pets.php";
            }, 1000);
        });
    </script>

```

```
</script>
<p><?php $ SESSION['delete']='';}></p>
```

```
<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');
error_reporting(0);
session_start();
include '../assets/constants/config.php';

try {
    $conn = new PDO("mysql:host=$servername;dbname=$dbname", $username,
$password);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $e)
{
    echo "Connection failed: " . $e->getMessage();
}
?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline">
                <h1>Manage User</h1>
            </div>
            <div class="card-body">
                <div class="table-responsive">
                    <table id="example" class="display nowrap" style="width:100%">
                        <thead>
                            <tr>
                                <th>Sr.no</th>
                                <th>First Name</th>
                                <th>Last Name</th>
                                <th>Email</th>
                                <!-- <th>Password</th -->
                                <th>Gender</th>
                                <th>Date Of Birth</th>
                                <th>Contact</th>
                                <th>Image</th>
                                <th>Action</th>
                            </tr>
                        </thead>
                        <tbody>
                            <?php
                                $stmt = $db->prepare("SELECT * FROM
`user` WHERE delete_status='0' ");
                                $stmt->execute();
                                $record = $stmt->fetchAll();
                                $i=1;
                                foreach ($record as $key1)
                                    { ?>
                                        <tr>
                                            <td><?php echo $i;?></td>
                                            <td><?php echo $key1['fname'];?></td>
                                            <td><?php echo $key1['lname'];?></td>
```

```

        <td><?php echo $keyl['email'];?></td>
        <td><?php echo $keyl['gender'];?></td>
        <td><?php echo $keyl['date'];?></td>
        <td><?php echo $keyl['contact'];?></td>

        <td></td>
        <td>
            <a href="edit-user.php?id=<?php echo $keyl['id']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
            </a>
            <a href="app/cruduser.php?id=<?php echo $keyl['id']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete" onclick="return
confirm('Do you really want to Delete ?');"><i class=" text-danger material-icons-
outlined">delete</i>
            </a>
        </td>
    </tr>
</tr>
<?php $i++; } ?>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
<?php include('include/footer.php');?>

<?php if(!empty($_SESSION['success'])){?>
    <script>
        setTimeout(function() {
            swal({
                title: "Congratulations!",
                text: "Data Added Successfully",
                type: "success",
                confirmButtonText: "Ok"
            }, function() {
                window.location = "manage_user.php";
            }, 1000);
        });
    </script>
    <p><?php $_SESSION['success']='';?></p>

    <?php if(!empty($_SESSION['update'])){?>
    <script>
        setTimeout(function() {
            swal({
                title: "Congratulations!",
                text: "Record Updated",
                type: "success",
                confirmButtonText: "Ok"
            }, function() {
                window.location = "manage_user.php";
            }, 1000);
        });
    </script>

```

```

<p><?php $_SESSION['update']='';?></p>

<?php if(!empty($_SESSION['delete'])){?>
<script>
setTimeout(function() {
    swal({
        title: "Congratulations!",
        text: "Record Deleted",
        type: "success",
        confirmButtonText: "Ok"
    }, function() {
        window.location = "manage_user.php";
    }, 1000);
});
</script>
<p><?php $_SESSION['delete']='';?></p>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');
error_reporting(0);
session_start();
include '../assets/constants/config.php';

try {
    $conn = new PDO("mysql:host=$servername;dbname=$dbname", $username,
$password);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $e)
{
    echo "Connection failed: " . $e->getMessage();
}
?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline">
                <h1>Manage User</h1>
            </div>
            <div class="card-body">
                <div class="table-responsive">
                    <table id="example" class="display nowrap" style="width:100%">
                        <thead>
                            <tr>
                                <th>Sr.no</th>
                                <th>Name</th>
                                <!-- <th>Last Name</th> -->
                                <th>Email</th>
                                <!-- <th>Password</th> -->
                                <th>Gender</th>
                                <th>Date Of Birth</th>
                                <th>Contact</th>
                                <th>Image</th>
                                <th>Action</th>
                            </tr>
                        </thead>

```

```

        <tbody>
            <?php
                $stmt = $db->prepare("SELECT * FROM
`rece` WHERE delete_status='0' ");
                $stmt->execute();
                $record = $stmt->fetchAll();
                $i=1;
                foreach ($record as $key1)
                    { ?>
                    <tr>
                        <td><?php echo $i;?></td>
                        <td><?php echo $key1['rece_name'];?></td>
                        <!-- <td><?php echo $key1['lname'];?></td> -->
                        <td><?php echo $key1['email'];?></td>
                        <td><?php echo $key1['gender'];?></td>
                        <td><?php echo $key1['date'];?></td>
                        <td><?php echo $key1['rece_mobile'];?></td>
                        <td></td>
                        <td>
                            <a href="edit_rece.php?id=<?php echo
$key1['rece_id'];?>"class="text-blue m-r-15" data-bs-toggle="tooltip"
title="Edit"><i class="material-icons-outlined">edit</i>
                            </a>
                            <a href="app/crudrece.php?id=<?php echo $key1['rece_id']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete" onclick="return
confirm('Do you really want to Delete ?');"><i class=" text-danger material-icons-
outlined">delete</i>
                            </a>
                        </td>
                    </tr>
                    <?php $i++; } ?>
                </tbody>
            </table>
        </div>
    </div>
</div>
<?php include('include/footer.php');?>

<?php if(!empty($_SESSION['success'])){?>
    <script>
        setTimeout(function() {
            swal({
                title: "Congratulations!",
                text: "Data Added Successfully",
                type: "success",
                confirmButtonText: "Ok"
            }, function() {
                window.location = "manage_rece.php";
            }, 1000);
        });
    </script>
    <p><?php $_SESSION['success']='';?></p>

```

```

<?php if(!empty($_SESSION['update'])){?>
<script>
setTimeout(function() {
    swal({
        title: "Congratulations!",
        text: "Record Updated",
        type: "success",
        confirmButtonText: "Ok"
    }, function() {
        window.location = "manage_rece.php";
    }, 1000);
});
</script>
<p><?php $_SESSION['update']='';?></p>

<?php if(!empty($_SESSION['delete'])){?>
<script>
setTimeout(function() {
    swal({
        title: "Congratulations!",
        text: "Record Deleted",
        type: "success",
        confirmButtonText: "Ok"
    }, function() {
        window.location = "manage_rece.php";
    }, 1000);
});
</script>
<p><?php $_SESSION['delete']='';?></p>

```

```

<?php
// error_reporting(E_ALL);

session_start();
if(!isset($_SESSION['id'])){
    header('location:../index.php');
}
?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<div class="content-body mb-5 p-3">
    <div class="row">
        <div class="col-md-12">
            <div class="heading mb-4 d-flex align-items-center justify-
content-between">
                <div align="center">
                    <!-- <h3 class="mb-0">Change Password </h3> -->
                </div>
                <p class="m-0"><a href="dashboard.php" class="text-
primary">Dashoboard </a> <span class="disable">/ Change Password </span></p>
            </div>
        </div>
    </div>

<div align="center">
    <h2 class="mb-0">Change Password </h2>

```

```

        </div>
        <div align="center">
            <div align="center" style="width:550px">

                <div class="card border-0 shadow" >
                    <div class="card-body mt-5">
                        <form method="POST" id="pass_form"
action="app/password_crud.php">
                            <div class="mb-3 col-md-6">
                                <label class="form-label">Current Password
<span class="required text-danger">*</span> </label>
                                <input type="password" class="form-control
border border-success" name="a_password">
                            </div>
                                <div class="mb-3 col-md-6">
                                    <label class="form-label">New Password <span
class="required ext-danger">*</span></label>
                                    <input type="password" class="form-control
border border-success" name="new_password" >
                                </div>
                                <div class="mb-3 col-md-6">
                                    <label class="form-label">Confirm New Password
<span class="required text-danger">*</span></label>
                                    <input type="password" class="form-control
border border-success" name="c_password" >
                                </div>
                                <div class="col-md-12">
                                    <button type="submit" class="btn btn-success
btn-sm" name="update" onclick="submitpassword()"> Update </button>

                                </div>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
        </div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');
error_reporting(0);
session_start();
include '../assets/constants/config.php';

try {
    $conn = new PDO("mysql:host=$servername;dbname=$dbname", $username,
$password);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $e)
{
    echo "Connection failed: " . $e->getMessage();
}
?>

```

```

<div class="app-content">
<div class="content-wrapper">
<div class="card">
  <div class="section-description section-description-inline">
    <h1>Pet Report</h1>
  </div>
  <div class="card-body">
    <form class="row" method="POST" action="">
      <div class="mb-3 col-md-5">
        <label class="form-label">From Date</label>
        <input type="date" class="form-control" name="fdate" >
      </div>
      <div class="mb-3 col-md-5">
        <label class="form-label">To Date</label>
        <input type="date" class="form-control" name="tdate" >
      </div>
      <div class="col-md-2 mt-4 pt-3">
        <button type="submit" name="submit" class="btn btn-
primary">Submit</button>
      </div>
    </form>
  </div>
</div>
<div class="app-content mt-0">
  <div class="content-wrapper">
    <div class="card">
      <div class="section-description section-description-inline">
        <h1>Manage Pet Report</h1>
      </div>
      <div class="card-body">
        <div class="table-responsive">
          <table id="example" class="display nowrap" style="width:100%">
            <thead>
              <tr>
                <th>ID</th>
                <th>Visitor Name</th>
                <th>Name</th>
                <th>Marks</th>
                <th>Status</th>
                <th>Gender</th>
                <th>Breed</th>
                <th>Age</th>
                <th>Mode Acquired</th>
                <th>Place Acquired</th>
                <th>Date Acquired</th>
                <th>Image</th>

                <!-- <th>Type</th> -->

                <!-- <th>Action</th> -->
              </tr>
            </thead>
            <tbody>
              <?php
                $stmt = $db->prepare("SELECT * FROM

```

```

pet_info` WHERE date_acquired >="".$_POST['fdate']."' and date_acquired
<="".$_POST['tdate']."' and delete_status='0'");
                                $stmt->execute();
                                $record = $stmt->fetchAll();
                                $i=1;
                                foreach ($record as $key)
                                {
                                    //print_r($key);exit;?>
                                }
                                <tr>
                                    <tr>
                                        <td><?php echo $i;?></td>
                                        <td><?php echo $key['visitor_name'];?></td>
                                        <td><?php echo $key['pet_name'];?></td>
                                        <!-- <td><?php echo $key['category'];?></td> -->
                                        <td><?php echo $key['mark'];?></td>
                                <td><?php echo $key['status'];?></td>
                                <td><?php echo $key['gender'];?></td>
                                <td><?php echo $key['breed'];?></td>
                                <td><?php echo $key['age'];?></td>
                                <td><?php echo $key['mode_acquired'];?></td>
                                <td><?php echo $key['place_acquired'];?></td>
                                <td><?php echo $key['date_acquired'];?></td>
                                <!-- <td><?php echo $key['registration_by'];?></td> -->
                                <td></td>
                                <!-- <td>
                                    <a href="edit-bill.php?bid=<?php echo $row['bid']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
                                    </a>
                                    <a href="app/crudbill.php?bid=<?php echo $row['bid']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete" onclick="return
confirm('Do you really want to Delete ?');"><i class=" text-danger material-icons-
outlined">delete</i>
                                    </a>
                                </td> -->
                                </tr>
                                <?php
                                    } ?>
                                </tbody>
                                </table>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
            <?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>

        <section>
            <div class="container">
                <!-- Modal -->
                <div class="modal fade" id="exampleModal" tabindex="-1"
                    aria-labelledby="exampleModalLabel" aria-hidden="true">

```

```

        <div class="modal-dialog modal-lg modal-dialog-scrollable">
<div class="modal-content">
    <div class="modal-header">
        <h1 class="modal-title fs-5" id="exampleModalLabel">Add
Prescription Management</h1>
        <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
    </div>
    <div class="modal-body">
        <!-- Add Prescription form -->

        <form class="row" method="POST"
action="app/crudpresc.php" id="presc_form">

                <div class="mb-3 col-md-6">
                    <label class="form-label">Select
Pet</label><span class="required">*</span>
                    <?php
                        $cnt=1;

                        $stmt = $db->prepare("select * from
appointment,pet_info where appointment.pid=pet_info.pid and
appointment.delete_status='0' ");
                        $stmt->execute();
                        $record = $stmt->fetchAll();
                        $i=1; ?>

                    <select class="form-select" aria-label="Default
select example" type="text" name="patient" id="select">
                        <option>Select Pet</option>
                        <?php foreach ($record as $row)
                            { ?>
                                <option value=" <?php echo
$row['pid']?>">
                                    <?php echo $row['pet_name'].' ('.
$row['owner_name'].')';?> <?php };?>
                                </option>
                            </select>
                    </div>

                    <div class="mb-3 col-md-6">
                        <label class="form-label">Select
Doctor</label><span class="required">*</span>
                        <?php
                            $cnt=1;

                            $stmt = $db->prepare("select * from doctor");
                            $stmt->execute();
                            $record = $stmt->fetchAll();
                            $i=1; ?>

                        <select class="form-select" aria-label="Default
select example" type="text" name="doctor" id="select">
                            <option>Select Doctor</option>
                            <?php foreach ($record as $row)
                                { ?>

```

```

                                <option value=" <?php echo
$row['id']?>">
                                <?php echo $row['dfname'].' '.
$row['dlname']; ?> <?php ;?>
                                </option>
                                </select>
                                </div>
                                <div class="mydiv">
                                <div class="form-group row control-group after-add-more
subdiv align-items-center">
                                <label class="col-md-12"><h5>Prescription
Details</h5></label>
                                <!-- ....for adding multiple input boxes.... -->
                                <div class="mb-3 col-md-4">
                                <label class="form-label">Medication Name<span
class="required">*</span></label>
                                <input type="text" class="form-control"
name="medication[]">
                                </div>
                                <div class="mb-3 col-md-4">
                                <label class="form-label">Dosage</label><span
class="required">*</span>
                                <input type="text" class="form-control"
name="dosage[]">
                                </div>
                                <div class="mb-3 col-md-4">
                                <label class="form-
label">Frequency</label><span class="required">*</span>
                                <input type="text" class="form-control"
name="frequency[]">
                                </div>
                                <div class="mb-3 col-md-4">
                                <label class="form-label">Symptoms</label><span
class="required">*</span>
                                <input type="text" class="form-control"
name="symptoms[]">
                                </div>
                                <div class="mb-3 col-md-4">
                                <label class="form-label">Diseases</label><span
class="required">*</span>
                                <input type="text" class="form-control"
name="diseases[]">
                                </div>
                                <div class="col">
                                <button class="btn btn-success add-more"
type="button">Add</button>
                                </div>
                                </div>
                                </div>
                                <div class="copy hide" style="display:none;">
                                <div class="form-group control-group row subdiv align-items-center">

```

```

        <div class="mb-3 col-md-4">
            <label class="form-label">Medication Name<span
class="required">*</span></label>
            <input type="text" class="form-control"
name="medication[]" ">
        </div>

        <div class="mb-3 col-md-4">
            <label class="form-label">Dosage</label><span
class="required">*</span>
            <input type="text" class="form-control"
name="dosage[]" ">
        </div>

        <div class="mb-3 col-md-4">
            <label class="form-
label">Frequency</label><span class="required">*</span>
            <input type="text" class="form-control"
name="frequency[]" ">
        </div>

        <div class="mb-3 col-md-4">
            <label class="form-label">Symptoms</label><span
class="required">*</span>
            <input type="text" class="form-control"
name="symptoms[]" ">
        </div>

        <div class="mb-3 col-md-4">
            <label class="form-label">Diseases</label><span
class="required">*</span>
            <input type="text" class="form-control"
name="diseases[]" ">
        </div>
        <div class="col">
            <button class="btn btn-danger remove"
type="button"><i class="material-icons-two-tone">remove</i></button>
        </div>
    </div>
    </div>
</div>

        <div class="mydiv">
            <div class="form-group row control-group1 after-add-
more1 subdiv1 align-items-center">
                <label class="col-md-12"><h5>Vaccination
Details</h5></label>

                <!-- ....for adding multiple input boxes.... -->

                <div class="mb-3 col-md-4">
                    <label class="form-label">Vaccine<span
class="required">*</span></label>
                    <input type="text" class="form-control"
name="vaccine[]" ">
                </div>

                <div class="mb-3 col-md-4">
                    <label class="form-label">Purpose of

```



```

        <h1>Prescription Management</h1>
    </div>
    <div class="card-body">
<div class="table-responsive">
    <table id="example" class="display nowrap" style="width:100%">
        <thead>
            <tr>
                <th>ID</th>
                <th>Owner Name</th>
                <th>Pet Name</th>
                <th>Doctor Name</th>
                <th>Medication Name</th>
                <th>Dosage</th>
                <th>Frequency</th>
                <th>symptoms</th>
                <th>diseases</th>
                <th>Action</th>
            </tr>
        </thead>
        <tbody>
            <?php
                //include('config.php');
                //$ret=mysqli_query($con,"select * from tblusers");
                $cnt=1;

                $stmt = $db->prepare("SELECT * from prescription INNER JOIN doctor ON
prescription.id=doctor.id INNER JOIN pet_info ON prescription.pid =
pet_info.pid;");

                $stmt->execute();
                $record = $stmt->fetchAll();
                $i=1;
                foreach ($record as $row)
                {
                    ?>

<!--Fetch the Records -->

                    <tr>
                        <td><?php echo $cnt;?></td>
                        <td><?php echo $row['owner_name']; ?></td>
                        <td><?php echo $row['pet_name']; ?></td>
                        <td><?php echo $row['dfname'].' '. $row['dlname'];
?></td>

                        <td><?php echo $row['medication'];?></td>
                        <td><?php echo $row['dosage'];?></td>
                        <td><?php echo $row['frequency'];?></td>
                        <td><?php echo $row['symptoms'];?></td>
                        <td><?php echo $row['diseases'];?></td>

                        <td>
                            <a href="edit-presc.php?preid=<?php echo $row['preid']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
                            </a>
                            <a href="app/crudpresc.php?delid=<?php echo
$row['preid'] ?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete"
onclick="return confirm('Do you really want to Delete ?');"><i class=" text-danger
material-icons-outlined">delete</i>
                            </a>

```

```

                </td>
            </tr>
            <?php
                $cnt=$cnt+1;
            } ?>
        </tbody>

    </table>
</div>
</div>
</div>
</div>
</div>
</div>
<?php include('include/footer.php');?>
<script type="text/javascript">
    $("body").on("click", ".remove", function() {
        $(this).parents(".control-group").remove();
    });

    $(".add-more").on('click', function() {
        var html = $(".copy").html();
        $(".after-add-more").after(html);
        show_no();
    });

    $("body").on("click", ".remove", function() {
        $(this).parents(".control-group").remove();
        show_no();
    });
function show_no()
{
    var row_cnt=0;
    $( ".sr_no" ).each(function() {
        row_cnt++;
        $( this ).html(row_cnt);
    });
}

// Vaccination Details
$("body").on("click", ".remove1", function() {
    $(this).parents(".control-group1").remove();
});

$(".add-more1").on('click', function() {
    var html = $(".copy1").html();
    $(".after-add-more1").after(html);
    show_no();
});

$("body").on("click", ".remove1", function() {
    $(this).parents(".control-group1").remove();
    show_no();
});
function show_no()
{
    var row cnt=0;
    $( ".sr_no" ).each(function() {
        row cnt++;
    });
}

```

```

    $( this ).html(row_cnt);
  });
}
</script>

<script>
document.addEventListener("DOMContentLoaded", function () {
  let prescTemplate = document.querySelector("#presc-template");

  document.querySelector(".add-more").addEventListener("click", function () {
    let clonedPresc = prescTemplate.content.cloneNode(true);
    document.querySelector("#presc_form").appendChild(clonedPresc);
  });
});
</script>
<script>
<?php if(!empty($_SESSION['success'])){?>
  <script>
  setTimeout(function() {
    swal({
      title: "Congratulations!",
      text: "Data Added Successfully",
      type: "success",
      confirmButtonText: "Ok"
    }, function() {
      window.location = "presc-manage.php";
    }, 1000);
  });
</script>
<p><?php $_SESSION['success']='';?></p>

  <?php if(!empty($_SESSION['update'])){?>
  <script>
  setTimeout(function() {
    swal({
      title: "Congratulations!",
      text: "Record Updated",
      type: "success",
      confirmButtonText: "Ok"
    }, function() {
      window.location = "presc-manage.php";
    }, 1000);
  });
</script>
<p><?php $_SESSION['update']='';?></p>

  <?php if(!empty($_SESSION['delete'])){?>
  <script>
  setTimeout(function() {
    swal({
      title: "Congratulations!",
      text: "Record Deleted",
      type: "success",
      confirmButtonText: "Ok"
    }, function() {
      window.location = "presc-manage.php";
    }, 1000);
  });
}

```

```

</script>
<p><?php $_SESSION['delete']='';?></p>

```

```

<?php
error_reporting(E_ALL);
session_start();
// if(!isset($_SESSION['username'])){
//     header('location:admin-login.php');
// }
//include('include/header.php');
include '../assets/constants/config.php';

?>
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8" />
        <title><h1><b>Invoice</b></h1></title>
        <?php
$sql = "SELECT * FROM webmanagement ";

    $print = $db->prepare($sql);
    $print->execute();
    // print_r($print);
    // exit;
    $print_data = $print->fetch(PDO::FETCH_ASSOC);
    // print_r($print_data);
    // exit;

    ?>

    <style>

        table {
            font-family: arial, sans-serif;
            width: 100%;
            border-collapse: collapse;
            padding: 1px;
        }

        td,
        th {
            text-align: left;
            padding: 8px 6px;
            border:1px solid #ddd;
        }
        @media print{
            section{
                width: 100%!important;
            }
        }

    </style>
</head>
<body>
    <section class="main-pd-wrapper" style="width:80%;margin:0 auto;">
        <div style="display: table-header-group">
            <h4 style="text-align: center; margin: 0">

```

```

        <!-- <b>Invoice</b> -->
    </h4>
    <?php
if(isset($_GET['bid'])){
    $print_id = $_GET['bid'];
    // print_r($print_id);exit;
    $stmt = $db->prepare("SELECT * from bill,pet_info,prescription where
bill.pid=pet_info.pid and bill.pid=prescription.pid and bill.bid='".$_$_GET['bid']."'");
    $stmt->execute();
    //print_r($stmt);exit;

    // if(count($row) > 0){

    $row=$stmt->fetch(PDO::FETCH_ASSOC);

    // print_r($row);
    // exit;
    // $st= $db->prepare("select * from prescription where pid='".$_$_GET['pid']."'
");
    //
    // $st->execute();
    // print_r($st);exit;
    // $res = $st->fetchAll(PDO::FETCH_ASSOC);
    // print_r($res);exit;
    // $values = array_column($res3,
'ticket_number');
    // $string = implode('<br>', $values);

    }

?>

<table style="width: 100%; table-layout: fixed">
    <tr>
        <td
            style="border-left: 1px solid #ddd; border-right: 1px solid #ddd"
        >
            <div
                style="
                    text-align: center;
                    margin: auto;
                    line-height: 1.5;
                    font-size: 14px;
                    color: #4a4a4a;
                "
            >
                <a href="dashboard.php"></a>

                <!-- <p style="font-weight: bold; margin-top: 15px">
                    GST TIN : 06AAFC6498P1ZT
                </p>
                <p style="font-weight: bold">
                    Toll Free No. :
                </p> -->
            </div>
        </td>
        <td>

```

```

        align="right"
        style="
            text-align: right;
            padding-left: 50px;
            line-height: 1.5;
            color: #323232;
        "
    >
    <div>
        <?php
// $qrcode.txt1='id : '.$row['id'].' ,attendee_name : '.$row['name'].' ,email :
'.$row['email'].' ,phone : '.$row['phone_number'].' ,event_name :
'.$row['event_name'].' ,ticket name : '.$row['ticket_name'].' ,ticket type :
'.$row['ticket_type'].' ,no of tickets : '.$row['no_of_tickets'].' ,tickets :
'.$string.' ,amount : '.$row['amount'].' ,payment_id : '.$row['payment_id'].' ;
// print_r($qrcode.txt1);exit;
?>
        <!--  -->
        <h4 style="margin-top: 5px; margin-bottom: 5px">
            Bill to/ Ship to
        </h4>
        <!-- <p>NAME      :- {{ row["visitor_name"]}}</p>
            <p>Place:- {{row['pet_name']}}</p>
            <p>Photo :- {{row['image']}}</p>
            <p>OrderID   :- {{row['place_acquired']}}</p> -->
        <p style="font-size: 14px">
            Owner Name : <?=$row['visitor_name'];?> <br>
            Pet Name: <?=$row['pet_name'];?><br>
            Place: <?=$row['place_acquired'];?><br>
            
            <br />
            <!-- Tel:
            <a href="tel:01241234568" style="color: #00bb07"
            >0124-1234568</a>
            > -->
        </p>
    </div>
</td>
</tr>
</table>
</div>
<table style="width: 100%;">
    <thead style="display: table-header-group">
        <tr
            style="
                margin: 0;
                background: #e0f5ff;
                padding: 15px;
                padding-left: 20px;
                -webkit-print-color-adjust: exact;
            "
        >
            <td colspan="2">
                <h3>
                    <span style="font-weight: 300;font-size: 85%; color: #626262;
margin-left: 5px;">Transtion ID: <?=$row['tranid'];?></span>

```

```

        <p style="font-weight: 300;font-size: 85%;color: #626262;margin-
top: 7px;">
        <!-- Delivery Estimate:
        <span style="color: #00bb07">Today {{data1['schedule']}}</span
        ><br /> -->
        </p>
        </h3>
    </td>
    <td colspan="3">
        <!-- <p>Invoice No:- Thu May 19 3:41PM</p> -->
        <!-- <p style="margin: 5px 0">Invoice Generated:- Thu May 19
3:41PM</p> -->
        <p style="margin: 5px 0">Date : <?php $time = date("Y-m-d"); echo
$time; ?></p>
        <!-- <p style="margin-bottom: 5px">CIN: U52100DL2016PTC292777</p>
        <p>FSSAI License No. 10819005000131</p> -->
    </td>
    <td colspan="3" style="width: 300px">
        <!-- <h4 style="margin: 0">Sold By:</h4> -->
        <p>
            <strong>Pay To:</strong> <br> Sparsh clinic<br> Second Floor, Shree
Niwas Building,<br>behind Tata Motors Service <br>Kiran Mahalaxmi Nagar stop, <br>
Nashik, Maharashtra 422003 </p>
        </td>
    </tr>

<tr>
    <th style="width: 50px">#</th>
    <th style="width: 180px"><h4>Pet Name</h4></th>
    <!-- <th style="width: 0px" > -->
        <!-- <h4>
            HSN<br />
            Code
        </h4> -->
    <!-- </th> -->
    <th style="width: 110px"><h4>Owner <br> Name</h4></th>
    <th style="width: 120px"><h4>Vaccine</h4></th>
    <th style="width: 120px"><h4>Consultation<br>Fee</h4></th>
    <!-- <th style="width: 80px">
        <h4>
            Unit<br />
            Price
        </h4>
    </th>
-->
    <th style="width: 120px">
        <h4>Test<br>Charges</h4>
    </th>
    <th style="width: 120px">
        <h4>
            Treatement<br>Charges
        </h4>
    </th>

    <th style="width: 120px">
        <h4>Amount</h4>
    </th>

```

```

        </tr>
    </thead>
    <tbody>
        <tr>
            <td>01</td>
            <td><?=$row['visitor_name'];?></td>
            <td><?=$row['pet_name'];?></td>
            <td><?=$row['vaccine'];?></td>
            <td><?=$row['cfees'];?></td>
            <td><?=$row['charges'];?></td>
            <td><?=$row['tcharges'];?></td>
            <td><?=$row['amount'];?></td>
        </tr>
    </tbody>
</tfoot></tfoot>
</table>
<table class="hm-p table-bordered" style="width: 100%; margin-top: 30px">
    <tr>
        <th style="width: 400px">
            <p>Payment Mode:</p>
            <!-- <p>Total:</p> -->
            <!-- <p>Deerika Cashback:</p> -->
        </th>
        <td colspan="2" style="width: 100px; border-right: none">
            <p>&nbsp;</p>
            <p style="text-align: right"><b><?php echo$row['pmethod'];?></b></p>
            <!-- <p style="text-align: right"><b>90</b></p> -->
        </td>
        <td colspan="2" style="border-left: none"></td>
    </tr>
    <tr style="background: #e0f5ff">
        <th>Total</th>
        <td colspan="2" style="width: 100px; border-right: none">
            <p>&nbsp;</p>
            <p style="text-align: right"><b><?php echo$row['amount'];?></b></p>
            <!-- <p style="text-align: right"><b>90</b></p> -->
        </td>
        <td colspan="3" style="border-left: none"></td>
    </tr>
</table>

<table style="width: 100%" cellpadding="0" cellspacing="0" border="0">
    <tr>
        <td>
            <p>
                This is computer generated invoice and hence signature is not
                required.
            </p>
            <!-- <h4 style="margin: 10px 0">
                <a href="terms_conditions.php" style="color:black;">Terms &
Conditions</a>
            </h4> -->
        </td>
    </tr>

```

```

        <td>
            <h4 style="margin: 0; text-align: right">
                <!-- Not a Deerika Plus+ member yet?<br />
                You could have saved 5% -->
            </h4>
        </td>
    </tr>
</table>
</section>
<center>
    <button type="submit" onclick="window.print()">print here</button>
</center>
</body>
</html>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');
//session_start();

    $stmt = $db->prepare("SELECT * from re_admins WHERE
id='".$$_SESSION['id']."'");
    //print_r($stmt);exit;
    $stmt->execute();
    $record = $stmt->fetchAll();

?>
<?php foreach ($record as $rec) { ?>

    <div class="app-content">
        <div class="content-wrapper">
            <div class="card">
                <div class="section-description section-description-inline"><h1>Profile
Management</h1></div>
                <div class="card-body">

                    <div class="card-body">

                        <form action="app/profilec.php" enctype="multipart/form-
data" method="POST">
                            <div class="row">
                                <div class="mb-3 col-md-6">
                                    <input type="hidden" name="id" value="<?php
echo $rec['id']; ?>" class="mb-3">
                                    <label>User Name</label>
                                    <input type="text" class="form-control"
name="username" value="<?php echo $rec['username']; ?>">
                                </div>

                                <div class="mb-3 col-md-6">
                                    <label>Email Address</label>
                                    <input type="text" class="form-control"
name="email" value="<?php echo $rec['email']; ?>" pattern="[a-z0-9._%+-]+@[a-z0-9.-
]+\.[a-z]{2,4}$" >

```



```

<meta charset="utf-8">
<meta http-equiv="x-ua-compatible" content="ie=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="author" content="Laralink">
<!-- Site Title -->
<title>General Purpose Invoice</title>
<link rel="stylesheet" href="../assets/css/style1.css">
</head>

<body>
  <div class="tm_container">
    <div class="tm_invoice_wrap">
      <div class="tm_invoice tm_style1" id="tm_download_section">
        <div class="tm_invoice_in">
          <div class="tm_invoice_head tm_align_center tm_mb20">
            <div class="tm_invoice_left">
              <div class="tm_logo"></div>
            </div>
            <div class="tm_invoice_right tm_text_right">
              <div class="tm_primary_color tm_f50 tm_text_uppercase">Invoice</div>
            </div>
          </div>
          <?php

                                                                                   $cnt=1;
                                                                                   $stmt = $db->prepare("SELECT * from bill INNER
JOIN patient ON bill.pid=customer.pid where bid=? ;");
                                                                                   $stmt->
>execute([$ _GET['bid']]);
                                                                                   $record =
$stmt->fetchAll();
                                                                                   $i=1;
                                                                                   foreach
($record as $row)
                                                                                   {
                                                                                       ?>

          <div class="tm_invoice_info tm_mb20">
            <div class="tm_invoice_seperator tm_gray_bg"></div>
            <div class="tm_invoice_info_list">
              <p class="tm_invoice_number tm_m0">Invoice No: <b
class="tm_primary_color">#<?php echo $row['invoice_no'];?></b></p>
              <p class="tm_invoice_date tm_m0">Date: <b
class="tm_primary_color"><?php echo date("d/m/Y") ?></b></p>
            </div>
          </div>
          <div class="tm_invoice_head tm_mb10">
            <div class="tm_invoice_left">
              <p class="tm_mb2"><b class="tm_primary_color">Invoice To:</b></p>
              <p>
                <?php

$stmt = $db->prepare("SELECT * from admin ");

```

```

$stmt->execute();
$record = $stmt->fetchAll();
foreach ($record as $key) {
    // code...

    ?>
Name: <?php echo $key['admin_fname'].' '.$key['admin_lname'];?><br>
Email: <?php echo $key['admin_email'];?><br>

Address: <?php echo $key['address'];?><br>
Mobile: <?php echo $key['admin_mobilenos'];?><br>
<?php } ?>
    </p>
    </div>
    <div class="tm_invoice_right tm_text_right">
        <p class="tm_mb2"><b class="tm_primary_color">Pay To:</b></p>
        <p>
            Name: <?php echo $row['fname'].' '.$row['lname'];?><br>
            Email: <?php echo $row['email'];?><br>
            Address: <?php echo $row['add'];?><br>
            Mobile:<?php echo $row['mobile'];?><br>

        </p>
    </div>
</div>
<div class="tm_table tm_style1 tm_mb30">
    <div class="tm_round_border">
        <div class="tm_table_responsive">
            <table>
                <thead>
                    <tr>
                        <th class="tm_width_3 tm_semi_bold tm_primary_color
tm_gray_bg">Item</th>
                        <th class="tm_width_2 tm_semi_bold tm_primary_color
tm_gray_bg">Price</th>
                        <th class="tm_width_1 tm_semi_bold tm_primary_color
tm_gray_bg">Qty</th>
                        <th class="tm_width_2 tm_semi_bold tm_primary_color
tm_gray_bg ">Total</th>
                    </tr>
                </thead>
                <tbody>
                    <tr>
                        <td><?php echo
$row['cfees'];?></td>
                        <td><?php echo
$row['amount'];?></td>
                        <td><?php echo
$row['pmethod'];?></td>
                        <td><?php echo
$row['amount'];?></td>
                    </tr>
                </tbody>
            </table>
        </div>
    </div>
</div>

```

```

<!-- <div class="tm_invoice_footer"> -->
<!-- <div class="tm_left_footer">
  <p class="tm_mb2"><b class="tm_primary_color">Payment info:</b></p>
  <p class="tm_m0">Credit Card - 236*****928 <br>Amount:
$1732</p>
</div> -->
<div class="tm_left_footer">
  <table>
    <tbody>
      <tr>
        <td class="tm_width_3 tm_primary_color tm_border_none
tm_bold">Subtotal</td>
        <td class="tm_width_3 tm_primary_color tm_text_right
tm_border_none tm_bold"><?php echo $row['amount'];?></td>
      </tr>
      <tr>
        <td class="tm_width_3 tm_primary_color tm_border_none
tm_pt0">Tax <span class="tm_ternary_color">(5%)</span></td>
        <!-- <td class="tm_width_3 tm_primary_color tm_text_right
tm_border_none tm_pt0"> -->

        <!-- GST Amount = (Value of supply x GST%)/100 -->
<!-- Price to be charged = Value of supply + GST Amount -->
        <?php
          $tax=0.05;
          $amount= $row['amount'];
          $gst=($amount*$tax)/100;
          $total=$amount+$gst;
          ?>
        <td class="tm_width_3 tm_primary_color tm_text_right tm_border_none
tm_pt0"><?php echo round($gst, 2);?></td>
      </td>
    </tr>
    <tr class="tm_border_top tm_border_bottom">
      <td class="tm_width_3 tm_border_top_0 tm_bold tm_f16
tm_primary_color">Grand Total </td>
      <td class="tm_width_3 tm_border_top_0 tm_bold tm_f16
tm_primary_color tm_text_right"><?php echo round($total, 2);?></td>
    </tr>
  </tbody>
</table>
<!-- </div> -->
</div>
<div class="tm_padd_15_20 tm_round_border">
  <p class="tm_mb5"><b class="tm_primary_color">Terms &
Conditions:</b></p>
  <ul class="tm_m0 tm_note_list">
    <li>All claims relating to quantity or shipping errors shall be
waived by Buyer unless made in writing to Seller within thirty (30) days after
delivery of goods to the address stated.</li>
    <li>Delivery dates are not guaranteed and Seller has no liability for
damages that may be incurred due to any delay in shipment of goods hereunder. Taxes
are excluded unless otherwise stated.</li>
  </ul>
</div><!-- .tm_note -->
</div>
</div>
<!-- print button -->

```

```

<div class="tm_invoice_btns tm_hide_print">
  <a href="javascript:window.print()" class="tm_invoice_btn tm_color1">
    <span class="tm_btn_icon">
      <svg xmlns="http://www.w3.org/2000/svg" class="ionicon" viewBox="0 0
512 512"><path d="M384 368h24a40.12 40.12 0 0040-40V168a40.12 40.12 0 00-40-
40H104a40.12 40.12 0 00-40 40v160a40.12 40.12 0 0040 40h24" fill="none"
stroke="currentColor" stroke-linejoin="round" stroke-width="32"/><rect x="128"
y="240" width="256" height="208" rx="24.32" ry="24.32" fill="none"
stroke="currentColor" stroke-linejoin="round" stroke-width="32"/><path d="M384
128v-24a40.12 40.12 0 00-40-40H168a40.12 40.12 0 00-40 40v24" fill="none"
stroke="currentColor" stroke-linejoin="round" stroke-width="32"/><circle cx="392"
cy="184" r="24" fill='currentColor'/></svg>
    </span>
    <span class="tm_btn_text">Print</span>
  </a>
  <button id="tm_download_btn" class="tm_invoice_btn tm_color2">
    <span class="tm_btn_icon">
      <svg xmlns="http://www.w3.org/2000/svg" class="ionicon" viewBox="0 0
512 512"><path d="M320 336h76c55 0 100-21.21 100-75.6s-53-73.47-96-75.6C391.11
99.74 329 48 256 48c-69 0-113.44 45.79-128 91.2-60 5.7-112 35.88-112 98.4S70 336
136 336h56M192 400.1164 63.9 64-63.9M256 224v224.03" fill="none"
stroke="currentColor" stroke-linecap="round" stroke-linejoin="round" stroke-
width="32"/></svg>
    </span>
    <span class="tm_btn_text">Download</span>
  </button>
</div>

</div>
</div><?php
                $cnt=$cnt+1;
            } ?>
</script>
</script>
</script>
</script>
</body>
</html>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>

    <section>
        <div class="container">
            <!-- Modal -->
            <div
                class="modal fade" id="exampleModal" tabindex="-1"
                aria-labelledby="exampleModalLabel" aria-hidden="true">
                <div class="modal-dialog modal-lg"> <div
                    class="modal-content">
                        <div class="modal-header">
                            <h1 class="modal-title fs-5" id="exampleModalLabel">Add
Doctor's Shedule</h1>
                            <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>

```



```

                                <label class="form-label">To</label><span
class="required">*</span>
                                <input type="time" class="form-control"
name="ttime">
                                </div>

                                <div class="col-md-12">
                                    <button type="submit" name="submit" class="btn
btn-primary" onclick="submitshedule()">Submit</button>
                                    <input class="btn btn-primary" type="reset"
value="Reset">
                                </div>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
<!-- Manage shedule details -->

<div class="app-content">
    <button type="submit" style="" class="btn
btn-success mb-3" data-bs-toggle="modal"
data-bs-target="#exampleModal" >Add</button>
<div class="content-wrapper">
    <div class="card">
        <div class="section-description section-description-inline">
            <h1>Manage Doctor's Shedule</h1>
        </div>
        <div class="card-body">
            <div class="table-responsive">
                <table id="example" class="display nowrap" style="width:100%">
                    <thead>
                        <tr>

                                <th>ID</th>
                                <th>Doctor's Name</th>
                                <th>Day</th>
                                <th>From</th>
                                <th>To</th>

                                <th>Action</th>
                        </tr>
                    </thead>
                    <tbody>

                                <?php
                                    //include('config.php');
                                //<ret=mysqli_query($con,"select * from tblusers");
                                    $cnt=1;

                                    $stmt = $db->prepare("SELECT * from docshedule INNER JOIN doctor ON
docshedule.id=doctor.id");
                                    $stmt->execute();
                                    $record = $stmt->fetchAll();
                                    $i=1;

```

```

                                foreach ($record as $row)
                                {
                                    ?>
<!--Fetch the Records -->

                                <tr>
                                    <td><?php echo $cnt;?></td>
                                    <td> <?php echo $row['dfname'].' '. $row['dlname']; ?></td>
                                    <td><?php echo $row['days'];?></td>
                                    <td><?php echo $row['ftime'];?></td>
                                    <td><?php echo $row['ttime'];?></td>

                                <td>
                                    <a href="edit-shedule.php?dsid=<?php echo $row['dsid']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
                                    </a>
                                    <a href="app/crudshedule.php?delid=<?php echo
$row['dsid'] ?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete"
onclick="return confirm('Do you really want to Delete ?');"><i class=" text-danger
material-icons-outlined">delete</i>
                                    </a>
                                </td>
                                </tr>
                                <?php
                                    $cnt=$cnt+1;
                                } ?>
                            </tbody>

                        </table>
                    </div>
                </div>
            </div>
        </div>
<?php include('include/footer.php');?>
<?php if(!empty($_SESSION['success'])){?>
    <script>
        setTimeout(function() {
            swal({
                title: "Congratulations!",
                text: "Data Added Successfully",
                type: "success",
                confirmButtonText: "Ok"
            }, function() {
                window.location = "schedule.php";
            }, 1000);
        });
    </script>
    <p><?php $_SESSION['success']='';?></p>

    <?php if(!empty($_SESSION['update'])){?>
    <script>
        setTimeout(function() {

```

```

        swal({
            title: "Congratulations!",
            text: "Record Updated",
            type: "success",
            confirmButtonText: "Ok"
        }, function() {
            window.location = "schedule.php";
        }, 1000);
    });
</script>
<p><?php $_SESSION['update']='';?></p>

<?php if(!empty($_SESSION['delete'])){?>
<script>
setTimeout(function() {
    swal({
        title: "Congratulations!",
        text: "Record Deleted",
        type: "success",
        confirmButtonText: "Ok"
    }, function() {
        window.location = "schedule.php";
    }, 1000);
});
</script>
<p><?php $_SESSION['delete']='';?></p>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline">
                <h1>Search</h1>
            </div>
            <div class="card-body">

<form class="row" method="POST" action="">
    <div class="col-md-5">
        <label for="inputState" class="form-label">Category</label><br>
        <select class="form-select" name="cat" style="width:100%">
            <option selected="">Choose...</option>
            <option value="1">Cat</option>
            <option value="2">Dog</option>
            <option value="3">Birds</option>
            <!-- <option value="4">Company</option> -->

        </select>
    </div>

    <div class="mb-3 col-md-5">
        <label class="form-label">Enter Here</label>
        <input type="text" class="form-control" name="search" >
    </div>

    <div class="col-md-2 mt-4 pt-3">
        <button type="submit" name="submit" class="btn btn-

```

```

primary">Search</button>
  </div>

</form>
  <div class="card-body">
    <div class="table-responsive">

      <table id="example" class="display" style="width:100%">
        <thead>
          <tr>
            <th>Sr. No.</th>
            <th>Hour</th>
            <th>Date</th>
            <th>Task</th>
            <th>Client</th>
            <th>Address</th>
            <th>Mobile</th>

            <th>Company</th>

            <th width="80px">Action</th>
          </tr>
        </thead>
        <tbody>
<?php
$d=date('Y-m-d');

$i=1;
if(isset($_POST['submit'])) {

    $name=$_POST['search'];
    if($_POST['cat']==1)
    {
        $whr=" AND t.task LIKE '%" . $name . "%' ";
        $stmt = $db->prepare("SELECT * FROM appointment as a JOIN task as t ON
a.task=t.id WHERE a.delete_status=0 " . $whr . "");
    }
    if($_POST['cat']==2)
    {
        $whr=" AND t.client LIKE '%" . $name . "%' ";
        $stmt = $db->prepare("SELECT * FROM client as t JOIN appointment as a ON
a.client=t.id WHERE a.delete_status=0 " . $whr . "");
        //print_r($stmt);
    }
    if($_POST['cat']==3)
    {
        $whr=" AND t.mob LIKE '%" . $name . "%' ";
        $stmt = $db->prepare("SELECT * FROM client as t JOIN appointment as a ON
a.client=t.id WHERE a.delete_status=0 " . $whr . "");
    }
    if($_POST['cat']==4)
    {
        $whr=" AND t.company LIKE '%" . $name . "%' ";
        $stmt = $db->prepare("SELECT * FROM appointment as a JOIN company as t ON
a.company=t.id WHERE a.delete_status=0 " . $whr . "");
    }
}

```

```

    }
    elseif (!isset($_POST['submit'])) {
        // code...

        $stmt = $db->prepare("SELECT * FROM appointment WHERE delete_status=0 ");
    }
    $stmt->execute();
    $result = $stmt->fetchAll();
    foreach ($result as $key) {
        // print r($key); exit;
        $stmt1 = $db->prepare("SELECT * FROM pet_info WHERE pid='".$key['pid']."'");
        $stmt1->execute();
        $result1 = $stmt1->fetchAll();
        foreach ($result1 as $key1) {
            ?>
                <tr>
                    <td><?php echo $i; ?></td>
                    <td><?php echo $key['hr']; ?></td>
                    <td><?php
                        $newDate = date("d-m-Y", strtotime($key['date1'])); echo
                    $newDate; ?></td>
                    <?php
                        if($_POST['cat']==1){
                            $stmt3 = $db->prepare("SELECT * FROM task WHERE
                    id='".$key[3]."'");
                        }
                        else{
                            $stmt3 = $db->prepare("SELECT * FROM task WHERE
                    id='".$key['task']."'");
                        }
                    }
                $stmt3->execute();
                $result3 = $stmt3->fetchAll();
                foreach ($result3 as $key3) { ?>
                    <td><?php echo $key3['task']; ?></td>
                    <?php } ?>
                    <td><?php echo $key1['client']; ?></td>
                    <?php if($key['add']==1){ ?>
                    <td><?php echo $key1['padd']; ?></td><?php } ?>
                    <?php if($key['add']==2){ ?>
                    <td><?php echo $key1['sadd']; ?></td><?php } ?>
                    <td><?php echo $key1['mob']; ?></td>

                    <?php
                        if($_POST['cat']==4)
                        {
                            $stmt4 = $db->prepare("SELECT * FROM company WHERE
                    id='".$key[8]."'");
                        }
                        else
                        {
                            $stmt4 = $db->prepare("SELECT * FROM company WHERE
                    id='".$key['company']."'");
                        }
                    }
                $stmt4->execute();
                $result4 = $stmt4->fetchAll();
                foreach ($result4 as $key4) { ?>

```

```

        <td><?php echo$key4['company']; ?></td>
        <?php } ?>

        <td>
            <a href="view_panel.php?id=<?php echo $key['id']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="View"><i
class="material-icons-outlined">visibility</i>
            </a>
            <a href="edit_panel.php?id=<?php echo $key['id']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Edit"><i
class="material-icons-outlined">edit</i>
            </a>
            <a href="app/crudpanel.php?id=<?php echo $key['id']
?>"class="text-blue m-r-15" data-bs-toggle="tooltip" title="Delete"><i class="
text-danger material-icons-outlined">delete_outline</i>
            </a>

        </td>

    </tr>
    <?php } $i++; } ?>
</tbody>

</table>
</div>
</div>
</div>
</div>
</div>
</div>
<?php include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>
<?php
include('../assets/constants/config.php');?>
<?php $stmt = $db ->prepare("SELECT * from appointment WHERE
id='".$$_GET['id']."'");
    $stmt->execute();
    $result = $stmt->fetchAll();
    foreach($result as $res) { ?>
<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline"><h1>View
Panel</h1></div>
            <div class="card-body">

                <div class="col-md-6">
                    <label for="inputState" class="form-label">Hour</label>
                    <input type="text" class="form-control" name="hr" value="<?php
echo $res['hr']?>" readonly>

                </div>
                <div class="mb-3 col-md-6">
                    <label class="form-label">Date</label>
                    <input type="date" class="form-control" name="date" value="<?php echo
$res['date']?>" readonly>

```

```

        </div>
        <div class="col-md-6">
            <label for="inputState" class="form-label">Task</label>

            <?php
                $stmt3 = $db->prepare("SELECT * FROM task WHERE
delete_status='0' AND id='". $res['task']. "'");
                $stmt3->execute();
                $result3 = $stmt3->fetchAll();
                foreach ($result3 as $key3) { ?>
                    <input type="text" class="form-control" value="<?php echo $key3['task'];
?>" readonly>
                <?php } ?>

            </div>
            <div class="mb-3 col-md-6">
                <label for="inputState" class="form-label">Client</label>

                <?php
                    $stmt1 = $db->prepare("SELECT * FROM client WHERE
delete_status='0' AND id='". $res['client']. "'");
                    $stmt1->execute();
                    $result1 = $stmt1->fetchAll();
                    foreach ($result1 as $key1) { ?>
                        <input type="text" class="form-control" value="<?php echo $key1['client'];
?>" readonly>
                    <?php } ?>

            </div>

            <div class="col-md-6">
                <label for="inputState" class="form-label">Address</label>
                <?php if($res['add']==1){?>
                    <input type="text" class="form-control" value="Primary
Address">
                <?php }?>
                <?php if($res['add']==2){?>
                    <input type="text" class="form-control" value="Secondary
Address">
                <?php }?>

            </div>
            <div class="mb-3 col-md-6">
                <label class="form-label">Work</label>
                <input type="text" class="form-control" name="work" value="<?php echo
$res['work']?>" readonly>
            </div>
            <div class="mb-3 col-md-6">
                <label for="inputMask2" class="form-label">Price</label>
                <input type="text" class="form-control" aria-label="Amount"
id="inputMask2" data-inputmask="{ 'alias': 'numeric', 'groupSeparator': ',',
'digits': 2, 'digitsOptional': false, 'prefix': 'C ', 'placeholder': '0' "
inputmode="decimal" style="text-align: right;" name="price" value="<?php echo
$res['price']?>" readonly>
            </div>
            <div class="col-md-6">
                <label for="inputState" class="form-label">Company</label>

```

```

        <?php
            $stmt2 = $db->prepare("SELECT * FROM company WHERE
delete_status='0' AND id='".$res['company']."'");
            $stmt2->execute();
            $result2 = $stmt2->fetchAll();
            foreach ($result2 as $key2) { ?>

                <input type="text" class="form-control" value="<?php echo
$key2['company']; ?>" readonly>

                <?php } ?>

                <div class="mb-3 col-md-6">

                    <input type="hidden" class="form-control" value="<?php echo
$res['id']?>" name="id" >
                </div>

            </div>

            <div class="col-md-6">
                <label for="inputState" class="form-label">Status</label>
                <select id="inputState" class="form-select" name="status">
                    <option selected="">Choose...</option>
                    <option value="done" <?php if($res['status']=='done'){echo
'selected';}?>>Done</option>
                    <option value="cancel" <?php
if($res['status']=='cancel'){echo 'selected';}?>>Cancel</option>

                </select>
            </div>
            <div class="mb-3 col-md-6">
                <label class="form-label">Remark</label>
                <input type="text" class="form-control" name="remark" value="<?php
echo $res['remark']?>" readonly>
            </div>

        </div>
    </div>
</div>
</div>

<?php } include('include/footer.php');?>

```

```

<?php include('include/head.php');?>
<?php include('include/sidebar.php');?>
<?php include('include/header.php');?>

<div class="app-content">
    <div class="content-wrapper">
        <div class="card">
            <div class="section-description section-description-inline"><h1>Website
Management</h1></div>

```

```

<div class="card-body">

    <div class="row">

        <div class="card-body">

<?php
    $stmt = $db->prepare("SELECT * from webmanagement");
    $stmt->execute();
    $record = $stmt->fetchAll();
    //print_r($record); exit;
    foreach ($record as $rec) {
        ?>
        <form action="app/webmanagec.php" enctype="multipart/form-data" method="POST">
            <div class="row">
                <div class="mb-3 col-md-6">
                    <label>Title</label>
                    <input type="text" class="form-control" name="title" value="<?php
echo $rec['title']; ?>">
                </div>

                <div class="mb-3 col-md-6">
                    <label>Logo</label>
                    <input class="form-control" type="file" name="logo"
accept=".jpg,.jpeg,.png" value="<?php echo $rec['logo']; ?>">
                    <input class="form-control" type="hidden" name="old_logo"
accept=".jpg,.jpeg,.png" value="<?php echo $rec['logo']; ?>">
                </div>

                <div class="mb-3 col-md-6">
                    <label>Favicon</label>
                    <input class="form-control" type="file" name="favicon"
accept=".jpg,.jpeg,.png" value="<?php echo $rec['favicon']; ?>">
                    <input class="form-control" type="hidden" name="old_favicon"
accept=".jpg,.jpeg,.png" value="<?php echo $rec['favicon']; ?>">
                </div>

                <div class="mb-3 col-md-6">
                    <label>Site Key</label>
                    <input type="text" class="form-control" name="sitekey" value="<?php
echo $rec['sitekey']; ?>">
                </div>

                <div class="mb-3 col-md-6">
                    <label>Secret Key</label>
                    <input type="text" class="form-control" name="secretkey"
value="<?php echo $rec['secretkey']; ?>">
                </div>

                <div class="mb-3 col-md-12">
                    <button type="submit" name="update" class="btn btn-
primary">Update</button>

                </div>
            </form>
        </form>
<?php } ?>
</div>
</div>

```

```

</div>
</div>
</div>
</div>
</div>
</div>
</div>
<?php include("include/footer.php"); ?>

```

```

/* HORIZONTAL MENU */

/* Layout */

body {
    background: #fff;
}

.horizontal-menu.app-auth-sign-in,
.horizontal-menu.app-auth-sign-up,
.horizontal-menu.app-auth-lock-screen {
    background: #e7ecf8;
}

.horizontal-menu .app-container {
    margin-left: 0;
    width: 100%!important;
    padding: 0 0 30px 0;
}

.horizontal-menu .app-header {
    width: 100%;
    left: 0;
    right: 0;
    top: 0;
    background-color: #2269f4;
    z-index: 10010;
}

.horizontal-menu .search,
.horizontal-menu.sidebar-hidden .search {
    left: 0;
    right: 0;
    width: 100%;
    background-color: #2269f4;
    border-radius: 0;
}

.horizontal-menu.search-visible .search {
    top: 0;
}

.horizontal-menu .search input::placeholder,
.horizontal-menu .search .toggle-search {
    color: rgba(255,255,255,.6);
}

.horizontal-menu .search input,
.horizontal-menu .search .toggle-search:hover {

```

```

    color: #fff;
}

.horizontal-menu .app-header .logo a {
    font-size: 16px;
    text-decoration: none;
    color: #fff;
    text-transform: uppercase;
    font-family: 'Montserrat', sans-serif;
    font-weight: 600;
    letter-spacing: 2px;
    vertical-align: middle;
    line-height: 45px;
    margin-right: 30px;
    padding: 0 10px;
}

.horizontal-menu .app-header .navbar {
    border-radius: 0;
    box-shadow: none;
    background: none;
    padding: 0;

    horizontal-menu .app-header .navbar .navbar-nav {
        flex-direction: row!important;

        horizontal-menu .app-header .navbar .navbar-nav > li > a {
            color: rgba(255,255,255,.6);

            horizontal-menu .app-header .navbar .navbar-nav > li > a.active,
            horizontal-menu .app-header .navbar .navbar-nav > li > a:hover {
                color: #fff;

                horizontal-menu .app-header .navbar .navbar-nav > li > a.active::after {
                    background-color: #fff;
                }
            }
        }

        horizontal-menu .navbar .dropdown-menu {
            box-shadow: none;
            border: 1px solid #E2E6E9;

            horizontal-menu .navbar .dropdown-menu::after {
                border-right: 6px solid transparent;
                border-left: 6px solid transparent;

                horizontal-menu .navbar .dropdown-menu::before {
                    position: absolute;
                    top: -9px;
                    left: 22px;
                    right: auto;
                    display: inline-block !important;
                    border-right: 7px solid transparent;
                    border-bottom: 8px solid #E2E6E9;
                }
            }
        }
    }
}

```

```
border-left: 7px solid transparent;
content: '';
}

.horizontal-menu .navbar .dropdown-menu-end::before {
  right: 22px;
  left: auto;
}

.horizontal-menu .navbar .dropdown-menu.show {
  z-index: 10009;
}

.horizontal-menu .app-header::before {
  display: none;
}

@media (min-width: 1199px) {
  .horizontal-menu .app-header .hide-sidebar-toggle-button {
    display: none;
  }
}

.horizontal-menu.sidebar-hidden .app-header {
  width: 100%;
}

/* Menu */

.horizontal-menu .app-menu {
  position: fixed;
  top: 70px;
  left: 0;
  right: 0;
  height: 55px!important;
  padding: 0;
  background-color: #fff;
  z-index: 10008;
  border-bottom: 1px solid #E2E6E9;
}

.horizontal-menu .app-menu .menu-list > li {
  display: inline-block;
  padding: 5.43px 0;
  height: auto;
  position: relative;
}

.horizontal-menu .app-menu .menu-list > li > a {
  padding: 11px;
  margin: 0;
  display: block;
  text-decoration: none;
  color: #8fa2ac;
  font-weight: 500;
  font-size: 13px;
  -webkit-transition: all .2s ease-in-out;
  -moz-transition: all .2s ease-in-out;
```

```
-o-transition: all .2s ease-in-out;
transition: all .2s ease-in-out;
}

.horizontal-menu .app-menu .menu-list > li > a:hover,
.horizontal-menu .app-menu .menu-list > li:~hover > a,
.horizontal-menu .app-menu .menu-list > li > a.active,
.horizontal-menu .app-menu .menu-list > li.active-page > a {
  color: #2269f4;
}

.horizontal-menu .app-menu .menu-list > li:not(:last-child) {
  margin-right: 6px;
}

.horizontal-menu .app-menu .menu-list > li > a > i.has-sub-menu {
  vertical-align: middle;
  font-size: 17px;
  margin-left: 5px;
  line-height: 20px;
}

.horizontal-menu .app-menu .sub-menu {
  display: block;
  position: absolute;
  top: 40px;
  left: 0;
  padding: 15px 0;
  background: #fff;
  border: 1px solid #E2E6E9;
  min-width: 200px;
  opacity: 0;
  visibility: hidden;
  z-index: 9999999;
  border-radius: 7px;
  -webkit-transition: all .2s ease-in-out;
  -moz-transition: all .2s ease-in-out;
  -o-transition: all .2s ease-in-out;
  transition: all .2s ease-in-out;
}

.horizontal-menu .app-menu .sub-menu::after {
  position: absolute;
  top: -8px;
  left: 23px;
  right: auto;
  display: inline-block !important;
  border-right: 6px solid transparent;
  border-bottom: 8px solid #fff;
  border-left: 6px solid transparent;
  content: '';
}

.horizontal-menu .app-menu .sub-menu::before {
  position: absolute;
  top: -9px;
  left: 22px;
  right: auto;
  display: inline-block !important;
```

```

border-right: 7px solid transparent;
border-bottom: 8px solid #E2E6E9;
border-left: 7px solid transparent;
content: '';
}

@media (min-width: 1199px) {
  .horizontal-menu .app-menu .menu-list li:hover > a + .sub-menu,
  .horizontal-menu .app-menu .menu-list .sub-menu:hover {
    height: auto;
    visibility: visible;
    opacity: 1;
    top: 70px;
  }

  .horizontal-menu .app-menu .menu-list > li:hover > a {
    padding-bottom: 25px;
  }

  .horizontal-menu .app-menu .sub-menu li:hover {
    width: calc(100% + 40px);
  }

  .horizontal-menu .app-menu .sub-menu li:hover > a {
    width: calc(100% - 40px);
  }
}

.horizontal-menu .app-menu .sub-menu li a {
  padding: 5px 25px;
  text-decoration: none;
  color: #778b96;
  font-size: 13px;
  display: block;
  -webkit-transition: all .2s ease-in-out;
  -moz-transition: all .2s ease-in-out;
  -o-transition: all .2s ease-in-out;
  transition: all .2s ease-in-out;
}

.horizontal-menu .app-menu .sub-menu li a:hover,
.horizontal-menu .app-menu .sub-menu li:hover > a,
.horizontal-menu .app-menu .sub-menu li a.active {
  color: rgb(59, 59, 59);
  font-weight: 500;
}

.horizontal-menu .app-menu .sub-menu .sub-menu {
  left: 220px;
  top: 10px;
}

.horizontal-menu .app-menu .sub-menu .sub-menu::after {
  position: absolute;
  top: 17px;
  left: -13px;
  right: auto;
  display: inline-block !important;
  border-top: 6px solid transparent;

```

```

border-right: 8px solid #fff;
border-bottom: 6px solid transparent;
content: '';
}

.horizontal-menu .app-menu .sub-menu .sub-menu::before {
  position: absolute;
  top: 16px;
  left: -15px;
  right: auto;
  display: inline-block !important;
  border-top: 7px solid transparent;
  border-right: 8px solid #E2E6E9;
  border-bottom: 7px solid transparent;
  content: '';
}

.horizontal-menu .app-menu .sub-menu li {
  position: relative;
}

.horizontal-menu .app-menu .sub-menu li > a:hover + .sub-menu,
.horizontal-menu .app-menu .sub-menu li:hover > a + .sub-menu {
  top: -10px;
}

.horizontal-menu .app-menu .menu-list .sub-menu > li > a > i.has-sub-menu {
  vertical-align: middle;
  font-size: 17px;
  margin-left: 5px;
  line-height: 20px;
  float: right;
}

.horizontal-menu .app-content {
  margin-top: 126px;
}

/* UI */

.horizontal-menu .card {
  border: 1px solid #E2E6E9;
  box-shadow: none;
  border-radius: 7px;
}

.horizontal-menu .app-content .page-description {
  padding-left: 11px;
  padding-right: 11px;
  border-bottom-color: #E2E6E9;
}

.example-container,
.example-container .example-content,
.dropdown-menu,
.alert,
.alert-custom,
.popover,
.toast,

```

```

.accordion-separated .accordion-item, .accordion-separated .accordion-item
.accordion-button.collapsed,
.apexcharts-menu,
.card,
.card-img-overlay,
.modal-content,
.widget-list .widget-list-content .widget-list-item .widget-list-item-icon,
.widget-list .widget-list-content .widget-list-item .widget-list-item-icon .widget-
list-item-icon-image,
.widget-files .widget-files-list .widget-files-list-item,
.widget-popular-product .widget-popular-product-container .widget-popular-product-
image,
.widget-popular-blog .widget-popular-blog-container .widget-popular-blog-image,
.widget-popular-blog .widget-popular-blog-container .widget-popular-blog-image img,
.widget-bank-card .widget-bank-card-container,
.widget-stats .widget-stats-container .widget-stats-icon,
.widget-chat .widget-chat-messages-container .widget-chat-message-item .widget-
chat-message-item-text,
.widget-chat .widget-chat-compose .widget-chat-compose-input,
.dropzone,
.dropzone .dz-preview .dz-image,
.dropzone .dz-preview .dz-details,
.note-editor,
.note-dropdown-menu,
.note-modal-content,
.flatpickr-calendar,
.flatpickr-current-month .numInputWrapper,
.select2-dropdown,
.mailbox-open-content-email-attachments .attachments-files-list-item,
.file-manager-folder .file-manager-folder-icon,
.fc .fc-popover,
.todo-menu .todo-status-filter li a,
.settings-security-two-factor,
.app-auth-container .auth-user,
.app-auth-container .auth-user img {
  border-radius: 7px;
}

.invoice-header {
  border-radius: 7px 7px 0 0;
}

.horizontal-menu .card-img,
.horizontal-menu .card-img-bottom {
  border-bottom-right-radius: 7px;
  border-bottom-left-radius: 7px;
}

.horizontal-menu .card-img,
.horizontal-menu .card-img-top {
  border-top-left-radius: 7px;
  border-top-right-radius: 7px;
}

@media (min-width: 1200px) {
  .mailbox-container,
  .todo-container {
    height: calc(100vh - 185px);
    margin-top: 30px;
  }
}

```

```

}
}

.calendar-container {
  height: calc(100vh - 185px);
  margin-top: 30px;
}

/* Widgets */

.horizontal-menu .widget-bank-card .widget-bank-card-container {
  border-radius: 7px;
}

.horizontal-menu .widget-stats-large .widget-stats-large-info-container {
  border-radius: 0 7px 7px 0;
}

/* Loader */

.pace .pace-progress {
  background-color: rgba(255,255,255,.6);
}

/* Responsive */

@media (max-width: 1199px) {
  .horizontal-menu .app-content {
    margin-top: 66px;
  }

  .horizontal-menu .app-menu {
    padding-top: 30px;
    left: -280px;
    top: 0;
    bottom: 0;
    width: 280px;
    height: 100vh!important;
    background: #fff;
    z-index: 999999;
    border-right: 1px solid #E2E6E9;
    border-bottom: none;
  }

  .horizontal-menu .app-menu .container {
    width: 100%!important;
    padding: 0!important;
    margin: 0!important;
  }

  .horizontal-menu .app-menu .menu-list > li {
    padding: 0;
  }

  .horizontal-menu .app-menu .menu-list > li > a {
    margin: 3px 15px;
    padding: 10px 15px;
    font-size: 14px;
  }
}

```

```

}

.horizontal-menu .app-menu .sub-menu {
  position: relative;
  left: 0!important;
  top: 0!important;
  opacity: 1;
  visibility: visible;
  border: none;
  margin: 10px 35px 10px 30px;
  padding: 20px 0;
  border-radius: 5px;
  background: #f5f7fa;
  -webkit-transition: none;
  -moz-transition: none;
  -o-transition: none;
  transition: none;
}

.horizontal-menu .app-menu .sub-menu .sub-menu {
  left: auto!important;
  top: auto!important;
  margin: 0;
  padding: 5px 0 5px 20px;
}

.horizontal-menu .app-menu .sub-menu::before,
.horizontal-menu .app-menu .sub-menu::after,
.horizontal-menu .app-menu .sub-menu .sub-menu::before,
.horizontal-menu .app-menu .sub-menu .sub-menu::after {
  display: none!important;
}

.horizontal-menu .app-menu .menu-list > li {
  display: block;
}

.app-menu li > a > i.has-sub-menu {
  transform: rotate(-90deg);
  -webkit-transition: all .2s ease-in-out;
  -moz-transition: all .2s ease-in-out;
  -o-transition: all .2s ease-in-out;
  transition: all .2s ease-in-out;
}

.app-menu .sub-menu > li > a > i.has-sub-menu {
  transform: rotate(0deg);
}

.app-menu li.open > a > i.has-sub-menu {
  transform: rotate(0deg);
}

.app-menu .sub-menu > li.open > a > i.has-sub-menu {
  transform: rotate(90deg);
}

mailbox-container,
todo-container {

```

```
margin-top: 30px;  
}  
}
```